

umc.org) About

comirnaty

Search

**comirnaty** contains the active ingredient(s): **Covid-19 vaccine**.

Result is presented for the active ingredient(s).

Total number of records retrieved: **623804**. 

Distribution

▼ Adverse drug reactions (ADRs)

Blood and lymphatic system disorders (25845)

Lymphadenopathy (21410)

Lymph node pain (2354)

Thrombocytopenia (1210)

Lymphadenitis (567)

Immune thrombocytopenia (369)

Anaemia (179)

Coagulopathy (151)

Neutropenia (146)

Increased tendency to bruise (99)

Leukocytosis (82)

Disseminated intravascular coagulation (68)

Lymphopenia (64)

Pancytopenia (62)

Leukopenia (56)

Spontaneous haematoma (38)

Eosinophilia (29)

Haemolytic anaemia (28)

Hypercoagulation (26)

Splenomegaly (25)

Antiphospholipid syndrome (24)

Thrombocytopenic purpura (24)

Thrombocytosis (24)

Thrombotic thrombocytopenic purpura (23)

Neutrophilia (22)

Splenic infarction (21)

Haemolysis (20)

Splenic vein thrombosis (20)

Haemorrhagic diathesis (17)

Nucleated red cells (15)
Lymphocytosis (14)
Autoimmune haemolytic anaemia (13)
Heparin-induced thrombocytopenia (13)
Agranulocytosis (12)
Iron deficiency anaemia (11)
Blood disorder (10)
Platelet disorder (9)
Mast cell activation syndrome (8)
Myelosuppression (8)
Red blood cell abnormality (8)
Sickle cell anaemia with crisis (8)
White blood cell disorder (8)
Abdominal lymphadenopathy (7)
Anaemia vitamin B12 deficiency (7)
Monocytosis (7)
Normocytic anaemia (7)
Acquired haemophilia (6)
Aplastic anaemia (6)
Lymphadenopathy mediastinal (6)
Paratracheal lymphadenopathy (6)
Polychromasia (6)
Spontaneous haemorrhage (6)
Thrombotic microangiopathy (6)
Anisocytosis (5)
Bone marrow oedema (5)
Febrile neutropenia (5)
Hilar lymphadenopathy (5)
Hyperleukocytosis (5)
Microcytic anaemia (5)
Pseudolymphoma (5)
Spleen disorder (5)
Splenic artery thrombosis (5)
Abnormal clotting factor (4)
Atypical haemolytic uraemic syndrome (4)
Autoimmune neutropenia (4)
Bone marrow disorder (4)
Granulomatous lymphadenitis (4)
Haemolytic uraemic syndrome (4)
Purpura non-thrombocytopenic (4)
Blood loss anaemia (3)
Hypochromasia (3)
Hypofibrinogenaemia (3)
Lymphatic disorder (3)
Platelet anisocytosis (3)
Polycythaemia (3)
Splenic haemorrhage (3)
Splenic thrombosis (3)
Anaemia macrocytic (2)

Bicytopenia (2)
Cold type haemolytic anaemia (2)
Coombs positive haemolytic anaemia (2)
Cytopenia (2)
Haemorrhagic disorder (2)
Hypochromic anaemia (2)
Mastocytosis (2)
Pernicious anaemia (2)
Retroperitoneal lymphadenopathy (2)
Splenic varices (2)
Spontaneous heparin-induced thrombocytopenia syndrome (2)
Stress polycythaemia (2)
Warm type haemolytic anaemia (2)
Acquired dysfibrinogenaemia (1)
Anaemia megaloblastic (1)
Anaemia of chronic disease (1)
Aplasia pure red cell (1)
Autoimmune anaemia (1)
Autoimmune heparin-induced thrombocytopenia (1)
Bandaemia (1)
Bone marrow failure (1)
Coombs negative haemolytic anaemia (1)
Deficiency anaemia (1)
Eosinophilia myalgia syndrome (1)
Erythropenia (1)
Evans syndrome (1)
Factor VIII inhibition (1)
Granulocytopenia (1)
Haemoconcentration (1)
Hypereosinophilic syndrome (1)
Hyperfibrinogenaemia (1)
Hyperfibrinolysis (1)
Hypocoagulable state (1)
Intravascular haemolysis (1)
Leukaemoid reaction (1)
Leukoerythroblastic anaemia (1)
Lymph node fibrosis (1)
Lymphocytic infiltration (1)
Methaemoglobinaemia (1)
Microangiopathic haemolytic anaemia (1)
Microcytosis (1)
Normochromic anaemia (1)
Poikilocytosis (1)
Punctate basophilia (1)
Red cell fragmentation syndrome (1)
Schistocytosis (1)
Secondary thrombocytosis (1)
Spleen atrophy (1)
Spleen congestion (1)

- Splenic granuloma (1)
- Splenic lesion (1)
- Splenic vein occlusion (1)
- Cardiac disorders (23695)
 - Palpitations (9621)
 - Tachycardia (8004)
 - Atrial fibrillation (999)
 - Cardiac arrest (726)
 - Myocardial infarction (717)
 - Arrhythmia (685)
 - Bradycardia (429)
 - Cardiac failure (359)
 - Angina pectoris (357)
 - Acute myocardial infarction (355)
 - Extrasystoles (331)
 - Sinus tachycardia (318)
 - Cardiac flutter (264)
 - Cardiovascular disorder (254)
 - Pericarditis (240)
 - Cardio-respiratory arrest (215)
 - Myocarditis (191)
 - Supraventricular tachycardia (161)
 - Ventricular extrasystoles (149)
 - Cardiac disorder (129)
 - Cardiac failure congestive (120)
 - Pericardial effusion (106)
 - Acute coronary syndrome (76)
 - Ventricular fibrillation (74)
 - Atrial flutter (73)
 - Ventricular tachycardia (69)
 - Cardiac discomfort (65)
 - Pulseless electrical activity (62)
 - Cardiac failure acute (59)
 - Cardiogenic shock (57)
 - Cardiomegaly (48)
 - Tachyarrhythmia (48)
 - Coronary artery disease (46)
 - Myocardial ischaemia (45)
 - Atrioventricular block (41)
 - Supraventricular extrasystoles (38)
 - Atrioventricular block complete (34)
 - Postural orthostatic tachycardia syndrome (30)
 - Stress cardiomyopathy (27)
 - Angina unstable (25)
 - Bundle branch block right (25)
 - Left ventricular dysfunction (25)
 - Arrhythmia supraventricular (24)
 - Sinus bradycardia (24)
 - Cardiac fibrillation (23)

Cardiomyopathy (23)
Coronary artery thrombosis (21)
Mitral valve incompetence (21)
Tachycardia paroxysmal (21)
Bundle branch block left (20)
Cardiopulmonary failure (19)
Cardiovascular insufficiency (19)
Coronary artery occlusion (19)
Coronary artery stenosis (18)
Hypertensive heart disease (17)
Tricuspid valve incompetence (17)
Acute left ventricular failure (16)
Intracardiac thrombus (16)
Ventricular hypokinesia (14)
Acute cardiac event (12)
Diastolic dysfunction (12)
Left ventricular failure (12)
Ventricular arrhythmia (12)
Atrial tachycardia (11)
Cardiac tamponade (11)
Left ventricular hypertrophy (11)
Right ventricular failure (11)
Aortic valve incompetence (10)
Arteriosclerosis coronary artery (10)
Cardiac ventricular thrombosis (10)
Coronary artery dissection (10)
Sinus arrhythmia (10)
Arteriospasm coronary (9)
Atrioventricular block second degree (9)
Congestive cardiomyopathy (9)
Pericardial haemorrhage (9)
Cardiac failure chronic (8)
Heart alternation (8)
Cardiovascular symptom (7)
Cor pulmonale acute (7)
Agonal rhythm (6)
Cardiac asthma (6)
Chronic left ventricular failure (6)
Pleuropericarditis (6)
Sinus node dysfunction (6)
Atrial thrombosis (5)
Atrioventricular block first degree (5)
Bundle branch block (5)
Microvascular coronary artery disease (5)
Mitral valve prolapse (5)
Myocardial rupture (5)
Sinus arrest (5)
Cardio-respiratory distress (4)
Cor pulmonale (4)

Paroxysmal arrhythmia (4)
Right ventricular dilatation (4)
Right ventricular dysfunction (4)
Tachycardia foetal (4)
Aortic valve stenosis (3)
Bradyarrhythmia (3)
Cardiac dysfunction (3)
Cardiac valve disease (3)
Hyperdynamic left ventricle (3)
Ischaemic cardiomyopathy (3)
Left ventricular dilatation (3)
Nodal rhythm (3)
Right ventricular enlargement (3)
Right ventricular hypertrophy (3)
Ventricular hypertrophy (3)
Aortic valve calcification (2)
Atrial enlargement (2)
Bradycardia foetal (2)
Cardiac perfusion defect (2)
Conduction disorder (2)
Defect conduction intraventricular (2)
Heart valve incompetence (2)
Left atrial dilatation (2)
Left atrial enlargement (2)
Mitral valve calcification (2)
Myocardial hypoxia (2)
Myocardial oedema (2)
Nodal arrhythmia (2)
Prinzmetal angina (2)
Rhythm idioventricular (2)
Right atrial dilatation (2)
Supraventricular tachyarrhythmia (2)
Systolic dysfunction (2)
Aortic valve disease (1)
Arteritis coronary (1)
Bezold-Jarisch reflex (1)
Brugada syndrome (1)
Bundle branch block bilateral (1)
Cardiac aneurysm (1)
Cardiac arrest neonatal (1)
Cardiac hypertrophy (1)
Cardiac septal hypertrophy (1)
Carditis (1)
Chordae tendinae rupture (1)
Endocarditis fibroplastica (1)
Foetal heart rate disorder (1)
Immune-mediated myocarditis (1)
Kounis syndrome (1)
Long QT syndrome (1)

- Mitral valve stenosis (1)
- Myocardial fibrosis (1)
- Myocardial haemorrhage (1)
- Myocardial necrosis (1)
- Myocardial stunning (1)
- Obesity cardiomyopathy (1)
- Pericardial cyst (1)
- Pericardial disease (1)
- Pericardial fibrosis (1)
- Silent myocardial infarction (1)
- Tachycardia induced cardiomyopathy (1)
- Trifascicular block (1)
- Ventricle rupture (1)
- Ventricular dysfunction (1)
- Ventricular dyskinesia (1)
- Ventricular dyssynchrony (1)
- Ventricular enlargement (1)
- Ventricular hyperkinesia (1)
- Congenital, familial and genetic disorders (175)
 - Paroxysmal extreme pain disorder (11)
 - Heart disease congenital (10)
 - Hypertrophic cardiomyopathy (9)
 - Macroglossia (9)
 - Ehlers-Danlos syndrome (7)
 - Atrial septal defect (6)
 - Cerebral palsy (5)
 - Arnold-Chiari malformation (4)
 - Cystic fibrosis (4)
 - Haemophilia (4)
 - Hyperglycinaemia (4)
 - Anencephaly (3)
 - Arteriovenous malformation (3)
 - Congenital cystic kidney disease (3)
 - Cytogenetic abnormality (3)
 - Gene mutation (3)
 - Huntington's disease (3)
 - Muscular dystrophy (3)
 - Protein C deficiency (3)
 - Colour blindness (2)
 - Congenital multiplex arthrogryposis (2)
 - Dysmorphism (2)
 - Factor II mutation (2)
 - Familial hemiplegic migraine (2)
 - Familial periodic paralysis (2)
 - Foetal malformation (2)
 - Klippel-Trenaunay syndrome (2)
 - Methylmalonic aciduria (2)
 - Micropenis (2)
 - Myoclonic dystonia (2)

Porphyria (2)
Porphyria acute (2)
Syringomyelia (2)
Transposition of the great vessels (2)
Vascular malformation (2)
Ventricular septal defect (2)
Accessory muscle (1)
Alagille syndrome (1)
Amegakaryocytic thrombocytopenia (1)
Ankyloglossia congenital (1)
Aplasia (1)
Birth mark (1)
Cleft lip (1)
Cleft palate (1)
Combined immunodeficiency (1)
Congenital absence of cranial vault (1)
Congenital anomaly (1)
Congenital cardiovascular anomaly (1)
Congenital cystic lung (1)
Congenital hand malformation (1)
Cystic lymphangioma (1)
Dermoid cyst (1)
EGFR gene mutation (1)
Encephalocele (1)
Epidermolysis bullosa (1)
Epilepsy with myoclonic-atonic seizures (1)
Factor V Leiden mutation (1)
Factor XIII deficiency (1)
Familial mediterranean fever (1)
Foetal cystic hygroma (1)
Gastroschisis (1)
Hereditary angioedema (1)
Hereditary angioedema with normal C1 esterase inhibitor (1)
Hereditary neuropathy with liability to pressure palsies (1)
Hereditary pancreatitis (1)
Hereditary spherocytosis (1)
Hydrocele (1)
Klinefelter's syndrome (1)
Left-to-right cardiac shunt (1)
Limb reduction defect (1)
Malformation venous (1)
Mucopolidosis (1)
Neonatal alloimmune thrombocytopenia (1)
Neural tube defect (1)
Parkes-Weber syndrome (1)
Polydactyly (1)
Protein S deficiency (1)
Pyloric stenosis (1)
Retinitis pigmentosa (1)

Septum pellucidum agenesis (1)
Spinal muscular atrophy (1)
Thyroglossal cyst (1)
Type V hyperlipidaemia (1)
Young's syndrome (1)
Ear and labyrinth disorders (17190)
Vertigo (8082)
Tinnitus (4644)
Ear pain (3033)
Hypoacusis (469)
Ear discomfort (464)
Deafness (430)
Hyperacusis (227)
Vertigo positional (204)
Deafness unilateral (197)
Ear swelling (155)
Motion sickness (138)
Sudden hearing loss (133)
Ear pruritus (80)
Deafness neurosensory (68)
Ear congestion (62)
Ear disorder (53)
Meniere's disease (37)
Auditory disorder (32)
Vestibular disorder (27)
Ear haemorrhage (26)
Excessive cerumen production (21)
External ear pain (21)
Deafness bilateral (19)
Middle ear effusion (18)
Acute vestibular syndrome (16)
Paraesthesia ear (16)
Vertigo labyrinthine (16)
Inner ear disorder (14)
Deafness transitory (13)
Otorrhoea (13)
Auricular swelling (9)
Red ear syndrome (9)
Inner ear inflammation (8)
Endolymphatic hydrops (7)
External ear inflammation (7)
Eustachian tube dysfunction (6)
Neurosensory hypoacusis (6)
Eustachian tube disorder (5)
Phobic postural vertigo (5)
Tympanic membrane perforation (5)
Eustachian tube obstruction (4)
Mastoid disorder (4)
Tympanic membrane disorder (4)

Conductive deafness (3)
Dysacusis (3)
Middle ear inflammation (3)
Misophonia (3)
Ear canal erythema (2)
External ear disorder (2)
Mastoid effusion (2)
Middle ear disorder (2)
Otolithiasis (2)
Auricular chondritis (1)
Autoimmune inner ear disease (1)
Autophony (1)
Cerumen impaction (1)
Diplacusis (1)
Mixed deafness (1)
Noninfective myringitis (1)
Presbycusis (1)
Tympanic membrane hyperaemia (1)
Vestibular ataxia (1)
Endocrine disorders (379)
Hypothyroidism (55)
Adrenocortical insufficiency acute (52)
Goitre (38)
Hyperthyroidism (38)
Adrenal insufficiency (18)
Autoimmune thyroiditis (18)
Thyroiditis (18)
Basedow's disease (15)
Thyroid disorder (15)
Thyroid pain (15)
Thyroiditis subacute (14)
Adrenal haemorrhage (9)
Anovulatory cycle (8)
Thyroid mass (8)
Thyroiditis acute (8)
Adrenal disorder (6)
Ovulation delayed (6)
Cushingoid (5)
Diabetes insipidus (5)
Inappropriate antidiuretic hormone secretion (5)
Adrenal mass (4)
Adrenomegaly (4)
Premature menarche (3)
Thyroid cyst (3)
Thyrotoxic crisis (3)
Addison's disease (2)
Glucocorticoid deficiency (2)
Hyperparathyroidism (2)
Pituitary apoplexy (2)

Secondary adrenocortical insufficiency (2)
Adrenal haematoma (1)
Adrenal thrombosis (1)
Autoimmune hypothyroidism (1)
Carcinoid syndrome (1)
Cushing's syndrome (1)
Haemorrhagic adrenal infarction (1)
Haemorrhagic thyroid cyst (1)
Hyperadrenocorticism (1)
Hyperaldosteronism (1)
Hypoparathyroidism (1)
Hypopituitarism (1)
Pituitary-dependent Cushing's syndrome (1)
Silent thyroiditis (1)
Testicular failure (1)
Thyroid calcification (1)
Thyroiditis chronic (1)
Eye disorders (20637)
Eye pain (4769)
Vision blurred (4005)
Photophobia (1877)
Visual impairment (1696)
Eye swelling (1198)
Ocular hyperaemia (819)
Eye irritation (784)
Eye pruritus (743)
Lacrimation increased (670)
Diplopia (585)
Asthenopia (466)
Dry eye (417)
Periorbital swelling (371)
Photopsia (368)
Swelling of eyelid (367)
Blindness (314)
Eyelid oedema (308)
Ocular discomfort (284)
Conjunctival haemorrhage (258)
Blepharospasm (233)
Vitreous floaters (200)
Eye haemorrhage (179)
Periorbital oedema (173)
Eye movement disorder (144)
Eyelid ptosis (130)
Blindness unilateral (94)
Mydriasis (88)
Eye inflammation (87)
Eye disorder (86)
Abnormal sensation in eye (82)
Retinal vein occlusion (78)

Eye oedema (76)
Visual acuity reduced (73)
Uveitis (68)
Eye discharge (67)
Blindness transient (61)
Vitreous detachment (61)
Eyelids pruritus (57)
Foreign body sensation in eyes (57)
Metamorphopsia (57)
Retinal artery occlusion (57)
Hypoaesthesia eye (56)
Eyelid function disorder (55)
Conjunctival hyperaemia (50)
Gaze palsy (50)
Eyelid pain (49)
Erythema of eyelid (45)
Blepharitis (44)
Iridocyclitis (40)
Eyelid rash (36)
Miosis (35)
Eyelid irritation (28)
Amaurosis fugax (27)
Episcleritis (27)
Retinal haemorrhage (27)
Retinal vein thrombosis (27)
Dyschromatopsia (26)
Periorbital pain (26)
Eye allergy (25)
Eyelid disorder (25)
Pupils unequal (25)
Retinal detachment (25)
Scintillating scotoma (25)
Pupil fixed (23)
Papilloedema (22)
Halo vision (20)
Extraocular muscle paresis (19)
Accommodation disorder (18)
Cataract (18)
Dark circles under eyes (18)
Eye paraesthesia (18)
Iritis (17)
Keratitis (16)
Retinal tear (16)
Glaucoma (15)
Macular oedema (15)
Strabismus (15)
Sudden visual loss (15)
Ophthalmic vein thrombosis (14)
Optic ischaemic neuropathy (14)

Retinal exudates (14)
Retinal vascular thrombosis (14)
Eye haematoma (13)
Eyelid haematoma (13)
Orbital oedema (13)
Scleritis (13)
Eyelid sensory disorder (12)
Lagophthalmos (12)
Macular degeneration (12)
Periorbital discomfort (12)
Conjunctival oedema (11)
Eyelid margin crusting (11)
Scleral discolouration (11)
Vitreous haemorrhage (11)
Acute macular outer retinopathy (10)
Conjunctival irritation (10)
Eyelid cyst (10)
Ophthalmoplegia (10)
Pupillary reflex impaired (10)
Exophthalmos (9)
Neovascular age-related macular degeneration (9)
Ulcerative keratitis (9)
Xanthopsia (9)
Amblyopia (8)
Conjunctivitis allergic (8)
Eczema eyelids (8)
Excessive eye blinking (8)
Eye symptom (8)
Eye ulcer (8)
Eyelid bleeding (8)
Retinal artery thrombosis (8)
Visual brightness (8)
Altered visual depth perception (7)
Chorioretinopathy (7)
Eye colour change (7)
Ophthalmic artery thrombosis (7)
Optic neuropathy (7)
Visual snow syndrome (7)
Central vision loss (6)
Limbal swelling (6)
Night blindness (6)
Retinopathy (6)
Angle closure glaucoma (5)
Chromatopsia (5)
Endocrine ophthalmopathy (5)
Erythropsia (5)
Growth of eyelashes (5)
Hyperaesthesia eye (5)
Maculopathy (5)

Pupillary disorder (5)
Retinal disorder (5)
Vitreous disorder (5)
Amaurosis (4)
Chalazion (4)
Corneal opacity (4)
Eye infarction (4)
Eyelid myoclonus (4)
Eyelid myokymia (4)
Eyelid skin dryness (4)
Lid sulcus deepened (4)
Macular hole (4)
Ocular myasthenia (4)
Oculogyric crisis (4)
Optic disc haemorrhage (4)
Binocular eye movement disorder (3)
Cataract cortical (3)
Chloropsia (3)
Corneal bleeding (3)
Corneal oedema (3)
Cyanopsia (3)
Eyelid exfoliation (3)
Eyelid thickening (3)
Glare (3)
Holmes-Adie pupil (3)
Hypermetropia (3)
Ocular hypertension (3)
Ocular rosacea (3)
Optic nerve disorder (3)
Orbital haematoma (3)
Oscillopsia (3)
Retinal artery embolism (3)
Retinal ischaemia (3)
Retinal toxicity (3)
Retinal vascular occlusion (3)
Scleral haemorrhage (3)
Visual acuity reduced transiently (3)
Autoimmune uveitis (2)
Cataract subcapsular (2)
Choroidal neovascularisation (2)
Deposit eye (2)
Dermatochalasis (2)
Eye opacity (2)
Lacrimation decreased (2)
Lacrimation disorder (2)
Macular rupture (2)
Myopia (2)
Noninfective chorioretinitis (2)
Ocular vascular disorder (2)

Parophthalmia (2)
Periorbital disorder (2)
Periorbital irritation (2)
Retinal aneurysm (2)
Retinal oedema (2)
Retinal pigment epitheliopathy (2)
Saccadic eye movement (2)
Scleral hyperaemia (2)
Vitreoretinal traction syndrome (2)
Vitreous opacities (2)
Xerophthalmia (2)
Allergic keratitis (1)
Anaesthesia eye (1)
Anterior capsule contraction (1)
Anterior chamber inflammation (1)
Blepharochalasis (1)
Blindness cortical (1)
Chorioretinal disorder (1)
Choroidal haemorrhage (1)
Choroiditis (1)
Ciliary body disorder (1)
Conjunctival cyst (1)
Conjunctival disorder (1)
Conjunctival pallor (1)
Conjunctival suffusion (1)
Corneal degeneration (1)
Corneal erosion (1)
Corneal infiltrates (1)
Corneal perforation (1)
Cystoid macular oedema (1)
Dacryostenosis acquired (1)
Disorder of globe (1)
Disorder of orbit (1)
Dysmetropsia (1)
Extraocular muscle disorder (1)
Eyelash changes (1)
Eyelid vascular disorder (1)
Floppy eyelid syndrome (1)
Giant papillary conjunctivitis (1)
Hypotony of eye (1)
Iris adhesions (1)
Keratoconus (1)
Lid lag (1)
Macular detachment (1)
Macular telangiectasia (1)
Noninfective conjunctivitis (1)
Ocular ischaemic syndrome (1)
Ocular retrobulbar haemorrhage (1)
Optic atrophy (1)

Optic nerve infarction (1)
Panophthalmitis (1)
Periorbital inflammation (1)
Presbyopia (1)
Psychogenic visual disorder (1)
Pupillotonia (1)
Refraction disorder (1)
Retinal deposits (1)
Retinal drusen (1)
Retinal fovea disorder (1)
Retinal infarction (1)
Retinal vasculitis (1)
Retinal vein varices (1)
Retinopathy hypertensive (1)
Scleral disorder (1)
Scleral oedema (1)
Vitreous adhesions (1)
Vogt-Koyanagi-Harada disease (1)
Gastrointestinal disorders (148338)
 Nausea (90369)
 Vomiting (25944)
 Diarrhoea (22708)
 Abdominal pain (9913)
 Abdominal pain upper (7298)
 Paraesthesia oral (4177)
 Abdominal discomfort (2726)
 Dry mouth (2397)
 Lip swelling (2239)
 Hypoaesthesia oral (2115)
 Swollen tongue (1890)
 Dysphagia (1884)
 Dyspepsia (1294)
 Constipation (838)
 Retching (822)
 Abdominal distension (818)
 Mouth ulceration (807)
 Flatulence (596)
 Toothache (550)
 Oral pain (499)
 Gastrointestinal pain (497)
 Odynophagia (491)
 Glossodynia (455)
 Abdominal pain lower (427)
 Lip oedema (387)
 Gastrointestinal disorder (352)
 Oral discomfort (337)
 Gastrooesophageal reflux disease (332)
 Aphthous ulcer (320)
 Mouth swelling (304)

Gingival pain (285)
Stomatitis (267)
Tongue discomfort (250)
Tongue oedema (239)
Oral pruritus (225)
Vomiting projectile (215)
Gingival bleeding (213)
Rectal haemorrhage (203)
Salivary hypersecretion (199)
Tongue pruritus (198)
Haematochezia (193)
Eructation (177)
Tongue disorder (173)
Haematemesis (170)
Abnormal faeces (156)
Lip pruritus (156)
Gastritis (150)
Lip dry (128)
Irritable bowel syndrome (125)
Lip pain (119)
Oral mucosal blistering (117)
Faeces discoloured (116)
Frequent bowel movements (109)
Diarrhoea haemorrhagic (108)
Colitis ulcerative (102)
Colitis (94)
Cheilitis (93)
Gastrointestinal haemorrhage (93)
Mouth haemorrhage (93)
Gingival swelling (91)
Anal incontinence (90)
Lip blister (85)
Crohn's disease (83)
Glossitis (77)
Palatal oedema (77)
Pancreatitis (75)
Haemorrhoids (74)
Hyperaesthesia teeth (72)
Abdominal rigidity (67)
Faeces soft (66)
Tongue blistering (66)
Tongue discolouration (65)
Epigastric discomfort (63)
Pancreatitis acute (60)
Tongue ulceration (60)
Oral mucosal eruption (58)
Tongue dry (55)
Abdominal tenderness (53)
Intestinal ischaemia (53)

Oral blood blister (53)
Tongue coated (51)
Noninfective gingivitis (50)
Enlarged uvula (49)
Oral disorder (49)
Mesenteric vein thrombosis (48)
Defaecation urgency (46)
Tongue erythema (46)
Oedema mouth (45)
Gastrointestinal sounds abnormal (44)
Anaesthesia oral (43)
Palatal swelling (43)
Breath odour (42)
Chapped lips (41)
Melaena (41)
Discoloured vomit (39)
Oral mucosal erythema (39)
Tongue eruption (38)
Lip erythema (37)
Anal haemorrhage (35)
Gastric disorder (35)
Salivary gland pain (34)
Gingival blister (33)
Proctalgia (33)
Haemorrhoids thrombosed (31)
Intestinal obstruction (30)
Mucous stools (28)
Parotid gland enlargement (28)
Small intestinal haemorrhage (28)
Dental discomfort (27)
Lip disorder (27)
Teething (27)
Dental paraesthesia (26)
Acute abdomen (25)
Functional gastrointestinal disorder (25)
Gingival discomfort (25)
Hiatus hernia (25)
Lip ulceration (25)
Oral dysaesthesia (25)
Reflux gastritis (25)
Tongue movement disturbance (25)
Ascites (24)
Oesophageal spasm (24)
Enteritis (23)
Oesophageal pain (23)
Bowel movement irregularity (22)
Colitis ischaemic (22)
Gastric dilatation (22)
Small intestinal obstruction (22)

Gastrointestinal motility disorder (21)
Dyschezia (20)
Gastric ulcer (20)
Lip exfoliation (20)
Coeliac disease (19)
Oral mucosal exfoliation (19)
Change of bowel habit (18)
Salivary gland enlargement (18)
Oesophagitis (17)
Regurgitation (17)
Gingival disorder (16)
Intestinal haemorrhage (16)
Mouth cyst (16)
Palatal disorder (16)
Tongue spasm (16)
Abdominal symptom (15)
Angular cheilitis (15)
Faeces pale (15)
Gastric haemorrhage (15)
Upper gastrointestinal haemorrhage (15)
Aptyalism (14)
Mesenteric artery thrombosis (14)
Burning mouth syndrome (13)
Food poisoning (13)
Gastrointestinal inflammation (13)
Gastrointestinal necrosis (13)
Anorectal discomfort (12)
Hyperchlorhydria (12)
Intestinal perforation (12)
Plicated tongue (12)
Saliva altered (12)
Tooth discolouration (12)
Diverticulum (11)
Gastrointestinal hypermotility (11)
Haemoperitoneum (11)
Hypertrophy of tongue papillae (11)
Oral lichen planus (11)
Uvulitis (11)
Aerophagia (10)
Gingival oedema (10)
Impaired gastric emptying (10)
Lip discolouration (10)
Lip haemorrhage (10)
Submaxillary gland enlargement (10)
Trichoglossia (10)
Visceral venous thrombosis (10)
Acetonaemic vomiting (9)
Intestinal infarction (9)
Stiff tongue (9)

Thrombosis mesenteric vessel (9)
Tongue rough (9)
Coating in mouth (8)
Faecaloma (8)
Gastric antral vascular ectasia (8)
Ileus (8)
Inflammatory bowel disease (8)
Noninfective sialoadenitis (8)
Rectal tenesmus (8)
Tongue haemorrhage (8)
Anal sphincter atony (7)
Faeces hard (7)
Gastrointestinal oedema (7)
Gingival pruritus (7)
Haemorrhoidal haemorrhage (7)
Proctitis (7)
Scalloped tongue (7)
Tooth disorder (7)
Abdominal mass (6)
Abdominal migraine (6)
Anal pruritus (6)
Diverticulum intestinal (6)
Duodenitis (6)
Duodenogastric reflux (6)
Gingival erythema (6)
Gingival ulceration (6)
Oral mucosal roughening (6)
Abdominal wall haematoma (5)
Anal hypoaesthesia (5)
Colitis microscopic (5)
Faecal vomiting (5)
Gastrointestinal tract irritation (5)
Gastrointestinal wall thickening (5)
Ileus paralytic (5)
Infrequent bowel movements (5)
Inguinal hernia (5)
Intra-abdominal haematoma (5)
Large intestine perforation (5)
Obstructive pancreatitis (5)
Oral papule (5)
Oral purpura (5)
Retroperitoneal haemorrhage (5)
Salivary gland calculus (5)
Tongue exfoliation (5)
Tongue geographic (5)
Abdominal hernia (4)
Duodenal ulcer haemorrhage (4)
Eosinophilic oesophagitis (4)
Hypoaesthesia teeth (4)

Intestinal congestion (4)
Intestinal dilatation (4)
Oesophageal disorder (4)
Oesophageal varices haemorrhage (4)
Oral mucosa erosion (4)
Tongue haematoma (4)
Tooth loss (4)
Abdominal adhesions (3)
Abdominal wall oedema (3)
Anal fissure (3)
Appendicolith (3)
Chronic gastritis (3)
Defaecation disorder (3)
Dental caries (3)
Diverticulum intestinal haemorrhagic (3)
Enterocolitis (3)
Enterocolitis haemorrhagic (3)
Gingival discolouration (3)
Intestinal pseudo-obstruction (3)
Leukoplakia oral (3)
Lip haematoma (3)
Loose tooth (3)
Megacolon (3)
Mesenteric panniculitis (3)
Obstruction gastric (3)
Oesophageal achalasia (3)
Oral mucosal discolouration (3)
Peptic ulcer (3)
Peptic ulcer haemorrhage (3)
Protrusion tongue (3)
Steatorrhoea (3)
Subileus (3)
Terminal ileitis (3)
Tongue cyst (3)
Volvulus (3)
Abdominal rebound tenderness (2)
Abdominal wall haemorrhage (2)
Anal blister (2)
Anal erythema (2)
Anal fistula (2)
Anal inflammation (2)
Anal paraesthesia (2)
Anal spasm (2)
Angina bullosa haemorrhagica (2)
Appendix disorder (2)
Atrophic glossitis (2)
Autoimmune colitis (2)
Cardiospasm (2)
Cyclic vomiting syndrome (2)

Dental pulp disorder (2)
Duodenal ulcer (2)
Gastric ulcer haemorrhage (2)
Gastric varices (2)
Gastric volvulus (2)
Gastritis erosive (2)
Gastrointestinal hypomotility (2)
Gingival hypertrophy (2)
Gingival recession (2)
Gingivitis ulcerative (2)
Infantile spitting up (2)
Intestinal angioedema (2)
Intussusception (2)
Large intestinal obstruction (2)
Mesenteric artery embolism (2)
Mesenteric haemorrhage (2)
Mesenteric venous occlusion (2)
Oedematous pancreatitis (2)
Oesophageal discomfort (2)
Oesophageal haemorrhage (2)
Oesophageal stenosis (2)
Palatal ulcer (2)
Pancreatic enlargement (2)
Pancreatic mass (2)
Pancreatitis chronic (2)
Rectal discharge (2)
Retroperitoneal haematoma (2)
Saliva discolouration (2)
Strawberry tongue (2)
Tongue polyp (2)
Tongue thrust (2)
Truncus coeliacus thrombosis (2)
Abdominal compartment syndrome (1)
Abdominal wall mass (1)
Achlorhydria (1)
Acquired macroglossia (1)
Anal fissure haemorrhage (1)
Anal sphincter hypertonia (1)
Anorectal swelling (1)
Apical granuloma (1)
Appendicitis noninfective (1)
Barrett's oesophagus (1)
Bile acid malabsorption (1)
Biliary ascites (1)
Chronic cheek biting (1)
Coeliac artery aneurysm (1)
Diaphragmatic hernia (1)
Diastema (1)
Diverticular perforation (1)

Duodenal ulcer perforation (1)
Dysbiosis (1)
Gastric polyps (1)
Gastric ulcer perforation (1)
Gastrointestinal perforation (1)
Gastroptosis (1)
Gut fermentation syndrome (1)
Infantile vomiting (1)
Intestinal atony (1)
Intestinal mass (1)
Intra-abdominal fluid collection (1)
Intra-abdominal haemorrhage (1)
Ischaemic enteritis (1)
Large intestinal stenosis (1)
Large intestine polyp (1)
Lip erosion (1)
Lip scab (1)
Lower gastrointestinal haemorrhage (1)
Mallory-Weiss syndrome (1)
Malpositioned teeth (1)
Mesenteric vascular insufficiency (1)
Mesenteritis (1)
Neurogenic bowel (1)
Oesophageal dilatation (1)
Oesophageal irritation (1)
Oesophageal obstruction (1)
Oesophageal oedema (1)
Oesophageal perforation (1)
Oesophageal rupture (1)
Oesophageal ulcer haemorrhage (1)
Oesophagitis ulcerative (1)
Omental infarction (1)
Omental necrosis (1)
Oral discharge (1)
Oral hyperaesthesia (1)
Oral mucosa haematoma (1)
Oral mucosal hypertrophy (1)
Oral pigmentation (1)
Pancreatic disorder (1)
Pancreatic duct dilatation (1)
Pancreatic infarction (1)
Pancreatitis necrotising (1)
Paresis anal sphincter (1)
Peristalsis visible (1)
Peritoneal disorder (1)
Pigmentation lip (1)
Portal hypertensive gastropathy (1)
Post-tussive vomiting (1)
Proctitis ulcerative (1)

Pylorospasm (1)
Rectal polyp (1)
Rectal ulcer (1)
Retroperitoneal effusion (1)
Retroperitoneal oedema (1)
Splanchnic hypoperfusion (1)
Splenic artery aneurysm (1)
Superior mesenteric artery syndrome (1)
Teeth brittle (1)
Tongue induration (1)
Tooth socket haemorrhage (1)
Transient lingual papillitis (1)
Ulcerative gastritis (1)
Umbilical hernia (1)
Varices oesophageal (1)
General disorders and administration site conditions (423844)
 Pyrexia (176869)
 Fatigue (133745)
 Chills (125562)
 Malaise (67261)
 Injection site pain (57434)
 Pain (41518)
 Asthenia (28460)
 Vaccination site pain (27334)
 Influenza like illness (26509)
 Injection site erythema (13899)
 Injection site swelling (13340)
 Injection site inflammation (11222)
 Injection site warmth (10478)
 Chest pain (9850)
 Peripheral swelling (8833)
 Feeling cold (8614)
 Injection site pruritus (6680)
 Chest discomfort (6179)
 Feeling hot (6167)
 Feeling abnormal (5824)
 Injection site reaction (5754)
 Swelling (5693)
 Illness (5015)
 Death (4108)
 Axillary pain (3601)
 Application site pain (3443)
 Tenderness (3273)
 Vaccination site erythema (2905)
 Swelling face (2833)
 Vaccination site swelling (2606)
 Injection site mass (2372)
 Injection site rash (2108)
 Injection site induration (2022)

Hyperpyrexia (1940)
Injection site haematoma (1860)
Condition aggravated (1777)
Thirst (1759)
Discomfort (1508)
Administration site pain (1457)
Gait disturbance (1455)
Feeling of body temperature change (1433)
Vaccination site warmth (1401)
Vaccination site reaction (1316)
Drug ineffective (1302)
Vaccination site oedema (1284)
Extensive swelling of vaccinated limb (1164)
Vaccination site pruritus (1102)
Oedema peripheral (1073)
Injection site oedema (1056)
Inflammation (1017)
Immediate post-injection reaction (938)
Vaccination site inflammation (895)
Local reaction (884)
Injected limb mobility decreased (867)
Adverse drug reaction (855)
Injection site discomfort (843)
General physical health deterioration (693)
Vaccination site induration (689)
Vaccination site mass (684)
Oedema (657)
Injection site urticaria (651)
No adverse event (596)
Facial pain (589)
Face oedema (567)
Sensation of foreign body (562)
Vaccination site lymphadenopathy (521)
Injection site bruising (517)
Gait inability (512)
Unevaluable event (511)
Vaccination site rash (509)
Induration (508)
Injection site nodule (487)
Vaccination site discomfort (448)
Application site swelling (435)
Sudden death (423)
Application site erythema (421)
Crying (374)
Vaccination site joint erythema (352)
Vaccination site movement impairment (351)
Temperature regulation disorder (344)
Injection site paraesthesia (313)
Hyperthermia (307)

Puncture site pain (289)
Injection site hypoaesthesia (277)
Hypothermia (257)
Nodule (257)
Vaccination site bruising (243)
Feeling drunk (237)
Application site reaction (234)
Localised oedema (232)
Vaccination site haematoma (225)
Feeling jittery (223)
Vaccination site joint pain (221)
Hangover (198)
Vaccination site paraesthesia (188)
Mass (181)
Sluggishness (167)
Injection site joint pain (150)
Vaccination site joint swelling (150)
Disease recurrence (149)
Therapeutic response unexpected (143)
Injection site haemorrhage (139)
Injection site hypersensitivity (132)
Vaccination site nodule (126)
Hunger (117)
Administration site reaction (116)
Adverse event (113)
Chronic fatigue syndrome (111)
Temperature intolerance (104)
Administration site erythema (103)
Vaccination site urticaria (101)
Injection site discolouration (100)
Facial discomfort (90)
Injection site irritation (87)
Sense of oppression (87)
Injection site vesicles (85)
No reaction on previous exposure to drug (84)
Vaccination site joint movement impairment (84)
Multiple organ dysfunction syndrome (82)
Exercise tolerance decreased (80)
Adverse reaction (79)
Administration site oedema (78)
Vaccination site hypoaesthesia (78)
Non-cardiac chest pain (75)
Puncture site bruise (75)
Withdrawal syndrome (73)
Secretion discharge (67)
Puncture site oedema (66)
Administration site swelling (63)
Injection site lymphadenopathy (63)
Loss of control of legs (61)

Vaccination site haemorrhage (58)
Drug interaction (57)
Ulcer (57)
Shoulder injury related to vaccine administration (55)
Vaccination site discolouration (54)
Vaccine positive rechallenge (52)
Injection site movement impairment (49)
Application site pruritus (47)
Screaming (47)
Systemic inflammatory response syndrome (46)
Concomitant disease aggravated (44)
Foaming at mouth (42)
Injection site extravasation (41)
Vaccination site hyperaesthesia (41)
Generalised oedema (39)
Vaccination site hypersensitivity (39)
Cyst (37)
Administration site bruise (36)
Energy increased (36)
Glassy eyes (36)
Vaccination site irritation (36)
Administration site pruritus (35)
Injection site muscle weakness (35)
Injection site joint movement impairment (33)
Puncture site erythema (33)
Injection site indentation (32)
Puncture site induration (32)
Application site bruise (31)
Brain death (30)
Vaccination site vesicles (30)
Application site oedema (29)
Inflammatory pain (29)
Moaning (29)
Mucosal dryness (29)
Sudden cardiac death (28)
Vaccination site joint inflammation (25)
Decreased activity (24)
Irritability postvaccinal (23)
Pre-existing condition improved (23)
Infusion site pain (22)
Injection site joint swelling (22)
General symptom (21)
Injection site streaking (21)
Application site warmth (20)
Crepitations (20)
Discharge (19)
Injection site coldness (19)
Injection site papule (19)
Injection site scab (19)

Oedema mucosal (19)
Thirst decreased (19)
Vaccination site plaque (19)
Administration site induration (18)
Inadequate analgesia (18)
Injection site joint erythema (18)
Puncture site pruritus (18)
Sensation of blood flow (18)
Instillation site warmth (17)
Mucosal inflammation (17)
Ill-defined disorder (16)
Vaccination site dysaesthesia (16)
Vaccination site papule (16)
Administration site lymphadenopathy (15)
Application site hypoaesthesia (15)
Administration site joint pain (14)
Administration site warmth (14)
Vaccination site granuloma (14)
Vaccination site macule (14)
Injection site scar (13)
Performance status decreased (13)
Similar reaction on previous exposure to drug (13)
Administration site rash (12)
Application site induration (12)
Application site joint pain (12)
Application site lymphadenopathy (12)
Application site vesicles (12)
Effusion (12)
Necrosis (12)
Therapy non-responder (12)
Vaccination site dermatitis (12)
Vaccination site eczema (12)
Cardiac death (11)
Injection site injury (11)
Nonspecific reaction (11)
Puncture site swelling (11)
Vaccination site discharge (11)
Vaccination site joint warmth (11)
Infusion site warmth (10)
Injury associated with device (10)
Treatment failure (10)
Vaccination site coldness (10)
Administration site movement impairment (9)
Complication associated with device (9)
Disease progression (9)
Drug withdrawal syndrome (9)
Implant site pain (9)
Implant site warmth (9)
Inhibitory drug interaction (9)

Injection site cyst (9)
Symptom recurrence (9)
Application site haemorrhage (8)
Critical illness (8)
Impaired healing (8)
Impaired self-care (8)
Injection site macule (8)
Mucosal haemorrhage (8)
Organ failure (8)
Therapeutic product ineffective (8)
Vaccination site scar (8)
Vascular stent thrombosis (8)
Visceral pain (8)
Administration site haematoma (7)
Administration site inflammation (7)
Administration site paraesthesia (7)
Application site inflammation (7)
Enanthema (7)
Injection site atrophy (7)
Injection site discharge (7)
Injection site joint warmth (7)
Mucosal disorder (7)
Physical deconditioning (7)
Puncture site reaction (7)
Therapeutic product effect decreased (7)
Vaccination site extravasation (7)
Application site coldness (6)
Application site rash (6)
Atrophy (6)
Concomitant disease progression (6)
Gravitational oedema (6)
High-pitched crying (6)
Injection site hyperaesthesia (6)
Injection site necrosis (6)
Instillation site pain (6)
Mucosal pain (6)
Non-pitting oedema (6)
Terminal state (6)
Vaccination site cyst (6)
Vaccination site exfoliation (6)
Vaccination site injury (6)
Administration site extravasation (5)
Administration site joint movement impairment (5)
Application site burn (5)
Application site haematoma (5)
Application site hypersensitivity (5)
Application site joint erythema (5)
Application site joint swelling (5)
Extravasation (5)

Fat necrosis (5)
Feeling of relaxation (5)
Granuloma (5)
Hernia (5)
Hernia pain (5)
Infusion site erythema (5)
Injection site dysaesthesia (5)
Injection site exfoliation (5)
Injection site plaque (5)
Injection site ulcer (5)
Puncture site haematoma (5)
Suprapubic pain (5)
Vaccination site anaesthesia (5)
Absence of immediate treatment response (4)
Administration site joint erythema (4)
Application site dermatitis (4)
Application site paraesthesia (4)
Breakthrough pain (4)
Challenge site reaction (4)
Drug intolerance (4)
Fibrosis (4)
Gait deviation (4)
Implant site swelling (4)
Injection site anaesthesia (4)
Injection site dryness (4)
Injection site eczema (4)
Injection site joint discomfort (4)
Injection site pallor (4)
Multimorbidity (4)
Multi-organ disorder (4)
Prolapse (4)
Treatment noncompliance (4)
Vaccination site dryness (4)
Administration site nodule (3)
Administration site urticaria (3)
Alcohol interaction (3)
Application site acne (3)
Application site discomfort (3)
Application site joint warmth (3)
Application site movement impairment (3)
Decreased gait velocity (3)
Developmental delay (3)
Implant site discolouration (3)
Infusion site joint swelling (3)
Infusion site mobility decreased (3)
Infusion site pruritus (3)
Infusion site urticaria (3)
Injection site erosion (3)
Injection site joint inflammation (3)

Injection site nerve damage (3)
Injection site phlebitis (3)
Phantom shocks (3)
Reactogenicity event (3)
Therapeutic product effect delayed (3)
Therapeutic response decreased (3)
Therapeutic response shortened (3)
Tissue infiltration (3)
Vaccination site abscess sterile (3)
Vaccination site atrophy (3)
Vaccination site joint discomfort (3)
Vaccination site necrosis (3)
Vaccination site nerve damage (3)
Vaccination site pallor (3)
Vaccination site scab (3)
Vaccination site thrombosis (3)
Xerosis (3)
Adhesion (2)
Administration site discomfort (2)
Administration site irritation (2)
Application site discolouration (2)
Application site eczema (2)
Application site hyperaesthesia (2)
Application site joint inflammation (2)
Application site joint movement impairment (2)
Application site mass (2)
Application site papules (2)
Application site urticaria (2)
Calcinosis (2)
Drowning (2)
Early satiety (2)
Hypertrophy (2)
Implant site hypoaesthesia (2)
Implant site pruritus (2)
Implant site rash (2)
Incarcerated hernia (2)
Infusion site extravasation (2)
Infusion site joint pain (2)
Infusion site mass (2)
Infusion site nodule (2)
Infusion site swelling (2)
Injection site abscess sterile (2)
Injection site deformation (2)
Injection site thrombosis (2)
Instillation site bruise (2)
Instillation site pruritus (2)
Medical device site pain (2)
Mucosa vesicle (2)
Mucosal discolouration (2)

Mucosal erosion (2)
Mucosal hyperaemia (2)
Obstruction (2)
Pneumatosis (2)
Polyp (2)
Potentiating drug interaction (2)
Pre-existing disease (2)
Rebound effect (2)
Robust take following exposure to vaccinia virus (2)
Sensitivity to weather change (2)
Serositis (2)
Soft tissue inflammation (2)
Stenosis (2)
Tissue irritation (2)
Ulcer haemorrhage (2)
Vaccination site erosion (2)
Vaccination site phlebitis (2)
Vaccination site recall reaction (2)
Vaccination site streaking (2)
Vessel puncture site erythema (2)
Abscess sterile (1)
Acute phase reaction (1)
Administration site coldness (1)
Administration site discolouration (1)
Administration site dysaesthesia (1)
Administration site hypersensitivity (1)
Administration site hypoaesthesia (1)
Administration site injury (1)
Administration site joint discomfort (1)
Administration site joint inflammation (1)
Administration site joint warmth (1)
Administration site macule (1)
Administration site mass (1)
Administration site pallor (1)
Administration site papule (1)
Administration site plaque (1)
Administration site thrombosis (1)
Administration site wound (1)
Adverse food reaction (1)
Agonal death struggle (1)
Application site exfoliation (1)
Application site nodule (1)
Application site odour (1)
Application site scar (1)
Application site streaking (1)
Application site wound (1)
Capsular contracture associated with breast implant (1)
Catheter site haemorrhage (1)
Catheter site pain (1)

Catheter site urticaria (1)
Chronic disease (1)
Clinical death (1)
Cyst rupture (1)
Device related thrombosis (1)
Diet failure (1)
Disease prodromal stage (1)
Drug ineffective for unapproved indication (1)
Drug resistance (1)
Dysplasia (1)
Fat tissue increased (1)
Hyperplasia (1)
Idiosyncratic drug reaction (1)
Implant site coldness (1)
Implant site discharge (1)
Implant site extravasation (1)
Implant site inflammation (1)
Infusion site bruising (1)
Infusion site coldness (1)
Infusion site joint inflammation (1)
Infusion site joint movement impairment (1)
Infusion site lymphadenopathy (1)
Infusion site oedema (1)
Infusion site rash (1)
Infusion site scab (1)
Infusion site streaking (1)
Injection site dermatitis (1)
Injection site fibrosis (1)
Injection site granuloma (1)
Injection site ischaemia (1)
Injection site muscle atrophy (1)
Injection site recall reaction (1)
Instillation site discomfort (1)
Instillation site paraesthesia (1)
Instillation site vesicles (1)
Masked fever (1)
Medical device discomfort (1)
Medical device pain (1)
Medical device site haemorrhage (1)
Medical device site joint pain (1)
Medical device site swelling (1)
Mucosal atrophy (1)
Mucosal roughness (1)
Mucosal ulceration (1)
Papillitis (1)
Pelvic mass (1)
Perforation (1)
PFAPA syndrome (1)
Polyserositis (1)

Premature ageing (1)
Pseudoallergic reaction (1)
Pseudocyst (1)
Puncture site haemorrhage (1)
Remission not achieved (1)
Retention cyst (1)
Stent-graft endoleak (1)
Therapeutic product effect incomplete (1)
Therapeutic product effect increased (1)
Therapeutic product effect variable (1)
Therapeutic reaction time decreased (1)
Therapeutic response changed (1)
Therapeutic response delayed (1)
Tissue discolouration (1)
Vaccination site eschar (1)
Vaccination site ulcer (1)
Vaccination site vasculitis (1)
Vascular stent occlusion (1)
Vascular stent stenosis (1)
Vessel puncture site bruise (1)
Vessel puncture site haematoma (1)
Vessel puncture site inflammation (1)
Vessel puncture site pain (1)
Hepatobiliary disorders (717)
 Jaundice (105)
 Portal vein thrombosis (96)
 Hepatic pain (86)
 Hepatitis (47)
 Biliary colic (41)
 Cholelithiasis (40)
 Hepatic failure (29)
 Liver injury (29)
 Cholecystitis (28)
 Liver disorder (25)
 Hepatocellular injury (24)
 Hepatitis acute (22)
 Hepatic cirrhosis (20)
 Hepatic vein thrombosis (18)
 Gallbladder disorder (15)
 Cholestasis (14)
 Hypertransaminasaemia (13)
 Cholecystitis acute (11)
 Hepatomegaly (11)
 Hepatic function abnormal (10)
 Hepatic steatosis (10)
 Hyperbilirubinaemia (9)
 Jaundice cholestatic (9)
 Autoimmune hepatitis (8)
 Liver tenderness (8)

Ocular icterus (8)
Acute hepatic failure (7)
Hepatitis cholestatic (7)
Ischaemic hepatitis (6)
Portosplenomesenteric venous thrombosis (6)
Cholangitis (5)
Portal hypertension (5)
Drug-induced liver injury (4)
Gallbladder enlargement (4)
Hepatic artery thrombosis (4)
Hepatic cyst (4)
Hepatic lesion (4)
Biliary dilatation (3)
Biliary tract disorder (3)
Congestive hepatopathy (3)
Hepatic infarction (3)
Immune-mediated hepatitis (3)
Biliary obstruction (2)
Cholestatic liver injury (2)
Gallbladder mass (2)
Hepatic haematoma (2)
Hepatic haemorrhage (2)
Hepatic mass (2)
Hepatic vascular thrombosis (2)
Portal vein occlusion (2)
Bile duct stone (1)
Budd-Chiari syndrome (1)
Cholangitis sclerosing (1)
Cholecystitis chronic (1)
Cholestasis of pregnancy (1)
Deficiency of bile secretion (1)
Dilatation intrahepatic duct acquired (1)
Gallbladder necrosis (1)
Gallbladder oedema (1)
Hepatic artery embolism (1)
Hepatic ischaemia (1)
Hepatic necrosis (1)
Hepatic perfusion disorder (1)
Hepatitis fulminant (1)
Hepatobiliary disease (1)
Hepatorenal syndrome (1)
Hydrocholecystis (1)
Immune-mediated hepatic disorder (1)
Mixed liver injury (1)
Non-alcoholic steatohepatitis (1)
Pneumobilia (1)
Portal vein phlebitis (1)
Reye's syndrome (1)
Sphincter of Oddi dysfunction (1)

Subacute hepatic failure (1)
Venoocclusive liver disease (1)
Immune system disorders (6921)
Hypersensitivity (3330)
Anaphylactic reaction (2283)
Anaphylactic shock (296)
Allergy to vaccine (166)
Anaphylactoid reaction (123)
Drug hypersensitivity (122)
Seasonal allergy (87)
Autoimmune disorder (75)
Type I hypersensitivity (46)
Immune system disorder (43)
Allergic oedema (42)
Bacille Calmette-Guerin scar reactivation (40)
Type IV hypersensitivity reaction (38)
Food allergy (33)
Sensitisation (30)
Sarcoidosis (28)
Serum sickness (26)
Reaction to excipient (25)
Reaction to preservatives (24)
Immunisation reaction (22)
Serum sickness-like reaction (18)
Haemophagocytic lymphohistiocytosis (17)
Immune-mediated adverse reaction (17)
Multiple allergies (16)
Type III immune complex mediated reaction (15)
Immunodeficiency (13)
Allergy to chemicals (11)
Allergic reaction to excipient (9)
Anaphylactoid shock (9)
Cytokine storm (8)
Immunosuppression (7)
Allergy to arthropod sting (5)
Infusion related hypersensitivity reaction (5)
Transplant rejection (5)
Atopy (4)
Corneal graft rejection (4)
Cytokine release syndrome (4)
Decreased immune responsiveness (4)
Systemic immune activation (4)
Allergy to animal (3)
Contrast media reaction (3)
Mite allergy (3)
Allergy to metals (2)
Allergy to surgical sutures (2)
Amyloidosis (2)
Anti-neutrophil cytoplasmic antibody positive vasculitis (2)

Contrast media allergy (2)
Hypocomplementaemia (2)
Multisystem inflammatory syndrome in children (2)
Oral allergy syndrome (2)
Reaction to colouring (2)
Reaction to food additive (2)
Rubber sensitivity (2)
Allergy to arthropod bite (1)
Allergy to sting (1)
Allergy to synthetic fabric (1)
Allergy to venom (1)
Anamnestic reaction (1)
Autoinflammatory disease (1)
Dust allergy (1)
Eosinophilic granulomatosis with polyangiitis (1)
Graft versus host disease (1)
Hashitoxicosis (1)
Immune reconstitution inflammatory syndrome (1)
Iodine allergy (1)
Kidney transplant rejection (1)
Liver transplant rejection (1)
Lung transplant rejection (1)
Pre-engraftment immune reaction (1)
Renal transplant failure (1)
Smoke sensitivity (1)
Sunscreen sensitivity (1)
Type II hypersensitivity (1)
Infections and infestations (31157)
Influenza (7697)
COVID-19 (4753)
Nasopharyngitis (4075)
Herpes zoster (2928)
Oral herpes (1297)
Cellulitis (962)
Pneumonia (919)
Sweating fever (711)
Infection (543)
Urinary tract infection (489)
Rhinitis (419)
Sinusitis (413)
Conjunctivitis (295)
COVID-19 pneumonia (290)
Sepsis (288)
Lower respiratory tract infection (266)
Asymptomatic COVID-19 (264)
Dysentery (263)
Injection site cellulitis (170)
Appendicitis (169)
Labyrinthitis (169)

Tonsillitis (167)
Cystitis (162)
Ear infection (162)
Herpes simplex (160)
Suspected COVID-19 (148)
Pharyngitis (135)
Q fever (128)
Localised infection (120)
Bronchitis (108)
Post viral fatigue syndrome (105)
Gastroenteritis (100)
Viral infection (97)
Viral rash (92)
Genital herpes (91)
Erysipelas (90)
Skin infection (90)
Injection site infection (86)
Injection site abscess (85)
Herpes virus infection (83)
Encephalitis (80)
Vaccination site cellulitis (79)
Vestibular neuronitis (77)
Ophthalmic herpes zoster (73)
Gastroenteritis viral (72)
Diverticulitis (70)
Septic shock (70)
Candida infection (67)
Abscess (66)
Pustule (66)
Furuncle (65)
Kidney infection (64)
Laryngitis (64)
Oral candidiasis (64)
Mastitis (62)
Rash pustular (60)
Gingivitis (58)
Vaccination site infection (56)
Lymphangitis (54)
Vulvovaginal candidiasis (54)
Infectious mononucleosis (53)
Hordeolum (50)
Vaccination site abscess (49)
Herpes ophthalmic (48)
Upper respiratory tract infection (46)
Nasal herpes (45)
Respiratory tract infection (45)
Myelitis (41)
Eye infection (40)
Bacterial infection (39)

Meningitis (39)
Coronavirus infection (37)
Parotitis (35)
Herpes simplex reactivation (32)
Varicella (31)
Viral pharyngitis (31)
Herpes zoster oticus (27)
Fungal infection (26)
Pneumonia viral (26)
Pyelonephritis (26)
Meningitis viral (24)
Subcutaneous abscess (24)
Urosepsis (24)
Vaccine breakthrough infection (24)
Pneumonia bacterial (23)
Appendicitis perforated (22)
Herpes zoster reactivation (22)
Abscess limb (20)
Folliculitis (20)
Meningitis aseptic (20)
Severe acute respiratory syndrome (19)
Tooth abscess (19)
Otitis media (18)
Septic rash (18)
Staphylococcal infection (18)
Tracheitis (18)
Vaginal infection (18)
Tooth infection (17)
Pharyngitis streptococcal (16)
Sialoadenitis (15)
Staphylococcal sepsis (15)
Lyme disease (14)
Vulvovaginal mycotic infection (14)
Bacteraemia (13)
Clostridium difficile colitis (13)
Lymph node abscess (13)
Otitis externa (13)
Peritonitis (13)
Vaccination site pustule (13)
Arthritis bacterial (12)
Clostridium difficile infection (11)
Epstein-Barr virus infection reactivation (11)
Herpes zoster cutaneous disseminated (11)
Varicella zoster virus infection (11)
Dermatitis infected (10)
Erythema migrans (10)
Lymph gland infection (10)
Neutropenic sepsis (10)
Orchitis (10)

Atypical pneumonia (9)
Dermo-hypodermatitis (9)
Escherichia infection (9)
Eyelid infection (9)
Gastrointestinal infection (9)
Impetigo (9)
Injection site pustule (9)
Mumps (9)
Virologic failure (9)
Acute sinusitis (8)
Biliary sepsis (8)
Chronic sinusitis (8)
Eczema herpeticum (8)
Encephalitis viral (8)
Herpes simplex encephalitis (8)
Secondary transmission (8)
Tonsillitis bacterial (8)
Viral labyrinthitis (8)
Abscess oral (7)
African trypanosomiasis (7)
Complicated appendicitis (7)
Epididymitis (7)
Epiglottitis (7)
Genital herpes simplex (7)
Herpes dermatitis (7)
Oral pustule (7)
Soft tissue infection (7)
Staphylococcal bacteraemia (7)
Streptococcal infection (7)
Cavernous sinus thrombosis (6)
Disseminated varicella zoster virus infection (6)
Malaria (6)
Osteomyelitis (6)
Purulent discharge (6)
Urinary tract infection bacterial (6)
Vestibulitis (6)
Abscess neck (5)
Acarodermatitis (5)
Bacterial sepsis (5)
Body tinea (5)
Cholecystitis infective (5)
Conjunctivitis viral (5)
Epstein-Barr virus infection (5)
Escherichia sepsis (5)
Fungal skin infection (5)
Gingival abscess (5)
Herpes zoster meningoencephalitis (5)
Infectious pleural effusion (5)
Mastoiditis (5)

Ophthalmic herpes simplex (5)
Oral fungal infection (5)
Otitis media acute (5)
Periorbital cellulitis (5)
Peritonsillar abscess (5)
Pulmonary sepsis (5)
Pulpitis dental (5)
Skin bacterial infection (5)
Tuberculosis (5)
Arthritis infective (4)
Breast abscess (4)
Bronchiolitis (4)
Creutzfeldt-Jakob disease (4)
Encephalomyelitis (4)
Endocarditis (4)
Escherichia bacteraemia (4)
Escherichia urinary tract infection (4)
Extradural abscess (4)
Febrile infection (4)
Focal peritonitis (4)
Hepatitis E (4)
Hepatitis viral (4)
Intervertebral discitis (4)
Measles (4)
Meningitis bacterial (4)
Necrotising fasciitis (4)
Pelvic inflammatory disease (4)
Pertussis (4)
Pyuria (4)
Sputum purulent (4)
Tinea pedis (4)
Viral diarrhoea (4)
Viral myocarditis (4)
Viral pericarditis (4)
Viral upper respiratory tract infection (4)
Wound infection (4)
Anal candidiasis (3)
Appendiceal abscess (3)
Blister infected (3)
Bronchitis bacterial (3)
Conjunctivitis bacterial (3)
Cytomegalovirus infection (3)
Endocarditis bacterial (3)
Erythema induratum (3)
Genital herpes zoster (3)
Helicobacter infection (3)
HIV infection (3)
Infected dermal cyst (3)
Infection in an immunocompromised host (3)

Intestinal gangrene (3)
Large intestine infection (3)
Liver abscess (3)
Lung abscess (3)
Lymph node tuberculosis (3)
Meningitis herpes (3)
Muscle abscess (3)
Pathogen resistance (3)
Pelvic abscess (3)
Perichondritis (3)
Pericoronitis (3)
Pyelonephritis acute (3)
Rhinovirus infection (3)
Scarlet fever (3)
Severe asthma with fungal sensitisation (3)
Superinfection (3)
Superinfection bacterial (3)
Tetanus (3)
Tongue abscess (3)
Urethritis (3)
Viraemia (3)
Abdominal infection (2)
Abscess jaw (2)
Acne pustular (2)
Adenopathy syphilitic (2)
Adenovirus infection (2)
Administration site abscess (2)
Anal abscess (2)
Arthritis viral (2)
Bacterial vaginosis (2)
Bacteriuria (2)
Bronchitis viral (2)
Carbuncle (2)
Chronic hepatitis C (2)
Coccidioidomycosis (2)
Diabetic foot infection (2)
Endocarditis staphylococcal (2)
Enterobacter infection (2)
Eye abscess (2)
Gangrene (2)
Gastroenteritis norovirus (2)
Gastrointestinal viral infection (2)
Genital abscess (2)
Gonorrhoea (2)
Groin abscess (2)
H2N2 influenza (2)
Haematoma infection (2)
Haemorrhagic varicella syndrome (2)
Hand-foot-and-mouth disease (2)

Hepatitis A (2)
Hepatitis C (2)
Herpes zoster meningitis (2)
Infected cyst (2)
Infection reactivation (2)
Infective exacerbation of bronchiectasis (2)
Klebsiella infection (2)
Laryngitis viral (2)
Leptospirosis (2)
Meningoencephalitis herpetic (2)
Mononucleosis syndrome (2)
Nasal abscess (2)
Oral bacterial infection (2)
Oral infection (2)
Oral viral infection (2)
Paronychia (2)
Periodontitis (2)
Peritonitis bacterial (2)
Pneumonia pneumococcal (2)
Pneumonia staphylococcal (2)
Progressive multifocal leukoencephalopathy (2)
Prostate infection (2)
Pulmonary tuberculosis (2)
Purulence (2)
Relapsing fever (2)
Roseola (2)
Rubella (2)
Sepsis syndrome (2)
Septic embolus (2)
Skin candida (2)
Streptococcal sepsis (2)
Syphilis (2)
Systemic candida (2)
Tinea infection (2)
Tinea versicolour (2)
Toxic shock syndrome (2)
Toxoplasmosis (2)
Trombidiasis (2)
Typhoid fever (2)
Vaginal abscess (2)
Viral cardiomyopathy (2)
Viral sepsis (2)
Viral tonsillitis (2)
Vulval abscess (2)
Vulvitis (2)
Abdominal sepsis (1)
Abdominal wall abscess (1)
Abscess intestinal (1)
Abscess of salivary gland (1)

Abscess soft tissue (1)
Abscess sweat gland (1)
Acquired immunodeficiency syndrome (1)
Adenoiditis (1)
Adenoviral conjunctivitis (1)
Adenoviral meningitis (1)
Administration site cellulitis (1)
Aerococcus urinae infection (1)
AIDS related complex (1)
Application site abscess (1)
Application site cellulitis (1)
Application site infection (1)
Aspergillus infection (1)
Asymptomatic bacteriuria (1)
Atypical mycobacterial infection (1)
Atypical mycobacterial lymphadenitis (1)
Babesiosis (1)
Bacterial diarrhoea (1)
Bacterial toxemia (1)
Bacterial vulvovaginitis (1)
Balanitis candida (1)
Bartholinitis (1)
Bed bug infestation (1)
Beta haemolytic streptococcal infection (1)
Borrelia infection (1)
Brain abscess (1)
Breast cellulitis (1)
Bronchopulmonary aspergillosis (1)
Brucellosis (1)
Bursitis infective (1)
Catheter site infection (1)
Cellulitis gangrenous (1)
Cellulitis staphylococcal (1)
Cellulitis streptococcal (1)
Central nervous system infection (1)
Chest wall abscess (1)
Chlamydial infection (1)
Cholera (1)
Chorioretinitis (1)
CNS ventriculitis (1)
Coinfection (1)
Colostomy infection (1)
Corneal infection (1)
Dacryocystitis (1)
Dengue fever (1)
Dermatophytosis (1)
Diarrhoea infectious (1)
Diphtheria (1)
Disseminated Bacillus Calmette-Guerin infection (1)

Diverticulitis intestinal perforated (1)
Ear infection bacterial (1)
Ear infection fungal (1)
Ear infection viral (1)
Ebola disease (1)
Eczema infected (1)
Embolic pneumonia (1)
Encephalitis brain stem (1)
Endometritis (1)
Enterocolitis infectious (1)
Enterovirus infection (1)
Erysipeloid (1)
Escherichia pyelonephritis (1)
Exanthema subitum (1)
Eye infection bacterial (1)
Eye infection viral (1)
Eyelid boil (1)
Fascial infection (1)
Fungal disease carrier (1)
Fungal pharyngitis (1)
Gas gangrene (1)
Gastritis bacterial (1)
Gastroenteritis Escherichia coli (1)
Gastroenteritis rotavirus (1)
Gastrointestinal bacterial infection (1)
Genital infection (1)
Genital infection fungal (1)
Genital infection viral (1)
Genitourinary tract infection (1)
H1N1 influenza (1)
Haemorrhagic fever with renal syndrome (1)
Haemorrhagic pneumonia (1)
Helminthic infection (1)
Herpangina (1)
Herpes pharyngitis (1)
Herpes simplex hepatitis (1)
Herpes simplex otitis externa (1)
Herpes zoster infection neurological (1)
Herpes zoster meningoradiculitis (1)
HIV-associated neurocognitive disorder (1)
Human herpesvirus 6 infection reactivation (1)
Infected bite (1)
Infected lymphocele (1)
Infection parasitic (1)
Infection susceptibility increased (1)
Infectious thyroiditis (1)
Infective exacerbation of chronic obstructive airways disease (1)
Infective tenosynovitis (1)
Infestation (1)

Joint abscess (1)
Keratitis viral (1)
Keratouveitis (1)
Lip infection (1)
Lymphadenitis bacterial (1)
Mediastinitis (1)
Meningitis pneumococcal (1)
Meningitis tuberculous (1)
Meningomyelitis herpes (1)
Mesenteric abscess (1)
Myocarditis septic (1)
Myringitis (1)
Nasal vestibulitis (1)
Oesophageal candidiasis (1)
Omphalitis (1)
Onychomycosis (1)
Oophoritis (1)
Otosalpingitis (1)
Overgrowth fungal (1)
Parapharyngeal space infection (1)
Paravaccinia (1)
Peptostreptococcus infection (1)
Periorbital abscess (1)
Periorbital infection (1)
Persistent generalised lymphadenopathy (1)
Pharyngeal abscess (1)
Pharyngeal pustule (1)
Pharyngotonsillitis (1)
Pilonidal cyst (1)
Pinta (1)
Pneumococcal sepsis (1)
Pneumocystis jirovecii pneumonia (1)
Pneumonia fungal (1)
Pneumonia klebsiella (1)
Pneumonia legionella (1)
Pneumonia mycoplasmal (1)
Pneumonia pseudomonal (1)
Postoperative abscess (1)
Postoperative wound infection (1)
Pseudomonal bacteraemia (1)
Pseudomonal sepsis (1)
Pseudomonas infection (1)
Puncture site infection (1)
Pyometra (1)
Rectal abscess (1)
Respiratory tract infection bacterial (1)
Respiratory tract infection viral (1)
Retinitis (1)
Rhinolaryngitis (1)

Root canal infection (1)
SARS-CoV-2 sepsis (1)
Sebaceous gland infection (1)
Septic encephalopathy (1)
Serratia infection (1)
Sinobronchitis (1)
Small intestine gangrene (1)
Spirochaetal infection (1)
Staphylococcal abscess (1)
Staphylococcal scalded skin syndrome (1)
Stenotrophomonas infection (1)
Streptobacillus infection (1)
Streptococcal abscess (1)
Streptococcal bacteraemia (1)
Sweat gland infection (1)
Systemic infection (1)
Systemic viral infection (1)
Thyroglossal cyst infection (1)
Tinea capitis (1)
Tinea cruris (1)
Tonsillitis fungal (1)
Tonsillitis streptococcal (1)
Toxic shock syndrome staphylococcal (1)
Toxocariasis (1)
Tracheobronchitis (1)
Trichomoniasis (1)
Urinary tract candidiasis (1)
Urogenital infection bacterial (1)
Uterine abscess (1)
Vaccine virus shedding (1)
Viral corneal ulcer (1)
Viral keratouveitis (1)
Viral parotitis (1)
Viral sinusitis (1)
Vitritis infective (1)
Wound infection staphylococcal (1)
Vulvovaginitis (1)
Yellow fever (1)
Yellow fever vaccine-associated neurotropic disease (1)
Injury, poisoning and procedural complications (19382)
Vaccination complication (4393)
Contusion (3106)
Fall (1329)
Poor quality product administered (1187)
Maternal exposure during breast feeding (1112)
Product storage error (1013)
Injection related reaction (648)
Vaccination failure (549)
Product administered to patient of inappropriate age (545)

Inappropriate schedule of product administration (514)
Maternal exposure during pregnancy (451)
Exposure during pregnancy (393)
Incorrect dose administered (372)
Head injury (236)
Product administration error (231)
Incorrect route of product administration (226)
Underdose (216)
Limb injury (200)
Off label use (200)
Product administered at inappropriate site (199)
Wrong product administered (194)
Exposure to SARS-CoV-2 (173)
Product use issue (138)
Product preparation issue (131)
Chillblains (119)
Exposure via breast milk (118)
Extra dose administered (116)
Nerve injury (92)
Expired product administered (90)
Exposure via skin contact (80)
Medication error (74)
Muscle strain (74)
Wrong technique in product usage process (73)
Eye contusion (65)
Thermal burn (60)
Thermal burns of eye (59)
Skin laceration (55)
Adverse event following immunisation (54)
Vaccination error (54)
Injury (51)
Foetal exposure during pregnancy (50)
Product label confusion (48)
Accidental overdose (47)
Product preparation error (47)
Subdural haematoma (47)
Sunburn (45)
Post procedural complication (44)
Skin abrasion (43)
Overdose (41)
Eye injury (39)
Procedural dizziness (38)
Accidental exposure to product (37)
Procedural nausea (34)
Product dose omission issue (33)
Scar (33)
Concussion (31)
Electric shock (30)
Occupational exposure to SARS-CoV-2 (30)

Joint injury (29)
Wound (29)
Arthropod sting (27)
Infusion related reaction (27)
Epicondylitis (26)
Face injury (26)
Incomplete course of vaccination (26)
Scratch (26)
Road traffic accident (25)
Clavicle fracture (24)
Craniocerebral injury (24)
Joint dislocation (24)
Accidental underdose (23)
Circumstance or information capable of leading to medication error (23)
Heat oedema (23)
Ligament sprain (23)
Muscle injury (23)
Procedural pain (23)
Heat stroke (20)
Hip fracture (20)
Product dispensing error (20)
Facial bones fracture (19)
Oral contusion (19)
Chest crushing (18)
Incorrect product formulation administered (17)
Tendon rupture (17)
Wound complication (17)
Wound haemorrhage (17)
Muscle rupture (16)
Arthropod bite (15)
Brain herniation (15)
Reaction to previous exposure to any vaccine (15)
Spinal compression fracture (15)
Subdural haemorrhage (15)
Toxicity to various agents (15)
Back injury (14)
Incision site pain (14)
Rib fracture (14)
Skin injury (14)
Skin wound (14)
Subcutaneous haematoma (14)
Wrong patient received product (12)
Brain contusion (11)
Burns second degree (11)
Lip injury (11)
Paternal exposure during pregnancy (11)
Wrong patient (11)
Burn oral cavity (10)
Contraindicated product administered (10)

Foreign body in throat (10)
Heart injury (10)
Neck injury (10)
Poisoning (10)
Contraindicated product prescribed (9)
Femoral neck fracture (9)
Fracture (9)
Hand fracture (9)
Out of specification product use (9)
Spinal fracture (9)
Splenic rupture (9)
Traumatic haematoma (9)
Upper limb fracture (9)
Wound secretion (9)
Burn oesophageal (8)
Burn of internal organs (8)
Exposure to extreme temperature (8)
Periorbital haematoma (8)
Periorbital haemorrhage (8)
Procedural vomiting (8)
Product use in unapproved indication (8)
Wrong technique in device usage process (8)
Femur fracture (7)
Intentional product use issue (7)
Limb crushing injury (7)
Mouth injury (7)
Retinal injury (7)
Tongue injury (7)
Tooth fracture (7)
Wrong drug (7)
Chest injury (6)
Child maltreatment syndrome (6)
Delayed recovery from anaesthesia (6)
Incision site rash (6)
Incision site swelling (6)
Inflammation of wound (6)
Nasal injury (6)
Occupational exposure to product (6)
Post lumbar puncture syndrome (6)
Post-traumatic neck syndrome (6)
Prescribed underdose (6)
Product dispensing issue (6)
Skull fracture (6)
Vascular injury (6)
Alcohol poisoning (5)
Ankle fracture (5)
Brachial plexus injury (5)
Cold burn (5)
Device use issue (5)

Heat exhaustion (5)
Heat illness (5)
Humerus fracture (5)
Palate injury (5)
Pelvic fracture (5)
Post procedural haemorrhage (5)
Post vaccination syndrome (5)
Tendon injury (5)
Ulnar nerve injury (5)
Abdomen crushing (4)
Animal bite (4)
Arterial bypass thrombosis (4)
Arteriovenous fistula thrombosis (4)
Chemical burn of skin (4)
Endotracheal intubation complication (4)
Extradural haematoma (4)
Gastrointestinal stoma complication (4)
Incorrect product administration duration (4)
Jaw fracture (4)
Lower limb fracture (4)
Multiple fractures (4)
Peripheral nerve injury (4)
Product dose omission in error (4)
Product prescribing error (4)
Stress fracture (4)
Tissue injury (4)
Tooth injury (4)
Wrist fracture (4)
Accident (3)
Airway burns (3)
Axillary web syndrome (3)
Bite (3)
Cartilage injury (3)
Compression fracture (3)
Cranial nerve injury (3)
Eschar (3)
Foreign body in eye (3)
Frostbite (3)
Hypobarism (3)
Inadequate aseptic technique in use of product (3)
Incorrect dosage administered (3)
Intentional dose omission (3)
Intentional overdose (3)
Intentional product misuse (3)
Intercepted medication error (3)
Ligament injury (3)
Ligament rupture (3)
Maternal exposure before pregnancy (3)
Maternal exposure timing unspecified (3)

Needle fatigue (3)
Nervous system injury (3)
Paternal exposure before pregnancy (3)
Procedural hypertension (3)
Product monitoring error (3)
Radial nerve injury (3)
Radius fracture (3)
Sedation complication (3)
Spinal cord injury cervical (3)
Stoma site haemorrhage (3)
Thoracic vertebral fracture (3)
Traumatic intracranial haemorrhage (3)
Wrong device used (3)
Axillary nerve injury (2)
Barotrauma (2)
Bladder injury (2)
Bone contusion (2)
Bursa injury (2)
Central cord syndrome (2)
Chemical phlebitis (2)
Corneal abrasion (2)
Dental restoration failure (2)
Device difficult to use (2)
Device use error (2)
Dose calculation error (2)
Drug administered in wrong device (2)
Duplicate therapy error (2)
Exposure to noise (2)
Exposure via unknown route (2)
Eyelid contusion (2)
Face crushing (2)
Foot fracture (2)
Gingival injury (2)
Gun shot wound (2)
Heat cramps (2)
Incision site erythema (2)
Injury corneal (2)
Internal injury (2)
Lack of vaccination site rotation (2)
Median nerve injury (2)
Metal poisoning (2)
Optic nerve injury (2)
Oropharyngeal stenosis (2)
Patella fracture (2)
Peroneal nerve injury (2)
Phrenic nerve injury (2)
Post concussion syndrome (2)
Post procedural contusion (2)
Procedural site reaction (2)

Product packaging confusion (2)
Product selection error (2)
Pulmonary contusion (2)
Rectal injury (2)
Repetitive strain injury (2)
Skull fractured base (2)
Soft tissue injury (2)
Spinal cord injury (2)
Stoma site discharge (2)
Synovial rupture (2)
Systemic toxicity (2)
Tibia fracture (2)
Tooth avulsion (2)
Traumatic fracture (2)
Traumatic lung injury (2)
Venous injury (2)
Abdominal injury (1)
Accident at work (1)
Adrenal gland injury (1)
Airway complication of anaesthesia (1)
Anaesthetic complication (1)
Anaesthetic complication neurological (1)
Animal scratch (1)
Arteriovenous fistula aneurysm (1)
Arteriovenous graft thrombosis (1)
Asbestosis (1)
Atypical femur fracture (1)
Auricular haematoma (1)
Autonomic dysreflexia (1)
Barotitis media (1)
Bone fissure (1)
Bone fragmentation (1)
Breast injury (1)
Burns third degree (1)
Cataract traumatic (1)
Central nervous system injury (1)
Cervical vertebral fracture (1)
Chemical burn (1)
Chemical burn of oral cavity (1)
Chemical cystitis (1)
Chemical poisoning (1)
Circumstance or information capable of leading to device use error (1)
Colon injury (1)
Comminuted fracture (1)
Compensatory sweating (1)
Conjunctival laceration (1)
Craniofacial fracture (1)
Decompression sickness (1)
Device dispensing error (1)

Documented hypersensitivity to administered product (1)
Drug monitoring procedure incorrectly performed (1)
Drug titration error (1)
Ear injury (1)
Exposure to chemical pollution (1)
Exposure to toxic agent (1)
Exposure via body fluid (1)
Exposure via contaminated device (1)
Femoral nerve injury (1)
Fibula fracture (1)
Foreign body (1)
Foreign body in urogenital tract (1)
Foreign body ingestion (1)
Fractured skull depressed (1)
Gastrointestinal injury (1)
Genital contusion (1)
Graft haemorrhage (1)
Hair injury (1)
Heavy exposure to ultraviolet light (1)
Hyphaema (1)
Incision site haemorrhage (1)
Incision site oedema (1)
Incision site pruritus (1)
Incorrect dose administered by device (1)
Intentional underdose (1)
Intercepted product administration error (1)
Intercepted product dispensing error (1)
Intercepted product preparation error (1)
Kidney rupture (1)
Lack of injection site rotation (1)
Lacrimal structure injury (1)
Mallet finger (1)
Medical device monitoring error (1)
Meniscus injury (1)
Mucosal excoriation (1)
Multiple injuries (1)
Multiple use of single-use product (1)
Musculoskeletal foreign body (1)
Nail avulsion (1)
Nail injury (1)
Neck crushing (1)
Open globe injury (1)
Parasympathetic nerve injury (1)
Pelvic organ injury (1)
Penile contusion (1)
Periprosthetic osteolysis (1)
Pharyngeal contusion (1)
Pneumonitis chemical (1)
Post laminectomy syndrome (1)

Post procedural constipation (1)
Post procedural discomfort (1)
Post procedural erythema (1)
Post procedural fever (1)
Postmastectomy lymphoedema syndrome (1)
Postoperative ileus (1)
Post-traumatic pain (1)
Prescription drug used without a prescription (1)
Prevertebral soft tissue swelling of cervical space (1)
Procedural headache (1)
Product administered by wrong person (1)
Product use complaint (1)
Pulmonary oil microembolism (1)
Radiation associated pain (1)
Recall phenomenon (1)
Respiratory fume inhalation disorder (1)
Sciatic nerve injury (1)
Scrotal injury (1)
Skin pressure mark (1)
Snake bite (1)
Spinal column injury (1)
Spinal cord injury sacral (1)
Spinal cord injury thoracic (1)
Splenic injury (1)
Sports injury (1)
Sternal fracture (1)
Stoma obstruction (1)
Stoma site erythema (1)
Stoma site extravasation (1)
Stoma site pain (1)
Stoma site pruritus (1)
Stoma site rash (1)
Struck by lightning (1)
Structural valve deterioration (1)
Subarachnoid haematoma (1)
Superficial injury of eye (1)
Surgical procedure repeated (1)
Suture related complication (1)
Tendon dislocation (1)
Toxic anterior segment syndrome (1)
Transcription medication error (1)
Transplant failure (1)
Traumatic haemorrhage (1)
Traumatic haemothorax (1)
Traumatic shock (1)
Trunk injury (1)
Ulna fracture (1)
Unintentional use for unapproved indication (1)
Urinary tract stoma complication (1)

Vascular access site bruising (1)
Vascular access site swelling (1)
Vascular pseudoaneurysm (1)
Vasoplegia syndrome (1)
VIIIth nerve injury (1)
VIIth nerve injury (1)
Wound dehiscence (1)
Wound necrosis (1)
Vth nerve injury (1)
Investigations (44714)
 Body temperature increased (8872)
 Blood pressure increased (7459)
 Heart rate increased (5372)
 SARS-CoV-2 test positive (2547)
 Body temperature (2053)
 SARS-CoV-2 test negative (1992)
 SARS-CoV-2 test (1679)
 Heart rate (1359)
 Electrocardiogram (1257)
 Blood test (1090)
 Oxygen saturation decreased (982)
 Full blood count (841)
 Laboratory test (839)
 Blood pressure decreased (785)
 Computerised tomogram (764)
 Metabolic function test (716)
 Chest X-ray (700)
 Blood glucose increased (661)
 Electrocardiogram normal (661)
 Platelet count decreased (564)
 Blood pressure measurement (509)
 Magnetic resonance imaging (461)
 Full blood count normal (452)
 Chest X-ray normal (432)
 Fibrin D dimer increased (412)
 Heart rate irregular (395)
 White blood cell count increased (363)
 Computerised tomogram head (353)
 Urine analysis (347)
 C-reactive protein increased (345)
 Echocardiogram (338)
 Body temperature decreased (321)
 Vital signs measurement (320)
 Electrocardiogram abnormal (312)
 Heart rate decreased (310)
 Laboratory test normal (303)
 Weight decreased (299)
 Blood glucose normal (296)
 Troponin increased (279)

Chest X-ray abnormal (275)
Influenza virus test negative (247)
Haemoglobin decreased (242)
Blood test normal (241)
Respiratory rate increased (238)
Computerised tomogram normal (236)
Metabolic function test normal (232)
Body temperature fluctuation (230)
Troponin (225)
X-ray (217)
International normalised ratio increased (215)
Computerised tomogram head normal (214)
Blood creatinine increased (211)
Oxygen saturation (190)
Troponin normal (186)
Blood glucose (185)
Ultrasound scan (183)
Skin temperature (181)
Computerised tomogram abnormal (180)
Computerised tomogram thorax (178)
Angiogram (166)
Blood glucose decreased (161)
Blood urine present (160)
SARS-CoV-2 antibody test negative (159)
Blood potassium decreased (158)
Magnetic resonance imaging brain (157)
Urine analysis normal (155)
Blood pressure abnormal (154)
SARS-CoV-2 antibody test (153)
Platelet count normal (152)
White blood cell count normal (150)
Alanine aminotransferase increased (149)
Body temperature abnormal (148)
Pulse absent (145)
Echocardiogram normal (144)
Aspartate aminotransferase increased (139)
Blood urea increased (137)
Investigation (132)
Computerised tomogram head abnormal (131)
Blood potassium normal (129)
Computerised tomogram abdomen (127)
Magnetic resonance imaging normal (127)
Haemoglobin normal (123)
Ultrasound Doppler (121)
Blood lactic acid (120)
Computerised tomogram thorax abnormal (120)
White blood cell count decreased (119)
Activated partial thromboplastin time prolonged (118)
Blood creatinine normal (117)

Blood sodium normal (117)
Heart rate abnormal (117)
Pulse abnormal (117)
Red blood cell sedimentation rate increased (112)
SARS-CoV-2 antibody test positive (112)
Scan with contrast (112)
Blood sodium decreased (111)
Grip strength decreased (111)
Fibrin D dimer (110)
Cardiac monitoring (108)
Haematocrit decreased (108)
Haematocrit normal (104)
Lumbar puncture (102)
Blood chloride normal (101)
Blood thyroid stimulating hormone (98)
Blood urea normal (98)
Autopsy (95)
Blood test abnormal (94)
Echocardiogram abnormal (94)
Blood culture negative (92)
Brain natriuretic peptide increased (92)
Influenza A virus test negative (92)
Magnetic resonance imaging brain abnormal (90)
Streptococcus test negative (89)
Differential white blood cell count (88)
Blood creatine phosphokinase increased (84)
Computerised tomogram abdomen abnormal (84)
Lymph node palpable (84)
Influenza B virus test (83)
Alanine aminotransferase normal (82)
Red blood cell count decreased (82)
Blood alkaline phosphatase normal (80)
Blood lactic acid increased (80)
Blood bilirubin normal (79)
Magnetic resonance imaging abnormal (78)
Magnetic resonance imaging brain normal (78)
International normalised ratio decreased (77)
Aspartate aminotransferase normal (76)
Blood culture (76)
Electroencephalogram (76)
Glomerular filtration rate decreased (76)
Mean cell volume normal (76)
Blood glucose fluctuation (75)
Carbon dioxide normal (75)
C-reactive protein (75)
Influenza virus test (73)
Weight (73)
Blood calcium decreased (72)
Protein total normal (72)

Blood magnesium normal (70)
Blood alkaline phosphatase increased (69)
C-reactive protein normal (68)
Hepatic enzyme increased (68)
International normalised ratio (68)
Tryptase (67)
Weight increased (67)
White blood cell count (67)
Blood calcium normal (66)
Platelet count (65)
Angiogram pulmonary abnormal (64)
Catheterisation cardiac (64)
Neutrophil count increased (64)
Red blood cell count normal (63)
Blood bilirubin increased (62)
Full blood count abnormal (62)
Liver function test increased (62)
Urine analysis abnormal (62)
Blood albumin normal (61)
Red blood cell sedimentation rate normal (61)
Carbon dioxide decreased (60)
Culture urine (60)
Mean cell haemoglobin concentration normal (60)
Liver function test abnormal (59)
Blood magnesium (58)
Lymphocyte percentage decreased (58)
Blood thyroid stimulating hormone normal (57)
Fibrin D dimer normal (57)
Red cell distribution width normal (57)
Ultrasound scan abnormal (57)
Computerised tomogram neck (56)
International normalised ratio normal (56)
Lymphocyte count decreased (56)
Mean platelet volume normal (55)
Neutrophil percentage increased (55)
Physical examination (55)
Prothrombin time (54)
Activated partial thromboplastin time (53)
Transaminases increased (53)
Blood glucose abnormal (52)
Computerised tomogram thorax normal (52)
Mean cell haemoglobin normal (52)
Neutrophil count decreased (52)
Respiratory viral panel (52)
Body height (51)
Platelet count increased (51)
X-ray normal (51)
Blood albumin decreased (50)
Blood pressure systolic increased (50)

Liver function test (50)
Monocyte percentage (50)
Streptococcus test (49)
Ultrasound scan normal (49)
Anion gap (48)
Differential white blood cell count normal (48)
Ejection fraction decreased (48)
Laboratory test abnormal (48)
Magnetic resonance imaging neck (48)
Acoustic stimulation tests (47)
Coronavirus test (47)
CSF protein increased (47)
Electrocardiogram ST segment elevation (47)
Red blood cell sedimentation rate (47)
Ultrasound Doppler abnormal (47)
Scan with contrast abnormal (46)
Brain natriuretic peptide (45)
Culture urine negative (45)
Eosinophil percentage (45)
Blood creatine phosphokinase (44)
Breath sounds abnormal (44)
Eosinophil count normal (44)
Polymerase chain reaction positive (44)
Urine output (44)
Angiogram cerebral normal (43)
Blood gases (43)
Electroencephalogram normal (43)
General physical condition abnormal (43)
Respiratory syncytial virus test negative (43)
Troponin I normal (43)
Urine output decreased (43)
Electrocardiogram ambulatory (42)
Magnetic resonance imaging spinal abnormal (42)
Prothrombin time prolonged (42)
Respiratory rate decreased (42)
Polymerase chain reaction (41)
Troponin I increased (41)
Arteriogram carotid normal (40)
Basophil percentage (40)
Blood urine (40)
Magnetic resonance imaging spinal (40)
Red cell distribution width increased (40)
Blood potassium increased (39)
Blood creatine phosphokinase normal (38)
Coronavirus test positive (38)
Glycosylated haemoglobin (38)
Monocyte count normal (38)
Ophthalmological examination (38)
Angiogram cerebral (37)

Glomerular filtration rate normal (37)
Blood pressure diastolic increased (36)
Computerised tomogram spine (36)
Lipase increased (36)
Blood chloride decreased (35)
Blood chloride increased (35)
Blood lactic acid normal (35)
Cardiac stress test (35)
Monocyte count increased (35)
Serum ferritin increased (35)
X-ray limb (35)
Basophil count normal (34)
Haemoglobin (34)
Myocardial necrosis marker (34)
Neutrophil count normal (34)
Prothrombin time normal (34)
Viral test negative (34)
Acoustic stimulation tests abnormal (33)
Blood lactate dehydrogenase increased (33)
Glomerular filtration rate (33)
Inflammatory marker increased (33)
Lipids (33)
Procalcitonin increased (33)
Brain natriuretic peptide normal (32)
Cardiac murmur (32)
Cardiovascular evaluation (32)
Catheterisation cardiac abnormal (32)
Liver function test normal (32)
Lumbar puncture normal (32)
Neurological examination (32)
Oxygen saturation normal (32)
Pregnancy test negative (32)
Respiratory rate (32)
Viral test (32)
Catheterisation cardiac normal (31)
Human chorionic gonadotropin (31)
Mean cell volume increased (31)
Nitrite urine absent (31)
Scan with contrast normal (31)
Lipase (30)
Lymphocyte count normal (30)
Blood electrolytes normal (29)
Blood thyroid stimulating hormone increased (29)
Computerised tomogram pelvis (29)
Human chorionic gonadotropin negative (29)
Lumbar puncture abnormal (29)
Neutrophil count (29)
Blood pH increased (28)
Eosinophil count decreased (28)

Magnetic resonance imaging heart (28)
Muscle strength abnormal (28)
Troponin I (28)
X-ray abnormal (28)
Angiogram cerebral abnormal (27)
Arteriogram carotid (27)
Culture negative (27)
Eosinophil percentage decreased (27)
Myocardial necrosis marker normal (27)
pH urine normal (27)
Thyroid function test (27)
Ultrasound abdomen (27)
Lymphocyte percentage (26)
Protein total decreased (26)
Angiogram normal (25)
Antibody test (25)
Blood thyroid stimulating hormone decreased (25)
Protein urine present (25)
Sensory level abnormal (25)
Urine leukocyte esterase (25)
Activated partial thromboplastin time normal (24)
Antinuclear antibody (24)
Basophil count decreased (24)
Blood cholesterol increased (24)
Blood pH decreased (24)
Computerised tomogram abdomen normal (24)
Computerised tomogram pelvis abnormal (24)
Epinephrine (24)
Lipase normal (24)
Ultrasound Doppler normal (24)
Urine ketone body absent (24)
X-ray limb normal (24)
Arteriogram carotid abnormal (23)
Blood fibrinogen increased (23)
Cardiac stress test normal (23)
Electrocardiogram T wave inversion (23)
Gamma-glutamyltransferase increased (23)
Glucose urine absent (23)
Lymphocyte count (23)
Magnetic resonance imaging spinal normal (23)
Mammogram (23)
Oxygen saturation abnormal (23)
Protein urine absent (23)
Angiogram abnormal (22)
Bacterial test positive (22)
Basophil percentage decreased (22)
Biopsy (22)
Blood bicarbonate decreased (22)
Cardiac monitoring abnormal (22)

Lymphocyte count increased (22)
Neutrophil percentage (22)
Pain assessment (22)
Red blood cell nucleated morphology (22)
Thyroid function test normal (22)
Troponin T increased (22)
Urine output increased (22)
Bilirubin urine (21)
Electrocardiogram ST segment depression (21)
Electromyogram (21)
Glycosylated haemoglobin increased (21)
Mean cell haemoglobin concentration decreased (21)
Metabolic function test abnormal (21)
Myocardial necrosis marker increased (21)
PCO2 increased (21)
Pregnancy test (21)
Procalcitonin (21)
Sinus rhythm (21)
Specific gravity urine normal (21)
White blood cells urine positive (21)
Vitamin B12 normal (21)
Analgesic drug level (20)
Blood culture positive (20)
Blood gases abnormal (20)
Blood pressure normal (20)
Carbon dioxide increased (20)
Coagulation test (20)
Corneal reflex decreased (20)
Culture (20)
Globulin (20)
Haematocrit (20)
Imaging procedure (20)
N-terminal prohormone brain natriuretic peptide increased (20)
Activated partial thromboplastin time shortened (19)
Antinuclear antibody negative (19)
Antinuclear antibody positive (19)
Biopsy skin (19)
Blood electrolytes (19)
Coma scale abnormal (19)
Electrocardiogram QT prolonged (19)
Electroencephalogram abnormal (19)
Eosinophil count increased (19)
HIV test (19)
HIV test negative (19)
Neurological examination normal (19)
Vital functions abnormal (19)
Audiogram abnormal (18)
Blood creatine increased (18)
Blood sodium increased (18)

Blood urea (18)
Blood urea nitrogen/creatinine ratio (18)
Head lag (18)
Hormone level abnormal (18)
Intraocular pressure test (18)
Mean cell haemoglobin decreased (18)
Monocyte percentage increased (18)
Neurological examination abnormal (18)
Streptococcus test positive (18)
Toxicologic test (18)
Angiogram pulmonary normal (17)
Antibody test abnormal (17)
Blood bicarbonate normal (17)
Blood bilirubin (17)
Blood calcium (17)
Blood cholesterol (17)
Blood ketone body (17)
Blood lactic acid decreased (17)
Blood magnesium decreased (17)
Blood pH (17)
Blood urine absent (17)
Cardiac telemetry (17)
Endoscopy (17)
Immature granulocyte count increased (17)
Immunology test (17)
Mean cell haemoglobin increased (17)
Mean platelet volume increased (17)
Neutrophil percentage decreased (17)
PO2 decreased (17)
Spinal X-ray (17)
Ultrasound antenatal screen abnormal (17)
Albumin globulin ratio normal (16)
Audiogram (16)
Blood phosphorus decreased (16)
Blood potassium (16)
Blood pressure ambulatory increased (16)
Blood pressure systolic (16)
Blood sodium (16)
Blood urea nitrogen/creatinine ratio increased (16)
Body height decreased (16)
CSF culture negative (16)
CSF glucose normal (16)
Drug screen negative (16)
Haemoglobin increased (16)
International normalised ratio abnormal (16)
Monocyte count (16)
Monocyte count decreased (16)
Myocardial strain (16)
Ophthalmological examination abnormal (16)

pH urine (16)
Red blood cell count increased (16)
Renal function test (16)
Rheumatoid factor (16)
Scan (16)
Anion gap normal (15)
Blood fibrinogen decreased (15)
Blood iron (15)
Electrocardiogram change (15)
Influenza A virus test (15)
PCO2 decreased (15)
Peak expiratory flow rate decreased (15)
Protein total (15)
Treponema test negative (15)
Vitamin B12 (15)
Antibody test negative (14)
Aspartate aminotransferase (14)
Biopsy bone marrow abnormal (14)
Blood count (14)
Blood creatine phosphokinase MB (14)
Blood creatinine (14)
Cardiac function test normal (14)
Electromyogram abnormal (14)
Heart rate normal (14)
Heart sounds abnormal (14)
Intraocular pressure increased (14)
N-terminal prohormone brain natriuretic peptide (14)
Protein total increased (14)
Temperature difference of extremities (14)
Troponin T (14)
Urine leukocyte esterase positive (14)
Allergy test (13)
Blood count abnormal (13)
Blood immunoglobulin G (13)
Blood immunoglobulin M (13)
Blood iron decreased (13)
Blood pressure immeasurable (13)
Blood triglycerides normal (13)
CSF red blood cell count positive (13)
Cytomegalovirus test negative (13)
Drug screen (13)
Ejection fraction normal (13)
Glycosylated haemoglobin normal (13)
Heart sounds (13)
Medical observation (13)
Renal function test normal (13)
Ultrasound abdomen abnormal (13)
Urobilinogen urine (13)
Anion gap increased (12)

Bacterial test (12)
Bacterial test negative (12)
Bilirubin conjugated increased (12)
Blood cholesterol normal (12)
Blood urea decreased (12)
Body temperature normal (12)
Coagulation time prolonged (12)
Colonoscopy (12)
Complement factor C3 (12)
Differential white blood cell count abnormal (12)
Ejection fraction (12)
Foetal heart rate abnormal (12)
Forced expiratory volume increased (12)
Herpes simplex test negative (12)
Lymphocyte percentage increased (12)
Mean cell haemoglobin concentration (12)
Mononucleosis heterophile test negative (12)
Scan brain (12)
Thyroxine free (12)
Ultrasound chest (12)
Alanine aminotransferase (11)
Albumin globulin ratio (11)
Anion gap decreased (11)
Aspiration pleural cavity (11)
Blood albumin (11)
Blood creatine phosphokinase MB increased (11)
Blood fibrinogen (11)
Blood lactate dehydrogenase (11)
Blood magnesium increased (11)
Blood phosphorus (11)
Blood pressure systolic decreased (11)
Borrelia test negative (11)
Complement factor C4 (11)
Electrocardiogram ST segment abnormal (11)
Electromyogram normal (11)
Eosinophil percentage increased (11)
Haematology test (11)
Human chorionic gonadotropin decreased (11)
Immature granulocyte percentage increased (11)
Legionella test (11)
Low density lipoprotein normal (11)
Monocyte percentage decreased (11)
Pregnancy test positive (11)
Procalcitonin normal (11)
Pulmonary function test (11)
Red blood cells urine positive (11)
Urine ketone body present (11)
Vitamin D (11)
Biopsy bone marrow (10)

Blood bilirubin decreased (10)
Blood triglycerides increased (10)
Body mass index (10)
CSF cell count normal (10)
CSF white blood cell count increased (10)
Hepatitis C test negative (10)
Lipids normal (10)
Mean cell haemoglobin (10)
Oesophagogastrroduodenoscopy (10)
Staphylococcus test negative (10)
Thyroxine free normal (10)
Treponema test (10)
White blood cells urine negative (10)
X-ray limb abnormal (10)
X-ray of pelvis and hip (10)
Abdominal X-ray (9)
Ammonia increased (9)
Anticoagulation drug level below therapeutic (9)
Arteriogram coronary normal (9)
Bleeding time prolonged (9)
Blood bicarbonate increased (9)
Blood folate (9)
Blood immunoglobulin G normal (9)
Blood pH normal (9)
Blood pressure diastolic decreased (9)
Cardiac telemetry normal (9)
Coagulation time (9)
Cryptococcus test (9)
CSF test (9)
Electrocardiogram T wave abnormal (9)
Faecal calprotectin increased (9)
Gastric pH decreased (9)
Globulins increased (9)
Grip strength (9)
Hepatitis viral test negative (9)
Imaging procedure abnormal (9)
Low density lipoprotein increased (9)
Nitrite urine present (9)
Pathology test (9)
Rheumatoid factor negative (9)
Scan myocardial perfusion (9)
Serum ferritin normal (9)
Shift to the left (9)
Staphylococcus test positive (9)
Toxicologic test normal (9)
Amylase (8)
Antiphospholipid antibodies (8)
Blood folate normal (8)
Blood immunoglobulin G decreased (8)

Blood immunoglobulin G increased (8)
Blood osmolarity decreased (8)
Blood phosphorus normal (8)
Blood smear test (8)
Breath sounds (8)
Coagulation test normal (8)
CSF glucose increased (8)
Culture stool (8)
Culture stool negative (8)
Culture urine positive (8)
Cytomegalovirus test (8)
Drug screen positive (8)
Electrocardiogram ST-T segment abnormal (8)
Epstein-Barr virus antibody positive (8)
Epstein-Barr virus test (8)
Granulocyte percentage (8)
Haematocrit increased (8)
Heparin-induced thrombocytopenia test positive (8)
Hepatic enzyme abnormal (8)
Hepatitis C antibody negative (8)
High density lipoprotein decreased (8)
Investigation abnormal (8)
Oesophagogastroduodenoscopy abnormal (8)
Physical examination normal (8)
Pregnancy test urine negative (8)
Prothrombin level (8)
Prothrombin level normal (8)
Red blood cells urine (8)
Respiratory syncytial virus test (8)
SARS-CoV-1 test (8)
Serum ferritin (8)
Skin test (8)
Skin test positive (8)
Sputum abnormal (8)
Thyroid function test abnormal (8)
Thyroxine (8)
Tri-iodothyronine decreased (8)
Troponin T normal (8)
Ultrasound abdomen normal (8)
Ultrasound biliary tract (8)
Albumin globulin ratio decreased (7)
Amylase increased (7)
Angiocardigram (7)
Bilirubin conjugated (7)
Blood creatine normal (7)
Blood uric acid increased (7)
Borrelia test (7)
Cardiac stress test abnormal (7)
CSF test normal (7)

CSF white blood cell count (7)
Hepatitis B test negative (7)
Influenza virus test positive (7)
Magnetic resonance cholangiopancreatography (7)
Magnetic resonance imaging thoracic abnormal (7)
Menstruation normal (7)
Physical examination abnormal (7)
PO2 increased (7)
Pregnancy test urine (7)
Protein C (7)
Prothrombin time shortened (7)
SARS-CoV-1 test positive (7)
Tuberculin test (7)
Ultrasound pelvis (7)
Ultrasound scan vagina (7)
Urinary sediment present (7)
Urobilinogen urine increased (7)
Venogram (7)
White blood cell count abnormal (7)
Visual field tests (7)
Vitamin B12 decreased (7)
Vitamin D decreased (7)
Amylase normal (6)
Anti-cyclic citrullinated peptide antibody (6)
Anti-cyclic citrullinated peptide antibody negative (6)
Antineutrophil cytoplasmic antibody (6)
Biopsy lymph gland (6)
Bladder scan (6)
Blood calcium increased (6)
Blood gases normal (6)
Blood immunoglobulin E normal (6)
Blood insulin (6)
Blood phosphorus increased (6)
Blood smear test abnormal (6)
Cardiac function test (6)
Cardiovascular examination (6)
Coagulation test abnormal (6)
Colonoscopy abnormal (6)
C-reactive protein abnormal (6)
CSF culture (6)
CSF protein normal (6)
CSF test abnormal (6)
Double stranded DNA antibody (6)
Endoscopy normal (6)
Granulocyte count (6)
Haematology test normal (6)
Hepatic enzyme (6)
Herpes virus test (6)
Immunoglobulins (6)

Inflammatory marker test (6)
Influenza B virus test positive (6)
Inspiratory capacity decreased (6)
Magnetic resonance imaging joint (6)
Mean cell volume decreased (6)
Mycoplasma test negative (6)
NIH stroke scale (6)
NIH stroke scale score increased (6)
PO2 normal (6)
Protein urine (6)
Pulmonary function test decreased (6)
Pupillary light reflex tests abnormal (6)
Red blood cell count (6)
Red cell distribution width (6)
SARS-CoV-2 test false positive (6)
Scan normal (6)
Skull X-ray (6)
Sputum culture (6)
Thyroxine free increased (6)
Total lung capacity decreased (6)
Transaminases (6)
Tryptase increased (6)
Ultrasound kidney (6)
Ultrasound kidney normal (6)
Ultrasound thyroid (6)
Ventilation/perfusion scan (6)
Viral test positive (6)
Acoustic stimulation tests normal (5)
Adenovirus test (5)
Angiogram pulmonary (5)
Angiogram retina (5)
Antineutrophil cytoplasmic antibody negative (5)
Antiphospholipid antibodies positive (5)
Antithrombin III (5)
Arteriogram coronary abnormal (5)
Aspiration joint (5)
Balance test (5)
Base excess increased (5)
Basophil count increased (5)
Biopsy kidney abnormal (5)
Biopsy skin abnormal (5)
Blood albumin increased (5)
Blood alkaline phosphatase (5)
Blood count normal (5)
Blood creatine (5)
Blood creatinine decreased (5)
Blood folate decreased (5)
Blood lactate dehydrogenase normal (5)
Blood uric acid normal (5)

Bronchoscopy (5)
Capillary nail refill test abnormal (5)
Clostridium test negative (5)
Complement factor (5)
Complement factor normal (5)
CSF cell count (5)
CSF neutrophil count increased (5)
CSF white blood cell count negative (5)
Diagnostic procedure (5)
EGFR status assay (5)
Electrocardiogram PR segment depression (5)
Electrocardiogram ST-T change (5)
Endoscopy abnormal (5)
Eosinophil count (5)
Epstein-Barr virus test negative (5)
Escherichia test positive (5)
Foetal monitoring (5)
Fungal test negative (5)
Glucose urine present (5)
Gram stain (5)
Heart rate variability increased (5)
Heparin-induced thrombocytopenia test (5)
Hepatobiliary scan (5)
Mean cell volume abnormal (5)
Mean platelet volume decreased (5)
Myoglobin blood increased (5)
Nerve conduction studies (5)
Occult blood positive (5)
Oxygen consumption (5)
Peak expiratory flow rate (5)
Perfusion brain scan normal (5)
Prohormone brain natriuretic peptide increased (5)
Protein C increased (5)
Pulmonary function test abnormal (5)
Renal function test abnormal (5)
SARS-CoV-2 test false negative (5)
Seroconversion test negative (5)
Serology test (5)
Serum ferritin decreased (5)
Smear test (5)
Specific gravity urine increased (5)
Thyroxine normal (5)
Tri-iodothyronine free (5)
Ultrasound breast (5)
Ultrasound foetal (5)
Urinary casts (5)
Venous oxygen saturation decreased (5)
Visual acuity tests (5)
Vitamin B12 increased (5)

Volume blood (5)
Alanine aminotransferase decreased (4)
Allergy test negative (4)
Anticoagulation drug level above therapeutic (4)
Antineutrophil cytoplasmic antibody positive (4)
Anti-thyroid antibody positive (4)
Audiogram normal (4)
Auscultation (4)
Base excess (4)
Basophil count (4)
Basophil percentage increased (4)
Blood corticotrophin (4)
Blood creatine phosphokinase decreased (4)
Blood fibrinogen normal (4)
Blood glucagon increased (4)
Blood immunoglobulin E (4)
Blood immunoglobulin E increased (4)
Blood immunoglobulin M increased (4)
Blood insulin increased (4)
Blood osmolarity increased (4)
Blood parathyroid hormone increased (4)
Blood pressure diastolic (4)
Blood pressure systolic abnormal (4)
Blood smear test normal (4)
Bronchoscopy abnormal (4)
Carbon dioxide (4)
Cardiac imaging procedure abnormal (4)
Cardiac monitoring normal (4)
Cardiac telemetry abnormal (4)
Cardioactive drug level (4)
Chlamydia test negative (4)
Cortisol normal (4)
Culture throat (4)
Cystoscopy (4)
Ear, nose and throat examination (4)
Electrocardiogram QRS complex abnormal (4)
Electrophoresis protein normal (4)
Flow cytometry (4)
Forced expiratory volume decreased (4)
Full blood count decreased (4)
Gene mutation identification test (4)
Gram stain positive (4)
Haemoglobin abnormal (4)
Helicobacter test negative (4)
Hepatitis A antibody negative (4)
Hepatitis B core antibody negative (4)
Hepatitis B surface antigen negative (4)
Hepatitis C virus test (4)
High density lipoprotein normal (4)

HIV antibody negative (4)
HIV test positive (4)
Influenza A virus test positive (4)
Interleukin level (4)
Laryngoscopy (4)
Lymph nodes scan abnormal (4)
Magnetic resonance imaging thoracic (4)
Mammogram normal (4)
Maximum heart rate (4)
Myoglobin blood (4)
Nerve conduction studies abnormal (4)
Nerve conduction studies normal (4)
Nucleic acid test (4)
Occult blood (4)
Ophthalmological examination normal (4)
Optical coherence tomography (4)
Oxygen consumption decreased (4)
Platelet count abnormal (4)
Positron emission tomogram (4)
Procalcitonin decreased (4)
Prohormone brain natriuretic peptide (4)
Protein S (4)
Protein S normal (4)
Prothrombin level increased (4)
Pulse pressure increased (4)
Quality of life decreased (4)
Red blood cells urine negative (4)
Rheumatoid factor positive (4)
Spinal X-ray abnormal (4)
Spinal X-ray normal (4)
Stool analysis (4)
Stress echocardiogram normal (4)
Swallow study (4)
Ultrasound eye (4)
Ultrasound foetal abnormal (4)
Varicella virus test negative (4)
X-ray of pelvis and hip abnormal (4)
Allergy alert test (3)
Ammonia (3)
Analgesic drug level therapeutic (3)
Angiotensin converting enzyme (3)
Antiacetylcholine receptor antibody (3)
Antiacetylcholine receptor antibody positive (3)
Antibody test positive (3)
Antinuclear antibody increased (3)
Anti-platelet antibody (3)
Aspartate aminotransferase decreased (3)
Aspiration joint abnormal (3)
AST/ALT ratio abnormal (3)

Band neutrophil percentage (3)
Band neutrophil percentage increased (3)
Bile output (3)
Bilirubin urine present (3)
Biopsy colon abnormal (3)
Biopsy kidney (3)
Biopsy lymph gland abnormal (3)
Bleeding time (3)
Bleeding time abnormal (3)
Blood 25-hydroxycholecalciferol (3)
Blood bilirubin unconjugated increased (3)
Blood creatine abnormal (3)
Blood creatine phosphokinase MB decreased (3)
Blood creatinine abnormal (3)
Blood heavy metal test (3)
Blood insulin decreased (3)
Blood iron normal (3)
Blood pressure orthostatic (3)
Blood uric acid (3)
Bone scan (3)
Brain scan abnormal (3)
Brain scan normal (3)
Breath sounds absent (3)
Breath sounds normal (3)
Capillary nail refill test (3)
Carotid bruit (3)
Carotid pulse abnormal (3)
Clostridium test positive (3)
Coagulation factor V level (3)
Coma scale (3)
Coma scale normal (3)
Coronavirus test negative (3)
Cortisol decreased (3)
Cortisol increased (3)
Coxsackie virus test (3)
CSF cell count increased (3)
CSF lymphocyte count increased (3)
CSF lymphocyte count normal (3)
CSF oligoclonal band (3)
CSF pressure increased (3)
CSF protein (3)
CSF red blood cell count (3)
Culture positive (3)
Culture wound (3)
Culture wound positive (3)
Cytogenetic analysis (3)
Dermatologic examination abnormal (3)
Electrocardiogram ambulatory abnormal (3)
Electrocardiogram ambulatory normal (3)

Electrocardiogram repolarisation abnormality (3)
Electrocardiogram T wave peaked (3)
Endoscopic retrograde cholangiopancreatography (3)
Epstein-Barr virus antibody negative (3)
Epstein-Barr virus antigen positive (3)
Faecal volume increased (3)
Fibrin D dimer decreased (3)
Foetal non-stress test (3)
Forced expiratory volume (3)
Fungal test (3)
Globulins decreased (3)
Glomerular filtration rate increased (3)
Gram stain negative (3)
Haematology test abnormal (3)
Haptoglobin (3)
Hepatitis A virus test (3)
Hepatitis B virus test (3)
Hepatitis C antibody (3)
Hepatitis viral test (3)
Herpes simplex test (3)
Human chorionic gonadotropin normal (3)
Human chorionic gonadotropin positive (3)
Human metapneumovirus test (3)
Human rhinovirus test positive (3)
Immunoglobulins decreased (3)
Immunoglobulins normal (3)
International normalised ratio fluctuation (3)
Lymphocyte count abnormal (3)
Magnetic resonance imaging abdominal abnormal (3)
Magnetic resonance imaging thoracic normal (3)
Mammogram abnormal (3)
Mean arterial pressure decreased (3)
Mean arterial pressure increased (3)
Mean cell haemoglobin concentration increased (3)
Mean platelet volume (3)
Microbiology test (3)
Mononucleosis heterophile test (3)
Mycobacterium test (3)
Mycobacterium tuberculosis complex test (3)
Mycobacterium tuberculosis complex test negative (3)
NIH stroke scale abnormal (3)
Oesophagogastroduodenoscopy normal (3)
Palpatory finding abnormal (3)
Paracentesis (3)
PCO2 normal (3)
Perfusion brain scan (3)
pH urine increased (3)
Plasminogen activator inhibitor (3)
Platelet factor 4 (3)

Prostatic specific antigen increased (3)
Pulmonary function test normal (3)
Radial pulse abnormal (3)
Red blood cell anisocytes present (3)
Red blood cell count abnormal (3)
Rheumatoid factor increased (3)
Romberg test positive (3)
Scan myocardial perfusion normal (3)
Septic screen (3)
Serology negative (3)
Smear cervix (3)
Stool analysis abnormal (3)
Stool analysis normal (3)
Stress echocardiogram (3)
Swollen joint count increased (3)
Tender joint count (3)
Thyroid hormones increased (3)
Transferrin saturation decreased (3)
Tri-iodothyronine (3)
Ubiquinone (3)
Ultrasound antenatal screen (3)
Ultrasound biliary tract normal (3)
Ultrasound bladder (3)
Ultrasound joint (3)
Ultrasound scan vagina abnormal (3)
Ultrasound skull (3)
Urinary occult blood positive (3)
Urinary system X-ray (3)
Urobilinogen urine decreased (3)
Vascular imaging (3)
Venogram abnormal (3)
White blood cells urine (3)
Visual field tests abnormal (3)
X-ray dental normal (3)
X-ray of pelvis and hip normal (3)
Abdomen scan (2)
Adjusted calcium (2)
Alpha 1 globulin normal (2)
Amniotic fluid index decreased (2)
Amniotic membrane rupture test positive (2)
Amphetamines positive (2)
Anti factor Xa assay normal (2)
Anti-aquaporin-4 antibody (2)
Antibody test normal (2)
Anticoagulation drug level increased (2)
Anticonvulsant drug level decreased (2)
Anticonvulsant drug level therapeutic (2)
Anti-ganglioside antibody (2)
Antimitochondrial antibody normal (2)

Antineutrophil cytoplasmic antibody increased (2)
Antipsychotic drug level (2)
Antithrombin III increased (2)
Anti-thyroid antibody (2)
Atrial pressure increased (2)
Band neutrophil count (2)
Band neutrophil count increased (2)
Barium swallow abnormal (2)
Bartonella test (2)
Base excess decreased (2)
Beta-2 glycoprotein antibody (2)
Beta-2 glycoprotein antibody negative (2)
Bilirubin conjugated normal (2)
Biopsy brain (2)
Biopsy oesophagus normal (2)
Biopsy stomach (2)
Blast cells (2)
Blast cells present (2)
Blood alkaline phosphatase decreased (2)
Blood bicarbonate (2)
Blood catecholamines (2)
Blood chloride (2)
Blood cholesterol decreased (2)
Blood copper normal (2)
Blood cortisol (2)
Blood ethanol normal (2)
Blood fibrinogen abnormal (2)
Blood grouping (2)
Blood growth hormone (2)
Blood HIV RNA below assay limit (2)
Blood immunoglobulin A (2)
Blood immunoglobulin A normal (2)
Blood ketone body increased (2)
Blood methaemoglobin (2)
Blood osmolarity (2)
Blood pressure ambulatory decreased (2)
Blood pressure orthostatic abnormal (2)
Blood pressure orthostatic decreased (2)
Blood prolactin increased (2)
Blood thromboplastin (2)
Blood urea abnormal (2)
Body fluid analysis (2)
Body surface area (2)
Bone densitometry (2)
Brain natriuretic peptide decreased (2)
Bronchoalveolar lavage normal (2)
C1 esterase inhibitor test (2)
Calcium ionised decreased (2)
Calcium ionised normal (2)

Carcinoembryonic antigen increased (2)
Cardiac murmur functional (2)
Cardiac ventriculogram left (2)
Cardiolipin antibody (2)
Cardiolipin antibody negative (2)
Catecholamines urine (2)
Cells in urine (2)
Central venous pressure (2)
Ceruloplasmin normal (2)
Chlamydia test (2)
Coagulation factor (2)
Coagulation factor increased (2)
Coagulation time shortened (2)
Cognitive test (2)
Colonoscopy normal (2)
Computerised tomogram coronary artery normal (2)
Computerised tomogram intestine (2)
Computerised tomogram pancreas normal (2)
Continuous glucose monitoring (2)
Coombs direct test negative (2)
Coxsackie virus test positive (2)
C-reactive protein decreased (2)
Crystal urine (2)
Crystal urine absent (2)
Crystal urine present (2)
CSF cell count decreased (2)
CSF glucose decreased (2)
CSF immunoglobulin increased (2)
CSF lymphocyte count (2)
CSF lymphocyte count abnormal (2)
CSF monocyte count (2)
CSF myelin basic protein increased (2)
CSF oligoclonal band absent (2)
CSF polymorphonuclear cell count increased (2)
CSF pressure (2)
CSF virus no organisms observed (2)
Culture stool positive (2)
Culture tissue specimen (2)
Cystoscopy abnormal (2)
Cytogenetic analysis normal (2)
Cytokine test (2)
Dental examination normal (2)
Ear, nose and throat examination abnormal (2)
Ear, nose and throat examination normal (2)
Electrocardiogram PR prolongation (2)
Electrocardiogram QRS complex normal (2)
Electrocardiogram ST segment (2)
Endocrine test (2)
Endoscopy upper gastrointestinal tract normal (2)

Enterovirus test negative (2)
Epstein-Barr virus antibody (2)
Epstein-Barr virus test positive (2)
Exercise electrocardiogram (2)
Face and mouth X-ray normal (2)
Faecal calprotectin (2)
Fluorescence angiogram abnormal (2)
Foetal biophysical profile score abnormal (2)
Foetal non-stress test abnormal (2)
Forced expiratory flow (2)
Gastric emptying study (2)
Gastrointestinal examination (2)
Gastrointestinal pathogen panel (2)
Gene mutation identification test negative (2)
General physical condition (2)
General physical condition normal (2)
Glucose tolerance test abnormal (2)
Glycosylated haemoglobin decreased (2)
Granulocyte count decreased (2)
Gynaecological examination (2)
Gynaecological examination abnormal (2)
Haemodynamic test normal (2)
Haptoglobin increased (2)
Helicobacter test (2)
Helicobacter test positive (2)
Hepatitis B antibody negative (2)
Histamine abnormal (2)
Histamine level (2)
Histamine level increased (2)
Human chorionic gonadotropin abnormal (2)
Human rhinovirus test (2)
Immune complex assay (2)
Immunology test abnormal (2)
Interleukin level increased (2)
Interleukin-2 receptor assay (2)
Intestinal transit time decreased (2)
Iodine uptake decreased (2)
Iron binding capacity total normal (2)
LDL/HDL ratio decreased (2)
Left ventricular end-diastolic pressure increased (2)
Lipids increased (2)
Lipoprotein (a) (2)
Lymphocyte morphology abnormal (2)
Mean cell volume (2)
Metamyelocyte count (2)
Metamyelocyte percentage (2)
Mononucleosis heterophile test positive (2)
Multipathogen PCR test (2)
Mycobacterium test negative (2)

Mycoplasma test positive (2)
Myelocyte count (2)
Myelocyte percentage increased (2)
Myoglobin urine present (2)
Nasoendoscopy (2)
Neisseria test (2)
Neutrophil count abnormal (2)
Neutrophil toxic granulation present (2)
Non-high-density lipoprotein cholesterol increased (2)
Norepinephrine increased (2)
Occult blood negative (2)
Ophthalmic scan (2)
Opiates negative (2)
Opiates positive (2)
Optical coherence tomography normal (2)
Orthostatic heart rate response increased (2)
Otoscopy (2)
Oxygen consumption increased (2)
Oxygen saturation increased (2)
Pancreatic enzymes increased (2)
Parvovirus B19 test (2)
Parvovirus B19 test negative (2)
Parvovirus B19 test positive (2)
Perfusion brain scan abnormal (2)
pH body fluid (2)
Product residue present (2)
Progesterone decreased (2)
Psoriasis area severity index decreased (2)
Pulmonary arterial pressure increased (2)
Pulmonary physical examination (2)
Pulse waveform (2)
Pulse waveform abnormal (2)
Red blood cell morphology normal (2)
Red blood cell nucleated morphology present (2)
Red blood cell sedimentation rate abnormal (2)
Respirovirus test (2)
Reticulocyte count increased (2)
Retinogram (2)
Right ventricular ejection fraction decreased (2)
Salmonella test positive (2)
Scan abnormal (2)
Serum ferritin abnormal (2)
Serum serotonin (2)
Skin culture (2)
Skin turgor decreased (2)
Sleep study (2)
Smooth muscle antibody negative (2)
Spirometry (2)
Sputum culture positive (2)

Sputum normal (2)
Staphylococcus test (2)
Swollen joint count (2)
Synovial fluid analysis (2)
Temperature perception test abnormal (2)
Temperature perception test increased (2)
Tensilon test (2)
Tidal volume decreased (2)
Tilt table test (2)
T-lymphocyte count increased (2)
Toxicologic test abnormal (2)
Toxoplasma serology (2)
Tracheal aspirate culture (2)
Tri-iodothyronine free abnormal (2)
Tri-iodothyronine free normal (2)
Tumour marker increased (2)
Ultrasound antenatal screen normal (2)
Ultrasound breast normal (2)
Ultrasound liver (2)
Ultrasound pancreas (2)
Ultrasound pelvis abnormal (2)
Ultrasound pelvis normal (2)
Ultrasound spleen (2)
Ultrasound thyroid abnormal (2)
Ureteroscopy (2)
Urinary casts absent (2)
Urinary sediment (2)
Urinary system x-ray abnormal (2)
Urine bilirubin decreased (2)
Urine electrolytes normal (2)
Urine porphobilinogen increased (2)
Wall motion score index abnormal (2)
Valsalva maneuver (2)
Viral titre (2)
Visual acuity tests abnormal (2)
Volume blood decreased (2)
Xanthochromia (2)
X-ray dental (2)
X-ray with contrast (2)
X-ray with contrast lower gastrointestinal tract (2)
Abdominal bruit (1)
Actinomyces test positive (1)
Activated partial thromboplastin time abnormal (1)
Activated protein C resistance test positive (1)
Adjusted calcium increased (1)
Albumin CSF increased (1)
Albumin CSF normal (1)
Albumin globulin ratio abnormal (1)
Albumin urine present (1)

Alcohol test (1)
Aldolase (1)
Allen's test (1)
Allergy test positive (1)
Alpha globulin increased (1)
Alpha-1 anti-trypsin normal (1)
Alveolar-arterial oxygen gradient (1)
Amino acid level (1)
Amino acid level decreased (1)
Ammonia normal (1)
Amniotic fluid volume decreased (1)
Amniotic membrane rupture test negative (1)
Amphetamines (1)
Amylase decreased (1)
Analgesic drug level above therapeutic (1)
Analgesic drug level decreased (1)
Analgesic drug level increased (1)
Angiogram retina abnormal (1)
Angiotensin converting enzyme increased (1)
Anion gap abnormal (1)
Ankle brachial index (1)
Anti factor V antibody (1)
Anti factor VIII antibody increased (1)
Anti-actin antibody positive (1)
Anticonvulsant drug level (1)
Anticonvulsant drug level increased (1)
Anti-cyclic citrullinated peptide antibody positive (1)
Antidepressant drug level (1)
Antidepressant drug level decreased (1)
Anti-GAD antibody (1)
Anti-GAD antibody positive (1)
Anti-ganglioside antibody negative (1)
Anti-glomerular basement membrane antibody positive (1)
Antimitochondrial antibody positive (1)
Anti-Muellerian hormone level decreased (1)
Anti-muscle specific kinase antibody (1)
Anti-muscle specific kinase antibody negative (1)
Anti-myelin-associated glycoprotein antibodies positive (1)
Anti-NMDA antibody negative (1)
Antiphospholipid antibodies negative (1)
Anti-RNA polymerase III antibody negative (1)
Antithrombin III decreased (1)
Anti-thyroid antibody decreased (1)
Anti-thyroid antibody negative (1)
Apgar score normal (1)
Apnoea test abnormal (1)
Apolipoprotein (1)
Arterial catheterisation normal (1)
Arteriogram (1)

Arthrogram (1)
Aspergillus test (1)
Aspiration bursa (1)
Autoantibody negative (1)
Autoantibody positive (1)
Autoantibody test (1)
Babinski reflex test (1)
Band neutrophil percentage decreased (1)
Barbiturates positive (1)
Barium swallow (1)
Base excess negative (1)
Basophil count abnormal (1)
Beta 2 microglobulin increased (1)
Beta globulin increased (1)
Beta-2 glycoprotein antibody positive (1)
Bile culture negative (1)
Biopsy abdominal wall (1)
Biopsy artery abnormal (1)
Biopsy bone abnormal (1)
Biopsy chorionic villous (1)
Biopsy colon (1)
Biopsy heart abnormal (1)
Biopsy liver (1)
Biopsy liver abnormal (1)
Biopsy lymph gland normal (1)
Biopsy muscle abnormal (1)
Biopsy peripheral nerve (1)
Biopsy small intestine (1)
Biopsy small intestine abnormal (1)
Biopsy small intestine normal (1)
Biopsy stomach abnormal (1)
Biopsy stomach normal (1)
Biopsy thyroid gland (1)
Biopsy thyroid gland normal (1)
Biopsy uterus (1)
Biopsy vagina (1)
Blast cell count increased (1)
Bleeding time shortened (1)
Blood bactericidal activity (1)
Blood beta-D-glucan negative (1)
Blood beta-D-glucan normal (1)
Blood beta-D-glucan positive (1)
Blood bicarbonate abnormal (1)
Blood bilirubin unconjugated (1)
Blood bilirubin unconjugated decreased (1)
Blood calcitonin normal (1)
Blood cannabinoids (1)
Blood cannabinoids normal (1)
Blood carbon monoxide decreased (1)

Blood carbon monoxide increased (1)
Blood cholesterol abnormal (1)
Blood copper increased (1)
Blood corticotrophin decreased (1)
Blood creatine phosphokinase abnormal (1)
Blood creatine phosphokinase MB normal (1)
Blood electrolytes abnormal (1)
Blood ethanol (1)
Blood folate abnormal (1)
Blood follicle stimulating hormone increased (1)
Blood follicle stimulating hormone normal (1)
Blood galactose (1)
Blood gastrin (1)
Blood gastrin normal (1)
Blood gonadotrophin (1)
Blood group O (1)
Blood heavy metal abnormal (1)
Blood heavy metal normal (1)
Blood HIV RNA (1)
Blood homocysteine (1)
Blood homocysteine increased (1)
Blood homocysteine normal (1)
Blood immunoglobulin A decreased (1)
Blood immunoglobulin A increased (1)
Blood immunoglobulin M normal (1)
Blood iron increased (1)
Blood ketone body absent (1)
Blood lactate dehydrogenase decreased (1)
Blood lactic acid abnormal (1)
Blood lead (1)
Blood luteinising hormone (1)
Blood luteinising hormone increased (1)
Blood magnesium abnormal (1)
Blood mercury abnormal (1)
Blood methaemoglobin present (1)
Blood oestrogen decreased (1)
Blood oestrogen increased (1)
Blood osmolarity normal (1)
Blood parathyroid hormone (1)
Blood parathyroid hormone decreased (1)
Blood pregnenolone increased (1)
Blood pressure diastolic abnormal (1)
Blood pressure orthostatic increased (1)
Blood pressure orthostatic normal (1)
Blood pressure systolic normal (1)
Blood sodium abnormal (1)
Blood testosterone (1)
Blood thromboplastin increased (1)
Blood thyroid stimulating hormone abnormal (1)

Blood triglycerides (1)
Blood urea nitrogen/creatinine ratio decreased (1)
Blood viscosity abnormal (1)
Blood viscosity decreased (1)
Blood viscosity increased (1)
Bone density abnormal (1)
Bone density decreased (1)
Bone marrow myelogram abnormal (1)
Bordetella test negative (1)
Borrelia test positive (1)
Brachial pulse abnormal (1)
Brachial pulse decreased (1)
Brachial pulse increased (1)
Breast scan (1)
Bronchoalveolar lavage (1)
Bronchoalveolar lavage abnormal (1)
Bronchoscopy normal (1)
C1 esterase inhibitor test normal (1)
Calcium ionised abnormal (1)
Capillary fragility abnormal (1)
Carbohydrate antigen 125 increased (1)
Carbon dioxide abnormal (1)
Carboxyhaemoglobin decreased (1)
Carboxyhaemoglobin normal (1)
Carcinoembryonic antigen normal (1)
Cardiac electrophysiologic study (1)
Cardiac electrophysiologic study normal (1)
Cardiac imaging procedure (1)
Cardiac output (1)
Cardiac pacemaker evaluation (1)
Cardiac ventriculogram (1)
Cardiac ventriculogram left normal (1)
Cardio-ankle vascular index (1)
Cardiopulmonary exercise test (1)
Cardiovascular function test (1)
Cardiovascular function test normal (1)
Carotid pulse (1)
CD4 lymphocyte percentage decreased (1)
CD4 lymphocytes decreased (1)
CD4 lymphocytes increased (1)
CD4/CD8 ratio (1)
Ceruloplasmin (1)
Chest expansion decreased (1)
Chest scan (1)
Cholangiogram (1)
Chromosomal analysis (1)
Chromosome analysis normal (1)
Clostridium test (1)
Clot retraction (1)

Coagulation factor decreased (1)
Coagulation factor VIII level decreased (1)
Coagulation factor VIII level increased (1)
Coagulation factor XII level (1)
Cold agglutinins (1)
Cold agglutinins negative (1)
Cold agglutinins positive (1)
Complement factor C3 increased (1)
Complement factor C4 decreased (1)
Complement factor C4 increased (1)
Computerised tomogram aorta (1)
Computerised tomogram coronary artery (1)
Computerised tomogram liver (1)
Computerised tomogram pancreas abnormal (1)
Coombs direct test (1)
Corticotropin-releasing hormone stimulation test (1)
Coxsackie virus test negative (1)
Creatine urine (1)
Creatine urine increased (1)
Creatinine renal clearance abnormal (1)
Creatinine renal clearance decreased (1)
Creatinine renal clearance normal (1)
Crossmatch (1)
Cryoglobulins (1)
Cryoglobulins absent (1)
CSF culture positive (1)
CSF electrophoresis (1)
CSF immunoglobulin (1)
CSF immunoglobulin G index (1)
CSF lactate dehydrogenase normal (1)
CSF monocyte count decreased (1)
CSF monocyte count increased (1)
CSF mononuclear cell count increased (1)
CSF myelin basic protein normal (1)
CSF protein abnormal (1)
CSF white blood cell count positive (1)
CSF white blood cell differential (1)
CSF volume (1)
Culture throat negative (1)
Culture throat positive (1)
Culture tissue specimen negative (1)
Culture wound negative (1)
Cystatin C increased (1)
Cytology (1)
Cytology normal (1)
Dental examination (1)
Dermatologic examination (1)
Dermatologic examination normal (1)
Device function test (1)

Diagnostic aspiration (1)
Dihydrotestosterone decreased (1)
Directional Doppler flow tests (1)
DNA antibody positive (1)
Drug level decreased (1)
Eastern Cooperative Oncology Group performance status worsened (1)
Echovirus test negative (1)
Ejection fraction abnormal (1)
Electrocardiogram P wave abnormal (1)
Electrocardiogram P wave biphasic (1)
Electrocardiogram PR segment elevation (1)
Electrocardiogram PR shortened (1)
Electrocardiogram Q wave abnormal (1)
Electrocardiogram QRS complex prolonged (1)
Electrocardiogram ST segment normal (1)
Electrocardiogram ST-T segment depression (1)
Electrocardiogram ST-T segment elevation (1)
Electrocardiogram U wave present (1)
Electroneuromyography (1)
Electronystagmogram (1)
Electrophoresis normal (1)
Electrophoresis protein (1)
Endoscopic swallowing evaluation (1)
Endoscopic ultrasound (1)
Endoscopic ultrasound abnormal (1)
Endoscopic ultrasound normal (1)
Endoscopy gastrointestinal normal (1)
Enterobacter test positive (1)
Enterococcus test positive (1)
Enterovirus test positive (1)
Enzyme level test (1)
Eosinophils urine (1)
Epinephrine abnormal (1)
Erythroid series abnormal (1)
Exercise electrocardiogram abnormal (1)
Exercise electrocardiogram normal (1)
Exercise test (1)
Eye pH test (1)
Face and mouth X-ray (1)
False negative pregnancy test (1)
False positive investigation result (1)
Fibronectin normal (1)
Fluid balance assessment (1)
Fluorescent in situ hybridisation (1)
Fluorescent in situ hybridisation negative (1)
Foetal heart rate (1)
Foetal heart rate normal (1)
Foetal monitoring normal (1)
Forced expiratory volume normal (1)

Forced vital capacity decreased (1)
Free thyroxine index (1)
Full blood count increased (1)
Fundoscopy (1)
Gamma-glutamyltransferase (1)
Gastric pH (1)
Gastrointestinal scan (1)
Gastrointestinal stoma output increased (1)
Genotype drug resistance test (1)
Gestational age test abnormal (1)
Glomerular filtration rate abnormal (1)
Glucose tolerance test (1)
Glucose urine (1)
Glucose-6-phosphate dehydrogenase abnormal (1)
Glutamate dehydrogenase increased (1)
Granulocyte count increased (1)
Granulocytes abnormal (1)
Gustometry (1)
Haematocrit abnormal (1)
Haemoglobin urine present (1)
Haptoglobin decreased (1)
Haptoglobin normal (1)
Heart rate variability decreased (1)
Heart rate variability test (1)
Heart sounds normal (1)
Hepatitis A antibody (1)
Hepatitis A antibody positive (1)
Hepatitis A antigen negative (1)
Hepatitis B antibody positive (1)
Hepatitis B core antibody positive (1)
Hepatitis B surface antibody negative (1)
Hepatitis B surface antibody positive (1)
Hepatitis B surface antigen (1)
Hepatitis E virus test (1)
Hepatobiliary scan abnormal (1)
High density lipoprotein (1)
High density lipoprotein increased (1)
Histamine release test (1)
Histology (1)
HIV antibody (1)
HIV test false positive (1)
HLA marker study positive (1)
Human herpes virus 6 serology negative (1)
Human papilloma virus test positive (1)
Hunt and Hess scale (1)
Hysteroscopy (1)
IL-2 receptor assay (1)
Imaging procedure artifact (1)
Immunoelectrophoresis (1)

Immunoglobulins increased (1)
Immunohistochemistry (1)
Immunology test normal (1)
Inflammatory marker decreased (1)
Inspiratory capacity abnormal (1)
Insulin C-peptide decreased (1)
Interferon gamma release assay positive (1)
Intraocular pressure test abnormal (1)
Iodine uptake normal (1)
Iron binding capacity total decreased (1)
Karyotype analysis normal (1)
Klebsiella test positive (1)
Lactate dehydrogenase urine increased (1)
Laryngoscopy abnormal (1)
Laryngoscopy normal (1)
Laryngotracheobronchoscopy (1)
Left-handedness (1)
Limb girth decreased (1)
Lipids abnormal (1)
Listeria test positive (1)
Low density lipoprotein decreased (1)
Lysozyme (1)
Macrophages increased (1)
Magnetic resonance imaging abdominal normal (1)
Male genital examination abnormal (1)
Mallampati score (1)
Mast cell degranulation present (1)
Mast cell degranulation test (1)
Maximal voluntary ventilation (1)
Maximum heart rate decreased (1)
Mean arterial pressure (1)
Metamyelocyte count increased (1)
Methaemoglobin urine absent (1)
Microbiology test normal (1)
Microscopy (1)
Misleading laboratory test result (1)
Model for end stage liver disease score (1)
Modified Rankin score increased (1)
Monoclonal immunoglobulin increased (1)
Monocyte percentage abnormal (1)
Mononuclear cell count abnormal (1)
Muscle enzyme increased (1)
Mycoplasma test (1)
Myelocyte count increased (1)
Myelocyte percentage (1)
Myoglobin urine (1)
Neutralising antibodies negative (1)
Neutrophil function test abnormal (1)
NIH stroke scale score decreased (1)

Nitrite urine (1)
Normetanephrine urine increased (1)
Norovirus test (1)
Norovirus test positive (1)
N-terminal prohormone brain natriuretic peptide normal (1)
Oestradiol (1)
Opiates (1)
Optical coherence tomography abnormal (1)
Orthopaedic examination abnormal (1)
Otic examination normal (1)
Otoacoustic emissions test (1)
Oxygen saturation immeasurable (1)
Pancreatic enzymes normal (1)
Paracentesis eye (1)
Parasite blood test (1)
Parasite stool test (1)
Parasitic blood test negative (1)
Past-pointing (1)
Pericardial drainage test (1)
Pericardial drainage test normal (1)
Peripheral pulse decreased (1)
Peritoneal fluid analysis abnormal (1)
pH urine decreased (1)
Phalen's test positive (1)
Physical breast examination (1)
Plasma viscosity (1)
Plasma viscosity abnormal (1)
Platelet aggregation abnormal (1)
Platelet aggregation decreased (1)
Platelet function test abnormal (1)
Platelet morphology abnormal (1)
Platelet morphology normal (1)
PO2 abnormal (1)
Positron emission tomogram abnormal (1)
Positron emission tomogram normal (1)
Prealbumin (1)
Pregnancy test false positive (1)
Pregnancy test urine positive (1)
Prenatal screening test (1)
Prenatal screening test abnormal (1)
Progesterone (1)
Progesterone normal (1)
Prostate examination (1)
Prostatic specific antigen (1)
Protein albumin ratio increased (1)
Protein albumin ratio normal (1)
Prothrombin level decreased (1)
Prothrombin time abnormal (1)
Prothrombin time ratio abnormal (1)

Prothrombin time ratio increased (1)
Psychiatric evaluation (1)
Pulmonary arterial pressure abnormal (1)
Pulmonary imaging procedure (1)
Pulmonary imaging procedure abnormal (1)
Pulmonary imaging procedure normal (1)
Pulse pressure abnormal (1)
Pulse pressure decreased (1)
Pulse volume decreased (1)
Pupillary light reflex tests (1)
QRS axis abnormal (1)
Radial pulse (1)
Radial pulse increased (1)
Radioallergosorbent test negative (1)
Rectal examination abnormal (1)
Red blood cell analysis (1)
Red blood cell burr cells present (1)
Red blood cell microcytes (1)
Red blood cell poikilocytes present (1)
Red blood cell schistocytes (1)
Red blood cell schistocytes present (1)
Red blood cell spherocytes present (1)
Red cell distribution width decreased (1)
Reflex test abnormal (1)
Respiratory syncytial virus test positive (1)
Reticulocyte count decreased (1)
Reticulocyte count normal (1)
Retinogram abnormal (1)
Rhesus antibodies (1)
Rheumatological examination (1)
Rhinoscopy (1)
Right ventricular systolic pressure (1)
Right ventricular systolic pressure decreased (1)
Right ventricular systolic pressure increased (1)
Rinne tuning fork test abnormal (1)
Romberg test (1)
Russell's viper venom time normal (1)
Scan abdomen abnormal (1)
Scan bone marrow normal (1)
Scan lymph nodes (1)
Scan myocardial perfusion abnormal (1)
Scan thyroid gland (1)
SCORTEN score (1)
Semen volume decreased (1)
Serology normal (1)
Sexually transmitted disease test (1)
Sigmoidoscopy (1)
Sigmoidoscopy abnormal (1)
Single photon emission computerised tomogram (1)

Skin culture positive (1)
Skin test negative (1)
Skull X-ray abnormal (1)
Skull X-ray normal (1)
Slit-lamp examination (1)
Slit-lamp tests abnormal (1)
Slow vital capacity (1)
Smear cervix normal (1)
Smear vaginal normal (1)
Somatotropin stimulation test (1)
Specific gravity body fluid (1)
Specific gravity urine (1)
Specific gravity urine abnormal (1)
Spinal myelogram normal (1)
Spleen scan normal (1)
Stomatocytes present (1)
Sulphur dioxide test (1)
Sweat test (1)
Synovial fluid analysis abnormal (1)
Synovial fluid cell count (1)
Synovial fluid crystal present (1)
Synovial fluid protein (1)
Synovial fluid white blood cells positive (1)
Systemic lupus erythematosus disease activity index increased (1)
Temperature perception test normal (1)
Thermometry (1)
Thrombin time (1)
Thrombin time prolonged (1)
Thrombin-antithrombin III complex normal (1)
Thyroxine abnormal (1)
Thyroxine decreased (1)
Thyroxine free abnormal (1)
Thyroxine free decreased (1)
Thyroxine increased (1)
Tilt table test positive (1)
T-lymphocyte count (1)
Topography corneal (1)
Topography corneal abnormal (1)
Total bile acids (1)
Total cholesterol/HDL ratio normal (1)
Total complement activity decreased (1)
Total complement activity increased (1)
Total complement activity test (1)
Toxoplasma serology positive (1)
Tracheal aspiration procedure (1)
Transaminases abnormal (1)
Transferrin decreased (1)
Transferrin increased (1)
Transferrin normal (1)

Transplant evaluation (1)
Tri-iodothyronine free increased (1)
Tri-iodothyronine normal (1)
Tympanometry (1)
Tyrosine kinase mutation assay (1)
Ultrasound biliary tract abnormal (1)
Ultrasound breast abnormal (1)
Ultrasound eye normal (1)
Ultrasound kidney abnormal (1)
Ultrasound liver normal (1)
Ultrasound uterus (1)
Ultrasound uterus abnormal (1)
Upper respiratory tract endoscopy (1)
Urea urine increased (1)
Urinary lipids present (1)
Urinary nitrogen increased (1)
Urinary stone analysis (1)
Urine amphetamine positive (1)
Urine copper (1)
Urine osmolality decreased (1)
Urine osmolality normal (1)
Urine oxalate (1)
Urine retinol binding protein increased (1)
Urine sodium normal (1)
Urine uric acid increased (1)
Urodynamics measurement (1)
Urogram (1)
Urological examination (1)
Waist circumference increased (1)
Walking distance test (1)
Varicella virus test positive (1)
Vascular resistance systemic increased (1)
Vascular test (1)
Weber tuning fork test abnormal (1)
Venogram normal (1)
Venous oxygen partial pressure (1)
Venous oxygen saturation normal (1)
Venous pressure jugular increased (1)
Very low density lipoprotein (1)
Very low density lipoprotein decreased (1)
West Nile virus test negative (1)
Vestibular function test abnormal (1)
White blood cell morphology abnormal (1)
Whole body scan (1)
Viral titre increased (1)
Visual acuity tests normal (1)
Visual tracking test (1)
Visual tracking test abnormal (1)
Vital capacity (1)

Vital capacity abnormal (1)
Vital capacity decreased (1)
Vital capacity normal (1)
Vitamin B1 (1)
Vitamin B6 (1)
Vitamin B6 increased (1)
Vitamin B6 normal (1)
Vitamin C normal (1)
Vitamin D abnormal (1)
Vitamin D increased (1)
Vitamin E (1)
Vitamin K (1)
Vitamin K decreased (1)
Von Willebrand's factor activity decreased (1)
Von Willebrand's factor antigen increased (1)
X-ray with contrast upper gastrointestinal tract normal (1)
Metabolism and nutrition disorders (15010)
Decreased appetite (11515)
Dehydration (1087)
Hyperglycaemia (363)
Feeding disorder (319)
Hypoglycaemia (319)
Gout (156)
Diabetes mellitus (132)
Hypophagia (128)
Fluid retention (110)
Increased appetite (105)
Diabetes mellitus inadequate control (86)
Hyponatraemia (81)
Hypokalaemia (72)
Food aversion (71)
Polydipsia (71)
Diabetic ketoacidosis (68)
Appetite disorder (66)
Food refusal (62)
Fluid intake reduced (58)
Abnormal loss of weight (44)
Metabolic acidosis (41)
Hyperkalaemia (40)
Lactic acidosis (34)
Diet refusal (33)
Type 1 diabetes mellitus (32)
Food craving (26)
Tetany (25)
Abnormal weight gain (23)
Acidosis (22)
Cachexia (20)
Electrolyte imbalance (20)
Food intolerance (19)

Fluid overload (18)
Hypernatraemia (18)
Insulin resistance (17)
Type 2 diabetes mellitus (17)
Hypocalcaemia (15)
Poor feeding infant (14)
Hyperphagia (13)
Ketoacidosis (12)
Increased insulin requirement (10)
Vitamin D deficiency (10)
Diabetic metabolic decompensation (9)
Hypercalcaemia (9)
Hypomagnesaemia (9)
Hypovolaemia (9)
Histamine intolerance (8)
Hyperlipidaemia (8)
Malnutrition (8)
Alcohol intolerance (7)
Failure to thrive (7)
Iron deficiency (7)
Metabolic disorder (7)
Obesity (7)
Salt craving (7)
Diabetic complication (6)
Diabetic ketosis (6)
Gluten sensitivity (6)
Dyslipidaemia (5)
Hypoalbuminaemia (5)
Hypophosphataemia (5)
Ketosis (5)
Lactose intolerance (5)
Overweight (5)
Adult failure to thrive (4)
Hypervolaemia (4)
Hyponatraemic syndrome (4)
Hypovitaminosis (4)
Starvation (4)
Vitamin B12 deficiency (4)
Dairy intolerance (3)
Eating disorder symptom (3)
Euglycaemic diabetic ketoacidosis (3)
Hyperammonaemia (3)
Hyperglycaemic hyperosmolar nonketotic syndrome (3)
Hypertriglyceridaemia (3)
Postprandial hypoglycaemia (3)
Weight loss poor (3)
Folate deficiency (2)
Glucose tolerance impaired (2)
Hyperferritinaemia (2)

Hyperlactacidaemia (2)
Hypermagnesaemia (2)
Hypermetabolism (2)
Hypoglycaemia unawareness (2)
Insulin resistant diabetes (2)
Latent autoimmune diabetes in adults (2)
Neonatal insufficient breast milk syndrome (2)
Pseudohyponatraemia (2)
Acetonaemia (1)
Alkalosis (1)
Apoptosis (1)
Body fat disorder (1)
Cell death (1)
Decreased insulin requirement (1)
Electrolyte depletion (1)
Enzyme abnormality (1)
Feeding intolerance (1)
Fluid imbalance (1)
Glycopenia (1)
Hypercholesterolaemia (1)
Hypercreatininaemia (1)
Hyperinsulinaemic hypoglycaemia (1)
Hyperosmolar state (1)
Hyperuricaemia (1)
Hypokalaemic syndrome (1)
Impaired fasting glucose (1)
Insulin-requiring type 2 diabetes mellitus (1)
Lack of satiety (1)
Lipoedema (1)
Marasmus (1)
Metabolic syndrome (1)
Oligodipsia (1)
Underweight (1)
Weight fluctuation (1)
Musculoskeletal and connective tissue disorders (216670)
Myalgia (116821)
Arthralgia (74508)
Pain in extremity (44525)
Back pain (10598)
Neck pain (6268)
Limb discomfort (5353)
Muscle spasms (4376)
Musculoskeletal stiffness (3930)
Muscular weakness (3921)
Bone pain (2895)
Musculoskeletal pain (2426)
Mobility decreased (1466)
Muscle fatigue (1136)
Joint swelling (1126)

Pain in jaw (1100)
Muscle twitching (827)
Musculoskeletal chest pain (719)
Joint stiffness (666)
Arthritis (630)
Muscle tightness (562)
Spinal pain (454)
Musculoskeletal discomfort (378)
Axillary mass (300)
Groin pain (300)
Flank pain (285)
Fibromyalgia (270)
Periarthritis (238)
Rheumatoid arthritis (229)
Joint range of motion decreased (200)
Nuchal rigidity (189)
Bursitis (179)
Muscle rigidity (178)
Trismus (121)
Tendonitis (111)
Polymyalgia rheumatica (94)
Muscle swelling (83)
Osteoarthritis (81)
Myositis (78)
Posture abnormal (77)
Muscle contracture (73)
Tendon pain (72)
Torticollis (72)
Musculoskeletal disorder (70)
Costochondritis (69)
Muscle discomfort (64)
Rhabdomyolysis (63)
Arthropathy (61)
Joint lock (60)
Rotator cuff syndrome (59)
Systemic lupus erythematosus (57)
Arthritis reactive (55)
Soft tissue swelling (53)
Neck mass (49)
Joint noise (48)
Joint warmth (48)
Limb mass (47)
Polyarthritis (47)
Weight bearing difficulty (46)
Psoriatic arthropathy (45)
Facial asymmetry (43)
Joint effusion (41)
Mastication disorder (40)
Ankylosing spondylitis (35)

Temporomandibular joint syndrome (32)
Trigger finger (32)
Muscle atrophy (31)
Rheumatic disorder (27)
Synovitis (27)
Muscle disorder (26)
Haematoma muscle (24)
Jaw disorder (24)
Myofascial pain syndrome (23)
Synovial cyst (22)
Intervertebral disc protrusion (21)
Tenosynovitis (20)
Myosclerosis (19)
Tendon disorder (18)
Myalgia intercostal (17)
Osteitis (16)
Sjogren's syndrome (16)
Spinal osteoarthritis (15)
Foot deformity (14)
Intervertebral disc degeneration (14)
Coccydynia (13)
Joint contracture (13)
Muscle oedema (13)
Joint instability (12)
Haemarthrosis (11)
Plantar fasciitis (11)
Joint ankylosis (10)
Spinal stenosis (10)
Vertebral foraminal stenosis (10)
Bone swelling (9)
Jaw clicking (9)
Medial tibial stress syndrome (9)
Muscle mass (9)
Myokymia (9)
Sacroiliitis (9)
Fasciitis (8)
Growing pains (8)
Myopathy (8)
Osteoporosis (8)
Hand deformity (7)
Reynold's syndrome (7)
Still's disease (7)
Back disorder (6)
Bone lesion (6)
Enthesopathy (6)
Extremity contracture (6)
Ligament pain (6)
Muscle haemorrhage (6)
Osteonecrosis of jaw (6)

Tendon discomfort (6)
Autoimmune arthritis (5)
Intervertebral disc disorder (5)
Joint laxity (5)
Limb deformity (5)
Palindromic rheumatism (5)
Cervical spinal stenosis (4)
Compartment syndrome (4)
Decreased nasolabial fold (4)
Facet joint syndrome (4)
Finger deformity (4)
Joint vibration (4)
Mandibular mass (4)
Osteopenia (4)
Patellofemoral pain syndrome (4)
Polychondritis (4)
Polymyositis (4)
Scleroderma (4)
Spinal disorder (4)
Chondritis (3)
Chondrocalcinosis pyrophosphate (3)
Dactylitis (3)
Dupuytren's contracture (3)
Fistula (3)
Intervertebral disc space narrowing (3)
Lupus-like syndrome (3)
Masticatory pain (3)
Rheumatic fever (3)
Sarcopenia (3)
Soft tissue disorder (3)
Soft tissue mass (3)
Tenosynovitis stenosans (3)
Amplified musculoskeletal pain syndrome (2)
Arthritis enteropathic (2)
Bone disorder (2)
Bursa disorder (2)
Bursal haematoma (2)
Chest wall haematoma (2)
Chondrocalcinosis (2)
Connective tissue disorder (2)
Connective tissue inflammation (2)
Epiphyses premature fusion (2)
Gouty arthritis (2)
Head deformity (2)
Joint microhaemorrhage (2)
Juvenile idiopathic arthritis (2)
Kyphosis (2)
Ligament disorder (2)
Loose body in joint (2)

Lumbar spinal stenosis (2)
Mixed connective tissue disease (2)
Neck deformity (2)
Nodal osteoarthritis (2)
Osteonecrosis (2)
Pubic pain (2)
Scoliosis (2)
Seronegative arthritis (2)
SLE arthritis (2)
Somatic dysfunction (2)
Spinal deformity (2)
Spinal retrolisthesis (2)
Spondylitis (2)
Spondyloarthropathy (2)
Undifferentiated connective tissue disease (2)
Amyotrophy (1)
Antisynthetase syndrome (1)
Axial spondyloarthritis (1)
Bone deformity (1)
Bone erosion (1)
Bone loss (1)
Bursal fluid accumulation (1)
Chest wall mass (1)
Chondropathy (1)
Collagen disorder (1)
CREST syndrome (1)
Crystal arthropathy (1)
Drooping shoulder syndrome (1)
Exostosis (1)
Felty's syndrome (1)
Fluctuance (1)
Gouty tophus (1)
Immobilisation syndrome (1)
Inclusion body myositis (1)
Infantile back arching (1)
Intervertebral disc compression (1)
Joint destruction (1)
Joint hyperextension (1)
Joint space narrowing (1)
Knee deformity (1)
Ligament laxity (1)
Ligamentitis (1)
Metatarsalgia (1)
Morphoea (1)
Muscle fibrosis (1)
Muscle hypoxia (1)
Musculoskeletal deformity (1)
Oligoarthritis (1)
Osteoarthropathy (1)

Osteochondritis (1)
Osteolysis (1)
Periarticular disorder (1)
Periostitis (1)
Purple glove syndrome (1)
SAPHO syndrome (1)
Soft tissue haemorrhage (1)
Soft tissue necrosis (1)
Spinal flattening (1)
Spondylolisthesis (1)
Symphysiolysis (1)
Synovial disorder (1)
Systemic scleroderma (1)
Tendon calcification (1)
Vertebral lateral recess stenosis (1)
Vertebral osteophyte (1)
Vertebral wedging (1)
Wrist deformity (1)
Neoplasms benign, malignant and unspecified (incl cysts and polyps)
(438)
Breast cancer (45)
Lymphoma (22)
Skin papilloma (20)
Lung neoplasm malignant (17)
Acute myeloid leukaemia (16)
Lipoma (11)
Haemangioma of skin (10)
Neoplasm malignant (10)
Leukaemia (9)
Uterine leiomyoma (9)
Chronic lymphocytic leukaemia (8)
Prostate cancer (8)
Acute leukaemia (7)
Colon cancer (7)
Melanocytic naevus (7)
Neoplasm recurrence (7)
Pancreatic carcinoma (7)
B-cell lymphoma (6)
Metastatic neoplasm (6)
Ovarian cancer (6)
Meningioma (5)
Plasma cell myeloma (5)
Brain neoplasm (4)
Bronchial carcinoma (4)
Cancer fatigue (4)
Haemangioma (4)
Hepatocellular carcinoma (4)
Metastases to lymph nodes (4)
Metastasis (4)

Neoplasm (4)
Non-Hodgkin's lymphoma (4)
Oesophageal cancer metastatic (4)
Acrochordon (3)
Anogenital warts (3)
Basal cell carcinoma (3)
Bladder cancer (3)
Clear cell renal cell carcinoma (3)
Essential thrombocythaemia (3)
Gastrointestinal carcinoma (3)
Lung cancer metastatic (3)
Malignant melanoma (3)
Metastases to liver (3)
Renal cancer (3)
Squamous cell carcinoma (3)
Tonsil cancer (3)
Acoustic neuroma (2)
Adenocarcinoma (2)
Breast cancer male (2)
Breast cancer metastatic (2)
Breast cancer stage III (2)
Endometrial cancer (2)
Eye naevus (2)
Gastric cancer (2)
Good syndrome (2)
Hodgkin's disease (2)
Intraductal proliferative breast lesion (2)
Leukaemia recurrent (2)
Lymphoproliferative disorder (2)
Malignant ascites (2)
Metastases to bone (2)
Myelodysplastic syndrome (2)
Myeloid leukaemia (2)
Neoplasm skin (2)
Oesophageal carcinoma (2)
Ovarian cancer stage IV (2)
Paraproteinaemia (2)
Skin cancer (2)
Squamous cell carcinoma of skin (2)
Thyroid cancer (2)
Triple negative breast cancer (2)
Acral lentiginous melanoma stage III (1)
Acute monocytic leukaemia (1)
Acute undifferentiated leukaemia (1)
Adenocarcinoma metastatic (1)
Adenoma benign (1)
Adrenal adenoma (1)
B-cell lymphoma stage II (1)
B-cell type acute leukaemia (1)

Benign breast neoplasm (1)
Benign hydatidiform mole (1)
Bladder cancer stage IV (1)
Bladder transitional cell carcinoma (1)
Blast cell crisis (1)
Bone cancer (1)
Bone cancer metastatic (1)
Bone neoplasm (1)
Bowen's disease (1)
Brain cancer metastatic (1)
Brain neoplasm malignant (1)
Breast cancer female (1)
Burkitt's lymphoma (1)
Cancer pain (1)
Cervix carcinoma (1)
Cholangiocarcinoma (1)
Chronic myeloid leukaemia recurrent (1)
Colorectal cancer (1)
Cranial nerve neoplasm benign (1)
Cutaneous T-cell lymphoma (1)
Diffuse large B-cell lymphoma (1)
Ear neoplasm (1)
Epstein-Barr virus associated lymphoproliferative disorder (1)
Fibroma (1)
Gastric cancer stage IV (1)
Gastrointestinal tract adenoma (1)
Haemangioma of bone (1)
Haematological malignancy (1)
Hepatic cancer metastatic (1)
Hepatoblastoma (1)
Hypergammaglobulinaemia benign monoclonal (1)
Intracranial tumour haemorrhage (1)
Intraductal papillary mucinous neoplasm (1)
Knuckle pads (1)
Leukaemic lymphoma (1)
Lip and/or oral cavity cancer (1)
Lung carcinoma cell type unspecified stage I (1)
Lung carcinoma cell type unspecified stage IV (1)
Lymphangioma (1)
Lymphoproliferative disorder in remission (1)
Malignant lymphoid neoplasm (1)
Malignant melanoma in situ (1)
Malignant neoplasm of spinal cord (1)
Maxillofacial sinus neoplasm (1)
Meningioma benign (1)
Metastases to central nervous system (1)
Metastases to lung (1)
Metastases to peritoneum (1)
Metastases to spine (1)

Metastatic carcinoma of the bladder (1)
Metastatic renal cell carcinoma (1)
Monoclonal gammopathy (1)
Neoplasm progression (1)
Oesophageal squamous cell carcinoma (1)
Papillary cystadenoma lymphomatosum (1)
Papillary thyroid cancer (1)
Paraganglion neoplasm (1)
Paraneoplastic syndrome (1)
Phaeochromocytoma (1)
Pituitary tumour benign (1)
Plasmacytoma (1)
Primary gastrointestinal follicular lymphoma (1)
Prostate cancer metastatic (1)
Salivary gland cancer stage 0 (1)
Salivary gland cancer stage III (1)
Salivary gland neoplasm (1)
Sarcoma (1)
Second primary malignancy (1)
Spinal cord lipoma (1)
Squamous cell carcinoma of the oral cavity (1)
TEMPI syndrome (1)
Throat cancer (1)
Tumour necrosis (1)
Nervous system disorders (304996)
 Headache (215032)
 Dizziness (47554)
 Paraesthesia (17584)
 Tremor (13305)
 Hypoaesthesia (10580)
 Migraine (9489)
 Lethargy (8459)
 Somnolence (6574)
 Syncope (5925)
 Dysgeusia (4188)
 Loss of consciousness (3036)
 Presyncope (2592)
 Dizziness postural (2320)
 Facial paralysis (2211)
 Ageusia (2188)
 Burning sensation (2066)
 Seizure (1992)
 Cerebrovascular accident (1806)
 Balance disorder (1656)
 Neuralgia (1627)
 Tension headache (1545)
 Disturbance in attention (1357)
 Head discomfort (1319)
 Anosmia (1289)

Taste disorder (1148)
Sinus headache (1011)
Poor quality sleep (888)
Formication (828)
Unresponsive to stimuli (803)
Dysarthria (768)
Transient ischaemic attack (711)
Cluster headache (664)
Parosmia (660)
Hyperaesthesia (644)
Aphasia (623)
Hypersomnia (570)
Ischaemic stroke (525)
Memory impairment (513)
Epilepsy (504)
Amnesia (486)
Speech disorder (481)
Facial palsy (471)
Migraine with aura (468)
Sensory disturbance (468)
Dysstasia (452)
Hemiparesis (450)
Cerebral haemorrhage (443)
Guillain-Barre syndrome (438)
Restless legs syndrome (410)
Paralysis (408)
Depressed level of consciousness (378)
Neuropathy peripheral (364)
Hypotonia (341)
Sensory loss (331)
Cerebral venous sinus thrombosis (315)
Dyskinesia (312)
Movement disorder (307)
Cerebral infarction (286)
Cognitive disorder (261)
Sciatica (253)
Dysaesthesia (239)
Monoplegia (216)
Mental impairment (215)
Generalised tonic-clonic seizure (202)
Neurological symptom (199)
Coordination abnormal (196)
Hypokinesia (176)
Monoparesis (175)
Muscle contractions involuntary (170)
Nervous system disorder (161)
Hemiplegia (159)
Febrile convulsion (157)
Trigeminal neuralgia (156)

Status epilepticus (147)
Freezing phenomenon (145)
Motor dysfunction (142)
Subarachnoid haemorrhage (136)
Altered state of consciousness (127)
Anaesthesia (121)
Haemorrhagic stroke (117)
Visual field defect (116)
Dizziness exertional (106)
Myelitis transverse (106)
Tunnel vision (101)
Allodynia (100)
Psychomotor hyperactivity (100)
Hemiparaesthesia (94)
Myoclonus (93)
Sedation (89)
Multiple sclerosis (88)
Ataxia (86)
Facial neuralgia (84)
Hypogeusia (84)
Cerebral thrombosis (83)
Multiple sclerosis relapse (82)
Dementia (81)
Optic neuritis (81)
Hyposmia (78)
Partial seizures (78)
Seizure like phenomena (78)
Nystagmus (77)
Cerebral venous thrombosis (75)
Petit mal epilepsy (74)
Facial spasm (73)
Coma (72)
Haemorrhage intracranial (71)
Incoherent (71)
Ischaemic cerebral infarction (71)
Vascular headache (70)
Nerve compression (66)
Encephalopathy (65)
Aura (64)
Cold-stimulus headache (63)
Paresis (63)
Retinal migraine (63)
Bradykinesia (61)
Drooling (61)
Stupor (59)
Diplegia (58)
Cerebral ischaemia (57)
Hemianaesthesia (56)
Brain oedema (55)

Embolic stroke (52)
Sleep deficit (51)
Slow speech (51)
Muscle spasticity (50)
Tonic convulsion (50)
Neuritis (48)
Clumsiness (47)
Migraine without aura (47)
Transient global amnesia (46)
Hyporesponsive to stimuli (44)
Polyneuropathy (44)
Thunderclap headache (44)
Areflexia (43)
Demyelination (43)
Fine motor skill dysfunction (43)
Brain injury (42)
Cervicobrachial syndrome (41)
Band sensation (38)
Occipital neuralgia (38)
Hypotonic-hyporesponsive episode (37)
Cerebral haematoma (36)
Myasthenia gravis (36)
Superior sagittal sinus thrombosis (36)
Language disorder (35)
Vlth nerve paralysis (35)
Hemiplegic migraine (34)
Tonic clonic movements (34)
Carpal tunnel syndrome (33)
Intracranial pressure increased (33)
Parkinson's disease (33)
Radiculopathy (32)
Sleep paralysis (32)
Neuralgic amyotrophy (31)
Persistent postural-perceptual dizziness (31)
Cerebellar stroke (30)
Dystonia (30)
Hyporeflexia (30)
Cerebral artery embolism (29)
Radiculitis brachial (29)
Head titubation (28)
Narcolepsy (28)
Slow response to stimuli (28)
Vestibular migraine (28)
Acute disseminated encephalomyelitis (27)
Autonomic nervous system imbalance (26)
Hyperkinesia (26)
Post herpetic neuralgia (26)
Cerebral artery occlusion (25)
Lacunar stroke (25)

Peroneal nerve palsy (25)
Phantom limb syndrome (25)
Postictal state (25)
Cervical radiculopathy (24)
Extrapyramidal disorder (24)
Lacunar infarction (24)
Parkinsonism (24)
Peripheral sensory neuropathy (24)
Carotid artery thrombosis (23)
Hemianopia (23)
Akathisia (22)
Facial nerve disorder (22)
Meningism (22)
Burning feet syndrome (21)
Cerebral artery thrombosis (21)
Paraparesis (21)
Thalamic infarction (21)
Trigeminal nerve disorder (21)
Cerebral small vessel ischaemic disease (20)
Hypertonia (20)
IIIrd nerve paralysis (20)
Tongue biting (20)
White matter lesion (20)
Carotid artery occlusion (19)
Clonus (19)
Dreamy state (19)
Dysgraphia (19)
Reduced facial expression (19)
Complex regional pain syndrome (18)
Consciousness fluctuating (18)
Exertional headache (18)
Intracranial aneurysm (18)
Medication overuse headache (18)
New daily persistent headache (18)
Sensory overload (18)
Cerebellar infarction (17)
Hemidysaesthesia (17)
Intracranial mass (17)
Resting tremor (17)
Restless arm syndrome (17)
Burning sensation mucosal (16)
Central nervous system lesion (16)
Cerebrovascular disorder (16)
Psychogenic seizure (16)
Transverse sinus thrombosis (16)
Brain stem infarction (15)
Cervicogenic headache (15)
Cranial nerve disorder (15)
Cranial nerve paralysis (15)

Drug withdrawal headache (15)
Hyperreflexia (15)
Metabolic encephalopathy (15)
Sudden onset of sleep (15)
Basal ganglia stroke (14)
Noninfective encephalitis (14)
Primary headache associated with sexual activity (14)
Thrombotic stroke (14)
Tongue paralysis (14)
Clonic convulsion (13)
Focal dyscognitive seizures (13)
Intraventricular haemorrhage (13)
Miller Fisher syndrome (13)
Typical aura without headache (13)
Apraxia (12)
Atonic seizures (12)
Hydrocephalus (12)
Quadriparesis (12)
Seizure cluster (12)
Basilar artery thrombosis (11)
Carotid artery stenosis (11)
Central pain syndrome (11)
Cerebellar haemorrhage (11)
Intellectual disability (11)
Myasthenia gravis crisis (11)
Myelopathy (11)
Neuromuscular pain (11)
Psychomotor skills impaired (11)
Quadriplegia (11)
Autonomic failure syndrome (10)
Central nervous system inflammation (10)
Cerebral atrophy (10)
Chorea (10)
Demyelinating polyneuropathy (10)
Encephalitis autoimmune (10)
Hemianopia homonymous (10)
Loss of proprioception (10)
Reversed hot-cold sensation (10)
Basal ganglia haemorrhage (9)
Brain stem stroke (9)
Dyspraxia (9)
Horner's syndrome (9)
Idiopathic intracranial hypertension (9)
Infant irritability (9)
Neurologic neglect syndrome (9)
Neurological decompensation (9)
Numb chin syndrome (9)
Paraplegia (9)
Posterior reversible encephalopathy syndrome (9)

Transient aphasia (9)
Basilar artery occlusion (8)
Brain stem haemorrhage (8)
Cerebellar syndrome (8)
Dementia Alzheimer's type (8)
Dyslalia (8)
Essential tremor (8)
Intercostal neuralgia (8)
IVth nerve paralysis (8)
Opisthotonus (8)
Radial nerve palsy (8)
Sensorimotor disorder (8)
Stiff leg syndrome (8)
Anterograde amnesia (7)
Brain stem syndrome (7)
Carotid arteriosclerosis (7)
Dyslexia (7)
Extensor plantar response (7)
Haemorrhagic cerebral infarction (7)
Hepatic encephalopathy (7)
Orthostatic intolerance (7)
Patient elopement (7)
Reflexes abnormal (7)
Repetitive speech (7)
Temporal lobe epilepsy (7)
Thalamus haemorrhage (7)
Vascular dementia (7)
Acute polyneuropathy (6)
Amnesic disorder (6)
Basal ganglia infarction (6)
Brain midline shift (6)
Carotid artery dissection (6)
Cholinergic syndrome (6)
Cognitive linguistic deficit (6)
Haemorrhagic transformation stroke (6)
Hemihyperaesthesia (6)
Intracranial haematoma (6)
Irregular sleep wake rhythm disorder (6)
Meningeal disorder (6)
Meningoradiculitis (6)
Peripheral paralysis (6)
Pleocytosis (6)
Primary cough headache (6)
Radicular pain (6)
Retrograde amnesia (6)
Reversible cerebral vasoconstriction syndrome (6)
Sciatic nerve neuropathy (6)
Small fibre neuropathy (6)
Toxic encephalopathy (6)

Trigeminal neuritis (6)
Uhthoff's phenomenon (6)
Vocal cord paralysis (6)
Acute motor-sensory axonal neuropathy (5)
Akinesia (5)
Cauda equina syndrome (5)
Cerebellar ischaemia (5)
Cerebral artery stenosis (5)
Circadian rhythm sleep disorder (5)
Embolic cerebral infarction (5)
Epileptic aura (5)
Hand-eye coordination impaired (5)
Hyperpathia (5)
Hypertensive encephalopathy (5)
IIIrd nerve paresis (5)
Inability to crawl (5)
Meralgia paraesthetica (5)
Mononeuropathy (5)
Paraesthesia mucosal (5)
Paresis cranial nerve (5)
Peripheral motor neuropathy (5)
Simple partial seizures (5)
Spinal cord disorder (5)
Tardive dyskinesia (5)
Ulnar neuritis (5)
Vasogenic cerebral oedema (5)
Vibratory sense increased (5)
Acoustic neuritis (4)
Acute motor axonal neuropathy (4)
Alexia (4)
Basilar migraine (4)
Brain compression (4)
Brain hypoxia (4)
Bulbar palsy (4)
Central nervous system vasculitis (4)
Cerebellar ataxia (4)
Cerebral congestion (4)
Cerebral disorder (4)
Cerebral ventricle dilatation (4)
Cerebrospinal fluid circulation disorder (4)
Cervical neuritis (4)
Chronic inflammatory demyelinating polyradiculoneuropathy (4)
Cramp-fasciculation syndrome (4)
Decerebrate posture (4)
Diabetic coma (4)
Dystonic tremor (4)
Fontanelle bulging (4)
Hand-arm vibration syndrome (4)
Hypoxic-ischaemic encephalopathy (4)

Intention tremor (4)
Irregular sleep phase (4)
Judgement impaired (4)
Lumbosacral radiculopathy (4)
Myoclonic epilepsy (4)
Neuromyopathy (4)
Neurotoxicity (4)
Peripheral nerve palsy (4)
Peripheral sensorimotor neuropathy (4)
Spinal cord infarction (4)
Spinal cord ischaemia (4)
Subacute inflammatory demyelinating polyneuropathy (4)
Vith nerve paresis (4)
Action tremor (3)
Agnosia (3)
Arachnoiditis (3)
Asterixis (3)
Autoimmune demyelinating disease (3)
Axonal neuropathy (3)
Brain stem thrombosis (3)
Cerebellar haematoma (3)
Cerebral amyloid angiopathy (3)
Cerebral arteriosclerosis (3)
Cerebral microhaemorrhage (3)
Change in seizure presentation (3)
Dementia with Lewy bodies (3)
Diabetic neuropathy (3)
Dysdiadochokinesis (3)
Dysmetria (3)
Exaggerated startle response (3)
Gliosis (3)
Lateral medullary syndrome (3)
Lateropulsion (3)
Lhermitte's sign (3)
Locked-in syndrome (3)
Lumbar radiculopathy (3)
Mononeuritis (3)
Neuritis cranial (3)
Ophthalmoplegic migraine (3)
Postural tremor (3)
Ruptured cerebral aneurysm (3)
Seizure anoxic (3)
Speech disorder developmental (3)
Status migrainosus (3)
Thoracic outlet syndrome (3)
Ulnar nerve palsy (3)
Upper motor neurone lesion (3)
Vertebral artery dissection (3)
Vertebral artery occlusion (3)

Amyotrophic lateral sclerosis (2)
Auditory nerve disorder (2)
Autoimmune encephalopathy (2)
Autoimmune neuropathy (2)
Axonal and demyelinating polyneuropathy (2)
Ballismus (2)
Brachial plexopathy (2)
Cataplexy (2)
Cerebral calcification (2)
Cerebral vascular occlusion (2)
Cerebral vasoconstriction (2)
Choreoathetosis (2)
Cogwheel rigidity (2)
Convulsions local (2)
Cubital tunnel syndrome (2)
Drop attacks (2)
Drug withdrawal convulsions (2)
Embolic cerebellar infarction (2)
Encephalitis post immunisation (2)
Encephalomalacia (2)
External compression headache (2)
Fumbling (2)
Generalised onset non-motor seizure (2)
Hypergeusia (2)
Hyperintensity in brain deep nuclei (2)
IIIrd nerve disorder (2)
Internal capsule infarction (2)
Ischaemic neuropathy (2)
IVth nerve disorder (2)
Limbic encephalitis (2)
Meningorrhagia (2)
Microsleep (2)
Neuromuscular blockade (2)
Neuromyelitis optica spectrum disorder (2)
Neurosarcoidosis (2)
Normal pressure hydrocephalus (2)
Oculofacial paralysis (2)
Olfactory nerve disorder (2)
Orthostatic tremor (2)
Partial seizures with secondary generalisation (2)
Peripheral nerve paresis (2)
Piriformis syndrome (2)
Poor sucking reflex (2)
Post-traumatic headache (2)
Pseudostroke (2)
Pudendal canal syndrome (2)
Pyramidal tract syndrome (2)
Right hemisphere deficit syndrome (2)
Senile dementia (2)

Serotonin syndrome (2)
Spinal cord compression (2)
Spinal cord oedema (2)
Spinal vascular disorder (2)
Stiff person syndrome (2)
Stroke in evolution (2)
Thrombotic cerebral infarction (2)
Trigeminal nerve paresis (2)
Trigeminal palsy (2)
Vertebrobasilar stroke (2)
Vestibular nystagmus (2)
Visual perseveration (2)
Visuospatial deficit (2)
Advanced sleep phase (1)
Agitation neonatal (1)
Alcoholic seizure (1)
Altered pitch perception (1)
Amyloid related imaging abnormalities (1)
Anosognosia (1)
Anticholinergic syndrome (1)
Arachnoid cyst (1)
Basal ganglia haematoma (1)
Brain stem ischaemia (1)
Carotid artery disease (1)
Cerebellar atrophy (1)
Cerebellar embolism (1)
Cerebral ataxia (1)
Cerebral circulatory failure (1)
Cerebral hypoperfusion (1)
Cerebral microangiopathy (1)
Cerebral microembolism (1)
Cerebral microinfarction (1)
Cerebrospinal fluid leakage (1)
Cerebrovascular insufficiency (1)
Cold dysaesthesia (1)
Colloid brain cyst (1)
Coma acidotic (1)
Conus medullaris syndrome (1)
Cranial nerve palsies multiple (1)
Cytotoxic oedema (1)
Dementia of the Alzheimer's type, with delirium (1)
Diabetic hyperosmolar coma (1)
Diabetic mononeuropathy (1)
Dropped head syndrome (1)
Epileptic encephalopathy (1)
Fine motor delay (1)
Frontotemporal dementia (1)
Gait spastic (1)
Glossopharyngeal nerve disorder (1)

Grimacing (1)
Gross motor delay (1)
Hemiataxia (1)
Hoffmann's sign (1)
Hyperresponsive to stimuli (1)
Hypertensive cerebrovascular disease (1)
Hypoglossal nerve paresis (1)
Hypoglycaemic coma (1)
Hypoglycaemic unconsciousness (1)
Intensive care unit acquired weakness (1)
Internal carotid artery deformity (1)
Intracranial artery dissection (1)
Intracranial hypotension (1)
Jugular vein occlusion (1)
Laryngeal tremor (1)
Long thoracic nerve palsy (1)
Microvascular cranial nerve palsy (1)
Migraine-triggered seizure (1)
Mononeuropathy multiplex (1)
Motor neurone disease (1)
Muscle tension dysphonia (1)
Muscle tone disorder (1)
Myasthenic syndrome (1)
Myotonia (1)
Nerve degeneration (1)
Neuroleptic malignant syndrome (1)
Neuromyotonia (1)
Neuronal neuropathy (1)
Neuropsychiatric lupus (1)
Neurovascular conflict (1)
Noninfective encephalomyelitis (1)
On and off phenomenon (1)
Oromandibular dystonia (1)
Parkinsonian gait (1)
Parkinsonian rest tremor (1)
Parkinsonism hyperpyrexia syndrome (1)
Paroxysmal sympathetic hyperactivity (1)
Peripheral nerve lesion (1)
Periventricular leukomalacia (1)
Persistent genital arousal disorder (1)
Pineal gland cyst (1)
Post stroke seizure (1)
Posthaemorrhagic hydrocephalus (1)
Postictal paralysis (1)
Postresuscitation encephalopathy (1)
Post-traumatic epilepsy (1)
Post-traumatic neuralgia (1)
Progressive bulbar palsy (1)
Progressive supranuclear palsy (1)

Prosopagnosia (1)
Pseudoparalysis (1)
Quadrantanopia (1)
Relapsing multiple sclerosis (1)
Reversible splenic lesion syndrome (1)
Sciatic nerve palsy (1)
Sensory processing disorder (1)
Spasmodic dysphonia (1)
Spinal artery thrombosis (1)
Spinal claudication (1)
Spinal cord haematoma (1)
Spinal cord haemorrhage (1)
Spinal epidural haematoma (1)
Spinal epidural haemorrhage (1)
Sydenham's chorea (1)
Sympathomimetic effect (1)
Synaesthesia (1)
Thermohyperaesthesia (1)
Thermohypoaesthesia (1)
Tinel's sign (1)
Tumefactive multiple sclerosis (1)
Ulnar tunnel syndrome (1)
Vagus nerve paralysis (1)
Vascular encephalopathy (1)
Vascular parkinsonism (1)
Wernicke's encephalopathy (1)
Vertebral artery stenosis (1)
Vertebral artery thrombosis (1)
Vertigo CNS origin (1)
Visual pathway disorder (1)
Vlth nerve disorder (1)
Writer's cramp (1)
Pregnancy, puerperium and perinatal conditions (511)
 Abortion spontaneous (266)
 Pregnancy (52)
 Morning sickness (41)
 Foetal death (20)
 Abortion missed (19)
 Premature labour (18)
 Premature delivery (15)
 Stillbirth (10)
 Abortion (7)
 Gestational diabetes (7)
 Induced labour (7)
 Ectopic pregnancy (6)
 Premature baby (6)
 Premature rupture of membranes (6)
 Preterm premature rupture of membranes (6)
 Unintended pregnancy (6)

Uterine contractions during pregnancy (6)
Arrested labour (5)
Haemorrhage in pregnancy (5)
Pre-eclampsia (5)
Anembryonic gestation (4)
Pregnancy with contraceptive device (4)
First trimester pregnancy (3)
Foetal growth restriction (3)
Hyperemesis gravidarum (3)
Pelvic girdle pain (3)
Placental disorder (3)
Pregnancy after post coital contraception (3)
Premature separation of placenta (3)
Abortion incomplete (2)
Foetal hypokinesia (2)
Gestational hypertension (2)
High risk pregnancy (2)
Live birth (2)
Postpartum haemorrhage (2)
Pregnancy on contraceptive (2)
Pregnancy with implant contraceptive (2)
Second trimester pregnancy (2)
Uterine contractions abnormal (2)
Abortion complete (1)
Abortion threatened (1)
Amniorrhoea (1)
Anaphylactoid syndrome of pregnancy (1)
Delayed delivery (1)
Delivery (1)
Face presentation (1)
Foetal disorder (1)
Foetal distress syndrome (1)
Foetal growth abnormality (1)
Hydrops foetalis (1)
Labour complication (1)
Maternal death during childbirth (1)
Multiple pregnancy (1)
Neonatal disorder (1)
Placental calcification (1)
Precipitate labour (1)
Pregnancy with young maternal age (1)
Previous caesarean section (1)
Prolonged labour (1)
Shoulder dystocia (1)
Twin pregnancy (1)
Umbilical cord abnormality (1)
Uterine hypertonus (1)
Uterine hypotonus (1)
Vanishing twin syndrome (1)

Product issues (996)

Product temperature excursion issue (558)

Syringe issue (152)

Device connection issue (69)

Needle issue (46)

Oversensing (43)

Thrombosis in device (32)

Product taste abnormal (14)

Product colour issue (9)

Liquid product physical issue (8)

Product leakage (8)

Product quality issue (7)

Device malfunction (6)

Device issue (5)

Product contamination physical (5)

Product label issue (5)

Product origin unknown (5)

Product packaging quantity issue (4)

Undersensing (4)

Device breakage (3)

Device leakage (3)

Manufacturing product shipping issue (3)

Embedded device (2)

Product availability issue (2)

Product complaint (2)

Product container issue (2)

Product contamination (2)

Product delivery mechanism issue (2)

Product physical issue (2)

Product reconstitution quality issue (2)

Product supply issue (2)

Suspected product quality issue (2)

Device delivery system issue (1)

Device electrical impedance issue (1)

Device information output issue (1)

Device infusion issue (1)

Device kink (1)

Device occlusion (1)

Device pacing issue (1)

Device stimulation issue (1)

Device temperature issue (1)

Manufacturing issue (1)

Patient-device incompatibility (1)

Product design issue (1)

Product odour abnormal (1)

Product outer packaging issue (1)

Product substitution issue (1)

Stent malfunction (1)

Suspected counterfeit product (1)

Suspected product contamination (1)
Psychiatric disorders (25151)
 Insomnia (6779)
 Confusional state (3386)
 Anxiety (2951)
 Sleep disorder (1744)
 Nervousness (1285)
 Disorientation (1215)
 Hallucination (1166)
 Restlessness (1007)
 Depressed mood (735)
 Delirium (627)
 Nightmare (618)
 Depression (551)
 Irritability (530)
 Abnormal dreams (512)
 Agitation (479)
 Mental fatigue (445)
 Panic attack (422)
 Initial insomnia (239)
 Mental status changes (200)
 Listless (193)
 Middle insomnia (153)
 Bradyphrenia (151)
 Apathy (137)
 Stress (136)
 Emotional distress (123)
 Fear (122)
 Hallucination, visual (120)
 Tearfulness (119)
 Emotional disorder (112)
 Tension (112)
 Mood altered (100)
 Euphoric mood (98)
 Abnormal behaviour (92)
 Panic reaction (92)
 Suicidal ideation (91)
 Anger (90)
 Mood swings (88)
 Dissociation (82)
 Delusion (78)
 Thinking abnormal (70)
 Hallucination, auditory (69)
 Aggression (64)
 Sleep terror (62)
 Psychotic disorder (59)
 Enuresis (54)
 Staring (52)
 Disorganised speech (47)

Communication disorder (46)
Eating disorder (46)
Paranoia (45)
Bruxism (43)
Dysphemia (43)
Loss of libido (42)
Autoscopy (39)
Derealisation (39)
Habit cough (39)
Affect lability (38)
Feeling of despair (38)
Mania (38)
Mental disorder (38)
Head banging (37)
Personality change (33)
Sopor (33)
Tachyphrenia (31)
Conversion disorder (27)
Fear of injection (26)
Illusion (26)
Tic (26)
Delirium febrile (25)
Depersonalisation/derealisation disorder (25)
Fear of death (25)
Immunisation anxiety related reaction (25)
Inappropriate affect (25)
Phonophobia (25)
Major depression (24)
Terminal insomnia (24)
Libido decreased (22)
Sleep talking (21)
Daydreaming (20)
Dysphoria (20)
Hallucinations, mixed (20)
Attention deficit hyperactivity disorder (19)
Behaviour disorder (19)
Hallucination, olfactory (19)
Hypervigilance (19)
Flat affect (18)
Near death experience (18)
Decreased interest (17)
Lack of spontaneous speech (16)
Time perception altered (16)
Catatonia (15)
Post-traumatic stress disorder (15)
Somnambulism (15)
Logorrhoea (13)
Suicide attempt (13)
Depression suicidal (12)

Completed suicide (11)
Indifference (11)
Frustration tolerance decreased (10)
Negative thoughts (10)
Posturing (10)
Psychiatric symptom (10)
Social avoidant behaviour (10)
Intentional self-injury (9)
Somatic symptom disorder (9)
Adjustment disorder with depressed mood (8)
Burnout syndrome (8)
Generalised anxiety disorder (8)
Panic disorder (8)
Sleep attacks (8)
Dissociative disorder (7)
Helplessness (7)
Impaired reasoning (7)
Libido increased (7)
Abnormal sleep-related event (6)
Acute psychosis (6)
Acute stress disorder (6)
Constricted affect (6)
Dyssomnia (6)
Flashback (6)
Hypnagogic hallucination (6)
Mutism (6)
Phobia (6)
Pressure of speech (6)
Sleep disorder due to a general medical condition (6)
Thought blocking (6)
Anxiety disorder (5)
Bipolar disorder (5)
Bipolar I disorder (5)
Claustrophobia (5)
Depressive symptom (5)
Factitious disorder (5)
Fear of eating (5)
Fear of falling (5)
Paramnesia (5)
Psychomotor retardation (5)
Self-injurious ideation (5)
Affective disorder (4)
Agitated depression (4)
Anorgasmia (4)
Belligerence (4)
Deja vu (4)
Disturbance in social behaviour (4)
Exploding head syndrome (4)
Fear of disease (4)

Flight of ideas (4)
Hallucination, tactile (4)
Intrusive thoughts (4)
Laziness (4)
Morbid thoughts (4)
Neuropsychiatric symptoms (4)
Orgasmic sensation decreased (4)
Persecutory delusion (4)
Psychotic symptom (4)
Sleep disorder due to general medical condition, insomnia type (4)
Soliloquy (4)
Agoraphobia (3)
Anhedonia (3)
Compulsive shopping (3)
Confusional arousal (3)
Delusional disorder, unspecified type (3)
Delusional perception (3)
Dermatillomania (3)
Dissociative amnesia (3)
Distractibility (3)
Disturbance in sexual arousal (3)
Emotional poverty (3)
Feeling guilty (3)
Hyperarousal (3)
Impatience (3)
Impulsive behaviour (3)
Mixed anxiety and depressive disorder (3)
Psychological trauma (3)
Psychotic behaviour (3)
Rapid eye movements sleep abnormal (3)
Reading disorder (3)
Schizophrenia (3)
Sense of a foreshortened future (3)
Sleep-related eating disorder (3)
Suicidal behaviour (3)
Alcohol withdrawal syndrome (2)
Alcoholism (2)
Alice in wonderland syndrome (2)
Autism spectrum disorder (2)
Aversion (2)
Breath holding (2)
Confabulation (2)
Drug dependence (2)
Fetishism (2)
Genito-pelvic pain/penetration disorder (2)
Hostility (2)
Hypersexuality (2)
Hypomania (2)
Impulse-control disorder (2)

Morose (2)
Obsessive thoughts (2)
Obsessive-compulsive disorder (2)
Parasomnia (2)
Poverty of speech (2)
Psychiatric decompensation (2)
Self esteem decreased (2)
Speech sound disorder (2)
Stereotypy (2)
Suspiciousness (2)
Waxy flexibility (2)
Verbigeration (2)
Violence-related symptom (2)
Abulia (1)
Acrophobia (1)
Alcohol abuse (1)
Alcohol problem (1)
Alcohol use disorder (1)
Alcoholic hangover (1)
Anticipatory anxiety (1)
Anxiety disorder due to a general medical condition (1)
Asocial behaviour (1)
Binge drinking (1)
Binge eating (1)
Blunted affect (1)
Body dysmorphic disorder (1)
Breathing-related sleep disorder (1)
Bulimia nervosa (1)
Change in sustained attention (1)
Circumstantiality (1)
Clang associations (1)
Clinomania (1)
Compulsions (1)
Decreased eye contact (1)
Dependence (1)
Dermatophagia (1)
Discouragement (1)
Disinhibition (1)
Drug abuse (1)
Emotional disorder of childhood (1)
Encopresis (1)
Executive dysfunction (1)
Fear of open spaces (1)
Feelings of worthlessness (1)
Gambling disorder (1)
Gastrointestinal somatic symptom disorder (1)
Grandiosity (1)
Haemophobia (1)
Histrionic personality disorder (1)

Hypersomnia-bulimia syndrome (1)
Hypnopompic hallucination (1)
Illness anxiety disorder (1)
Intermittent explosive disorder (1)
Learning disability (1)
Learning disorder (1)
Limited symptom panic attack (1)
Loose associations (1)
Mixed delusion (1)
Mood disorder due to a general medical condition (1)
Neurosis (1)
Nicotine dependence (1)
Obsessive-compulsive symptom (1)
Organic brain syndrome (1)
Osmophobia (1)
Paranoid personality disorder (1)
Parkinson's disease psychosis (1)
Pedantic speech (1)
Performance fear (1)
Perinatal depression (1)
Personality disorder (1)
Premature ejaculation (1)
Pseudodementia (1)
Psychogenic tremor (1)
Psychological factor affecting medical condition (1)
Psychotic disorder due to a general medical condition (1)
Purging (1)
Regressive behaviour (1)
Schizoaffective disorder (1)
Selective eating disorder (1)
Self-induced vomiting (1)
Sleep disorder due to general medical condition, hypersomnia type (1)
Sleep inertia (1)
Social fear (1)
Substance abuse (1)
Substance-induced mood disorder (1)
Suicide threat (1)
Thermophobia (1)
Thought withdrawal (1)
Trance (1)
Vomiting psychogenic (1)
Renal and urinary disorders (4027)
 Renal pain (1107)
 Pollakiuria (450)
 Urinary incontinence (280)
 Acute kidney injury (272)
 Dysuria (235)
 Chromaturia (224)
 Haematuria (208)

Micturition urgency (158)
Renal failure (152)
Incontinence (147)
Urinary retention (147)
Polyuria (135)
Bladder pain (68)
Renal impairment (50)
Haemorrhage urinary tract (48)
Urine odour abnormal (48)
Renal disorder (43)
Nephrolithiasis (42)
Nocturia (33)
Chronic kidney disease (31)
Oliguria (31)
Urine abnormality (29)
Anuria (28)
Nephrotic syndrome (27)
Proteinuria (25)
Renal colic (22)
Bladder disorder (18)
Micturition disorder (17)
Hypertonic bladder (16)
Bladder discomfort (15)
Urinary tract pain (15)
Renal infarct (14)
Urine flow decreased (14)
Loss of bladder sensation (12)
Costovertebral angle tenderness (10)
Cystitis haemorrhagic (10)
Urinary bladder haemorrhage (10)
Bladder irritation (9)
Glomerulonephritis minimal lesion (9)
Hydronephrosis (9)
Renal vein thrombosis (9)
Urinary hesitation (9)
Urinary tract disorder (9)
Renal cyst (8)
Renal tubular necrosis (8)
Bladder spasm (7)
Cystitis noninfective (7)
IgA nephropathy (7)
Nephropathy (7)
Renal injury (7)
Bladder dysfunction (6)
Cystitis interstitial (6)
End stage renal disease (6)
Nephritis (6)
Prerenal failure (6)
Renal haemorrhage (6)

Urinary tract inflammation (6)
Azotaemia (5)
Neurogenic bladder (5)
Tubulointerstitial nephritis (5)
Urethral pain (5)
Urinary tract discomfort (5)
Glomerulonephritis (4)
Renal embolism (4)
Renal mass (4)
Urge incontinence (4)
Urinary tract obstruction (4)
Cystitis-like symptom (3)
Lower urinary tract symptoms (3)
Micturition frequency decreased (3)
Paroxysmal nocturnal haemoglobinuria (3)
Strangury (3)
Anti-glomerular basement membrane disease (2)
Bladder hypertrophy (2)
Bladder sphincter atony (2)
Calculus urinary (2)
Choluria (2)
Glomerulonephritis rapidly progressive (2)
Haemoglobinuria (2)
Renal artery thrombosis (2)
Renal atrophy (2)
Renal cyst haemorrhage (2)
Renal ischaemia (2)
Ureteral disorder (2)
Urethral haemorrhage (2)
Urethral spasm (2)
Urogenital haemorrhage (2)
Albuminuria (1)
Atonic urinary bladder (1)
Automatic bladder (1)
Bladder dilatation (1)
Bladder mass (1)
Bladder stenosis (1)
Crystal nephropathy (1)
Focal segmental glomerulosclerosis (1)
Genitourinary symptom (1)
Glomerulonephritis acute (1)
Glomerulosclerosis (1)
Glycosuria (1)
Henoch-Schonlein purpura nephritis (1)
Hydroureter (1)
Hypertensive nephropathy (1)
Ketonuria (1)
Kidney enlargement (1)
Kidney fibrosis (1)

Kidney small (1)
Leukocyturia (1)
Lupus cystitis (1)
Microalbuminuria (1)
Mixed incontinence (1)
Myoglobinuria (1)
Nephrosclerosis (1)
Oedematous kidney (1)
Pyelocaliectasis (1)
Reflux nephropathy (1)
Renal artery arteriosclerosis (1)
Renal tubular atrophy (1)
Renal tubular disorder (1)
Renal vascular thrombosis (1)
Renal vasculitis (1)
Renal vein embolism (1)
Stress urinary incontinence (1)
Ureteric obstruction (1)
Ureteric stenosis (1)
Ureterolithiasis (1)
Urethral discharge (1)
Urethral disorder (1)
Urethral meatus stenosis (1)
Urethral stenosis (1)
Urethritis noninfective (1)
Reproductive system and breast disorders (5426)
Breast pain (756)
Menorrhagia (736)
Vaginal haemorrhage (598)
Menstruation delayed (515)
Menstruation irregular (406)
Menstrual disorder (400)
Metrorrhagia (325)
Dysmenorrhoea (211)
Pelvic pain (198)
Amenorrhoea (176)
Breast swelling (137)
Erectile dysfunction (126)
Testicular pain (108)
Polymenorrhoea (106)
Hypomenorrhoea (94)
Breast tenderness (88)
Breast mass (74)
Postmenopausal haemorrhage (61)
Nipple pain (47)
Vaginal discharge (45)
Adnexa uteri pain (40)
Breast discomfort (35)
Suppressed lactation (31)

Endometriosis (30)
Oligomenorrhoea (29)
Uterine haemorrhage (28)
Vulvovaginal pain (28)
Menopausal symptoms (26)
Breast oedema (21)
Breast inflammation (19)
Uterine spasm (19)
Genital pain (18)
Organic erectile dysfunction (18)
Pruritus genital (18)
Testicular swelling (18)
Genital ulceration (16)
Premenstrual pain (16)
Vulval ulceration (16)
Vulvovaginal burning sensation (16)
Vulvovaginal pruritus (16)
Breast cyst (15)
Prostatitis (15)
Scrotal pain (15)
Genital haemorrhage (14)
Breast enlargement (13)
Gynaecomastia (12)
Haemospermia (12)
Pelvic haemorrhage (12)
Genital rash (11)
Menometrorrhagia (11)
Vulval haemorrhage (11)
Ovarian cyst (10)
Premenstrual syndrome (10)
Vaginal ulceration (10)
Vulvovaginal discomfort (10)
Breast engorgement (9)
Genital burning sensation (9)
Genital discomfort (9)
Ovulation pain (9)
Penis disorder (9)
Priapism (9)
Uterine pain (9)
Vulvovaginal swelling (9)
Galactorrhoea (8)
Lactation disorder (8)
Nipple swelling (8)
Scrotal swelling (8)
Vaginal cyst (8)
Breast haematoma (7)
Genital blister (7)
Pelvic discomfort (7)
Polycystic ovaries (7)

Vulvovaginal ulceration (7)
Breast discharge (6)
Ejaculation disorder (6)
Penile haemorrhage (6)
Perineal pain (6)
Vaginal lesion (6)
Vulvovaginal rash (6)
Benign prostatic hyperplasia (5)
Breast induration (5)
Genital swelling (5)
Infertility (5)
Ovarian vein thrombosis (5)
Penile swelling (5)
Prostatomegaly (5)
Sexual dysfunction (5)
Spontaneous penile erection (5)
Withdrawal bleed (5)
Vulvovaginal dryness (5)
Dysfunctional uterine bleeding (4)
Erection increased (4)
Genital erythema (4)
Labia enlarged (4)
Menstrual discomfort (4)
Penile blister (4)
Penile pain (4)
Penile vein thrombosis (4)
Peyronie's disease (4)
Premature menopause (4)
Scrotal dermatitis (4)
Vulvovaginal inflammation (4)
Artificial menopause (3)
Genital hypoaesthesia (3)
Genital lesion (3)
Genital paraesthesia (3)
Lactation puerperal increased (3)
Oedema genital (3)
Pelvic haematoma (3)
Penile erythema (3)
Premature ovulation (3)
Semen discolouration (3)
Testicular disorder (3)
Testicular oedema (3)
Vulval disorder (3)
Vulval oedema (3)
Abnormal withdrawal bleeding (2)
Adenomyosis (2)
Adnexa uteri mass (2)
Bartholin's cyst (2)
Breast disorder (2)

Breast haemorrhage (2)
Breast milk discolouration (2)
Cervical dysplasia (2)
Cervix oedema (2)
Dyspareunia (2)
Ejaculation failure (2)
Female genital tract fistula (2)
Galactostasis (2)
Genital tract inflammation (2)
Menopause delayed (2)
Nipple disorder (2)
Nipple inflammation (2)
Orchitis noninfective (2)
Ovarian cyst ruptured (2)
Ovarian haemorrhage (2)
Ovarian necrosis (2)
Painful erection (2)
Pelvic fluid collection (2)
Penile curvature (2)
Penile oedema (2)
Penile rash (2)
Premenstrual dysphoric disorder (2)
Scrotal erythema (2)
Scrotal exfoliation (2)
Scrotal oedema (2)
Uterine inflammation (2)
Vulvovaginal erythema (2)
Balanoposthitis (1)
Breast discolouration (1)
Cervix erythema (1)
Cervix haematoma uterine (1)
Coital bleeding (1)
Ejaculation delayed (1)
Enlarged clitoris (1)
Epididymal cyst (1)
Female sexual dysfunction (1)
Feminisation acquired (1)
Fibrocystic breast disease (1)
Genital discharge (1)
Genital dysaesthesia (1)
Genital hyperaesthesia (1)
Hydrosalpinx (1)
Hypospermia (1)
Infertility male (1)
Menopausal disorder (1)
Nipple oedema (1)
Noninfective oophoritis (1)
Ovarian enlargement (1)
Painful ejaculation (1)

- Penile burning sensation (1)
- Penile discharge (1)
- Penile exfoliation (1)
- Perineal disorder (1)
- Prostatic pain (1)
- Retrograde ejaculation (1)
- Shortened cervix (1)
- Testicular atrophy (1)
- Testicular cyst (1)
- Testicular mass (1)
- Testicular retraction (1)
- Testis discomfort (1)
- Uterine cervical pain (1)
- Uterine enlargement (1)
- Uterine polyp (1)
- Uterine tenderness (1)
- Vaginal disorder (1)
- Vaginal prolapse (1)
- Varicose veins pelvic (1)
- Respiratory, thoracic and mediastinal disorders (56619)
 - Dyspnoea (18458)
 - Cough (11098)
 - Oropharyngeal pain (9201)
 - Rhinorrhoea (4312)
 - Epistaxis (3013)
 - Pulmonary embolism (2552)
 - Throat irritation (2206)
 - Throat tightness (2044)
 - Nasal congestion (1899)
 - Wheezing (1323)
 - Pharyngeal swelling (1292)
 - Sneezing (974)
 - Asthma (956)
 - Dysphonia (944)
 - Dry throat (669)
 - Sinus pain (657)
 - Respiratory distress (551)
 - Oropharyngeal discomfort (543)
 - Productive cough (486)
 - Respiratory tract congestion (458)
 - Pharyngeal paraesthesia (427)
 - Dyspnoea exertional (426)
 - Hypoxia (412)
 - Pulmonary pain (394)
 - Hyperventilation (314)
 - Tachypnoea (303)
 - Hypopnoea (294)
 - Respiratory failure (281)
 - Respiratory disorder (277)

Bronchospasm (271)
Aphonia (258)
Haemoptysis (228)
Sinus congestion (222)
Respiratory arrest (200)
Nasal discomfort (198)
Respiration abnormal (197)
Laryngeal oedema (186)
Paranasal sinus discomfort (184)
Painful respiration (175)
Pharyngeal hypoaesthesia (175)
Pulmonary oedema (174)
Pleural effusion (158)
Acute respiratory failure (152)
Chronic obstructive pulmonary disease (151)
Tonsillar hypertrophy (143)
Throat clearing (132)
Pharyngeal oedema (128)
Upper-airway cough syndrome (120)
Stridor (118)
Lung opacity (114)
Catarrh (106)
Nasal dryness (100)
Pneumonia aspiration (98)
Yawning (97)
Lung infiltration (95)
Choking sensation (87)
Lung disorder (86)
Pulmonary congestion (80)
Pleuritic pain (79)
Pneumonitis (77)
Respiratory symptom (77)
Asthmatic crisis (75)
Pleurisy (74)
Rhinalgia (74)
Atelectasis (69)
Sinus disorder (69)
Pharyngeal erythema (66)
Choking (63)
Laryngospasm (63)
Hiccups (62)
Obstructive airways disorder (62)
Increased upper airway secretion (58)
Acute pulmonary oedema (57)
Dyspnoea at rest (56)
Rales (56)
Acute respiratory distress syndrome (54)
Pulmonary thrombosis (52)
Suffocation feeling (51)

Nasal pruritus (50)
Rhinitis allergic (50)
Increased viscosity of upper respiratory secretion (45)
Apnoea (44)
Aspiration (42)
Irregular breathing (42)
Pulmonary infarction (42)
Interstitial lung disease (40)
Nasal oedema (39)
Respiratory fatigue (36)
Asphyxia (34)
Oropharyngeal blistering (34)
Respiratory tract irritation (34)
Diaphragmalgia (33)
Sleep apnoea syndrome (32)
Nasal obstruction (29)
Pulmonary mass (29)
Respiratory depression (29)
Sputum discoloured (29)
Paranasal sinus hypersecretion (28)
Bronchiectasis (27)
Laryngeal discomfort (26)
Increased bronchial secretion (24)
Pharyngeal ulceration (24)
Pulmonary hypertension (24)
Orthopnoea (23)
Respiratory tract oedema (22)
Tonsillar inflammation (21)
Pharyngeal inflammation (20)
Larynx irritation (19)
Pneumothorax (19)
Sinonasal obstruction (19)
Upper respiratory tract congestion (19)
Pulmonary fibrosis (18)
Allergic respiratory symptom (17)
Oropharyngeal swelling (17)
Snoring (17)
Allergic cough (16)
Lung consolidation (16)
Mouth breathing (16)
Rhonchi (15)
Emphysema (14)
Hypercapnia (14)
Pulmonary haemorrhage (14)
Lower respiratory tract congestion (13)
Nasal inflammation (13)
Use of accessory respiratory muscles (13)
Nasal crusting (12)
Oropharyngeal oedema (12)

Respiratory acidosis (12)
Grunting (11)
Tracheal pain (11)
Bronchial hyperreactivity (10)
Pulmonary artery thrombosis (10)
Upper airway obstruction (10)
Apparent life threatening event (9)
Cough variant asthma (9)
Diaphragmatic spasm (9)
Intranasal hypoaesthesia (9)
Apnoeic attack (8)
Nasal odour (8)
Tonsillar erythema (8)
Laryngeal pain (7)
Paranasal sinus inflammation (7)
Childhood asthma (6)
Dependence on respirator (6)
Epiglottic oedema (6)
Nasal disorder (6)
Sputum increased (6)
Asthma exercise induced (5)
Bronchial secretion retention (5)
Laryngeal dyspnoea (5)
Lung hyperinflation (5)
Nocturnal dyspnoea (5)
Paranasal sinus haemorrhage (5)
Pulmonary granuloma (5)
Pulmonary vascular disorder (5)
Respiratory tract haemorrhage (5)
Upper respiratory tract inflammation (5)
Vocal cord disorder (5)
Allergic sinusitis (4)
Bradypnoea (4)
Bronchial irritation (4)
Chronic respiratory failure (4)
Haemothorax (4)
Hypoventilation (4)
Intranasal paraesthesia (4)
Nasal discharge discolouration (4)
Oropharyngeal spasm (4)
Pharyngeal disorder (4)
Pharyngeal haemorrhage (4)
Pneumothorax spontaneous (4)
Pulmonary arterial hypertension (4)
Status asthmaticus (4)
Tonsillar disorder (4)
Tonsillar ulcer (4)
Tracheomalacia (4)
Upper respiratory tract irritation (4)

Alveolitis (3)
Asthma late onset (3)
Bronchial disorder (3)
Bronchial obstruction (3)
Bronchostenosis (3)
Cheyne-Stokes respiration (3)
Cough decreased (3)
Dysaesthesia pharynx (3)
Nasal mucosal disorder (3)
Nasal septum deviation (3)
Nasal ulcer (3)
Organising pneumonia (3)
Paranasal cyst (3)
Paranasal sinus hyposecretion (3)
Pharyngeal mass (3)
Pulmonary alveolar haemorrhage (3)
Pulmonary cavitation (3)
Pulmonary venous thrombosis (3)
Reflux laryngitis (3)
Respiratory muscle weakness (3)
Throat lesion (3)
Tonsillar haemorrhage (3)
Tracheal inflammation (3)
Allergic bronchitis (2)
Aspirin-exacerbated respiratory disease (2)
Bronchial oedema (2)
Bronchial wall thickening (2)
Bronchitis chronic (2)
Bronchopneumopathy (2)
Cyanosis central (2)
Diaphragmatic disorder (2)
Diaphragmatic paralysis (2)
Dyspnoea paroxysmal nocturnal (2)
Gasping syndrome (2)
Hypersensitivity pneumonitis (2)
Hypocapnia (2)
Idiopathic pulmonary fibrosis (2)
Laryngeal disorder (2)
Nasal cyst (2)
Nasal mucosal discolouration (2)
Oropharyngeal plaque (2)
Pharyngeal lesion (2)
Pleural thickening (2)
Pulmonary calcification (2)
Pulmonary hypertensive crisis (2)
Pulmonary microemboli (2)
Pulmonary sarcoidosis (2)
Pulmonary sensitisation (2)
Respiratory alkalosis (2)

Respiratory depth decreased (2)
Respiratory tract inflammation (2)
Reversible airways obstruction (2)
Tonsillolith (2)
Acquired diaphragmatic eventration (1)
Acute interstitial pneumonitis (1)
Acute lung injury (1)
Adductor vocal cord weakness (1)
Adenoidal disorder (1)
Alveolar lung disease (1)
Anoxia (1)
Chronic respiratory disease (1)
Cyanosis neonatal (1)
Cystic lung disease (1)
Dry lung syndrome (1)
Eosinophilic bronchitis (1)
Eosinophilic pneumonia acute (1)
Glottal incompetence (1)
Hydrothorax (1)
Hyperoxia (1)
Increased viscosity of bronchial secretion (1)
Infantile apnoea (1)
Laryngeal obstruction (1)
Laryngeal stenosis (1)
Laryngotracheal oedema (1)
Lung cyst (1)
Lung hypoinflation (1)
Lupus pleurisy (1)
Mediastinal disorder (1)
Mediastinal haematoma (1)
Nasal flaring (1)
Nasal mucosal blistering (1)
Nasal mucosal erosion (1)
Nasal mucosal ulcer (1)
Nasal polyps (1)
Nasal septum disorder (1)
Neonatal respiratory acidosis (1)
Neonatal respiratory failure (1)
Obliterative bronchiolitis (1)
Oropharyngeal discolouration (1)
Pharyngeal enanthema (1)
Pneumomediastinum (1)
Prolonged expiration (1)
Pulmonary amyloidosis (1)
Pulmonary artery dilatation (1)
Pulmonary artery occlusion (1)
Pulmonary hilar enlargement (1)
Pulmonary hilum mass (1)
Pulmonary necrosis (1)

Pulmonary pneumatocele (1)
Pulmonary vasculitis (1)
Reactive airways dysfunction syndrome (1)
Restrictive pulmonary disease (1)
Rhinitis perennial (1)
Tonsillar cyst (1)
Tracheal fistula (1)
Tracheal oedema (1)
Vasomotor rhinitis (1)
Vocal cord dysfunction (1)
Vocal cord inflammation (1)
Vocal cord thickening (1)
Skin and subcutaneous tissue disorders (82962)
Rash (19523)
Pruritus (19193)
Hyperhidrosis (15012)
Erythema (11363)
Urticaria (8769)
Rash erythematous (3986)
Rash pruritic (3652)
Cold sweat (2933)
Night sweats (2576)
Skin warm (2142)
Rash macular (1640)
Pain of skin (1512)
Rash papular (1122)
Angioedema (1053)
Skin burning sensation (964)
Sensitive skin (903)
Petechiae (826)
Blister (812)
Skin reaction (810)
Skin discolouration (554)
Dermatitis allergic (550)
Dry skin (529)
Eczema (433)
Rash maculo-papular (371)
Dermatitis (311)
Alopecia (289)
Skin irritation (262)
Skin exfoliation (258)
Photosensitivity reaction (253)
Psoriasis (242)
Rash vesicular (240)
Purpura (234)
Miliaria (212)
Skin swelling (212)
Skin disorder (190)
Ecchymosis (187)

Skin lesion (157)
Papule (156)
Acne (148)
Livedo reticularis (145)
Erythema multiforme (137)
Skin sensitisation (137)
Skin tightness (136)
Piloerection (131)
Pityriasis rosea (115)
Skin haemorrhage (109)
Rash morbilliform (95)
Drug eruption (88)
Skin mass (79)
Blood blister (77)
Dermatitis bullous (75)
Erythema nodosum (68)
Dermatitis atopic (65)
Scab (61)
Skin odour abnormal (53)
Skin erosion (52)
Rosacea (51)
Skin ulcer (51)
Yellow skin (50)
Skin induration (45)
Haemorrhage subcutaneous (39)
Dermatitis acneiform (37)
Macule (37)
Skin discomfort (36)
Vasculitic rash (35)
Mechanical urticaria (34)
Nail discolouration (34)
Pemphigoid (34)
Hypersensitivity vasculitis (29)
Palmar erythema (29)
Dermatitis contact (27)
Exfoliative rash (27)
Lichen planus (27)
Stevens-Johnson syndrome (26)
Urticaria chronic (26)
Alopecia areata (24)
Guttate psoriasis (24)
Scar pain (21)
Dyshidrotic eczema (20)
Pigmentation disorder (20)
Skin oedema (20)
Butterfly rash (19)
Circumoral swelling (19)
Circumoral oedema (18)
Henoch-Schonlein purpura (18)

Skin hyperpigmentation (18)
Vascular purpura (18)
Dermal cyst (17)
Drug reaction with eosinophilia and systemic symptoms (17)
Pityriasis (17)
Pruritus allergic (17)
Skin plaque (17)
Skin weeping (17)
Dermatitis exfoliative generalised (16)
Lividity (16)
Urticaria papular (16)
Hand dermatitis (15)
Skin fissures (15)
Cutaneous vasculitis (14)
Eczema asteatotic (14)
Telangiectasia (14)
Eczema nummular (13)
Prurigo (13)
Skin striae (13)
Cutaneous symptom (12)
Decubitus ulcer (12)
Neurodermatitis (12)
Onychalgia (12)
Pemphigus (12)
Skin hypertrophy (12)
Skin indentation (12)
Blister rupture (11)
Fixed eruption (11)
Onychoclasia (11)
Perioral dermatitis (11)
Trichodynia (11)
Cold urticaria (10)
Dermatitis psoriasiform (10)
Dermatosis (10)
Itching scar (10)
Seborrhoeic dermatitis (10)
Skin necrosis (10)
Systemic lupus erythematosus rash (10)
Urticaria thermal (10)
Vitiligo (10)
Hair colour changes (9)
Toxic epidermal necrolysis (9)
Toxic skin eruption (9)
Acute generalised exanthematous pustulosis (8)
Dermatomyositis (8)
Erythema annulare (8)
Hidradenitis (8)
Madarosis (8)
Pernio-like erythema (8)

Idiopathic urticaria (7)
Nodular rash (7)
Palmar-plantar erythrodysaesthesia syndrome (7)
Palpable purpura (7)
Panniculitis (7)
Seborrhoea (7)
Skin depigmentation (7)
Skin texture abnormal (7)
Urticarial vasculitis (7)
Acute febrile neutrophilic dermatosis (6)
Chronic spontaneous urticaria (6)
Dermatitis herpetiformis (6)
Hair texture abnormal (6)
Idiopathic angioedema (6)
Peau d'orange (6)
Plantar erythema (6)
Skin atrophy (6)
Solar urticaria (6)
Acne cystic (5)
Androgenetic alopecia (5)
Dermatitis exfoliative (5)
Granuloma annulare (5)
Hair growth abnormal (5)
Lichen sclerosus (5)
Lipoatrophy (5)
Skin wrinkling (5)
Sticky skin (5)
Alopecia universalis (4)
Cutaneous lupus erythematosus (4)
Dermatitis diaper (4)
Diffuse alopecia (4)
Hair disorder (4)
Intertrigo (4)
Lichenoid keratosis (4)
Needle track marks (4)
Pustular psoriasis (4)
Rash maculovesicular (4)
Rash papulosquamous (4)
Urticaria physical (4)
Diabetic foot (3)
Hypohidrosis (3)
Keratosis pilaris (3)
Nail bed disorder (3)
Nail bed tenderness (3)
Nail pigmentation (3)
Rash follicular (3)
Rash rubelliform (3)
Rash scarlatiniform (3)
Skin hypopigmentation (3)

Solar lentigo (3)
Stasis dermatitis (3)
Target skin lesion (3)
Urticaria contact (3)
Actinic keratosis (2)
Alopecia totalis (2)
Anhidrosis (2)
Brow ptosis (2)
Bullous haemorrhagic dermatosis (2)
Eczema weeping (2)
Epidermal necrosis (2)
Erythematotelangiectatic rosacea (2)
Erythrosis (2)
Haemosiderin stain (2)
Keloid scar (2)
Keratolysis exfoliativa acquired (2)
Lipodystrophy acquired (2)
Lipohypertrophy (2)
Melanoderma (2)
Mucocutaneous rash (2)
Mucocutaneous ulceration (2)
Nail bed inflammation (2)
Nail disorder (2)
Neutrophilic dermatosis (2)
Oedema blister (2)
Onycholysis (2)
Penile ulceration (2)
Pityriasis rubra pilaris (2)
Polymorphic light eruption (2)
Pseudofolliculitis (2)
Skin lesion inflammation (2)
Skin maceration (2)
Splinter haemorrhages (2)
Subcutaneous emphysema (2)
Transient acantholytic dermatosis (2)
Urticaria cholinergic (2)
Angiodermatitis (1)
Argyria (1)
Autoimmune blistering disease (1)
Autoimmune dermatitis (1)
Brachioradial pruritus (1)
Capillaritis (1)
Chloasma (1)
Cutaneous sarcoidosis (1)
Dandruff (1)
Diabetic wound (1)
Ephelides (1)
Erythema ab igne (1)
Erythema marginatum (1)

Excessive granulation tissue (1)
Fracture blisters (1)
Haemorrhage subepidermal (1)
Hirsutism (1)
Hyperkeratosis (1)
Ingrowing nail (1)
Ingrown hair (1)
Interstitial granulomatous dermatitis (1)
Ischaemic skin ulcer (1)
Koebner phenomenon (1)
Leukoplakia (1)
Lymphomatoid papulosis (1)
Mucocutaneous disorder (1)
Myxoid cyst (1)
Nail hypertrophy (1)
Nail necrosis (1)
Nail pitting (1)
Nail psoriasis (1)
Nail ridging (1)
Onychomadesis (1)
Palmoplantar pustulosis (1)
Parapsoriasis (1)
PASH syndrome (1)
Pathergy reaction (1)
Pyoderma gangrenosum (1)
Reactive perforating collagenosis (1)
Rebound eczema (1)
Red man syndrome (1)
Scleroderma associated digital ulcer (1)
Sebaceous gland disorder (1)
Senile pruritus (1)
Skin degenerative disorder (1)
Skin fragility (1)
Skin laxity (1)
Solar dermatitis (1)
Spider naevus (1)
Subacute cutaneous lupus erythematosus (1)
Sweat discolouration (1)
Sweat gland disorder (1)
Symmetrical drug-related intertriginous and flexural exanthema (1)
Umbilical haematoma (1)
Urticaria pressure (1)
Urticaria vesiculosa (1)
Social circumstances (2483)
 Impaired work ability (1390)
 Loss of personal independence in daily activities (404)
 Bedridden (245)
 Impaired driving ability (116)
 Immobile (74)

Walking aid user (73)
Wheelchair user (34)
Walking disability (23)
Refusal of treatment by patient (22)
Sight disability (19)
Disability (18)
Cardiac assistance device user (16)
Breast feeding (15)
Contraindication to vaccination (12)
Menopause (10)
Physical disability (9)
Sitting disability (9)
Water pollution (9)
Illiteracy (8)
Non-tobacco user (8)
Impaired quality of life (6)
Fasting (5)
Feeding tube user (5)
Patient uncooperative (5)
Alcohol use (4)
Dependence on oxygen therapy (4)
Refusal of vaccination (4)
Retirement (4)
Hearing disability (3)
Housebound (3)
Immobilisation prolonged (3)
Orthosis user (3)
Abstains from alcohol (2)
Breast prosthesis user (2)
Corrective lens user (2)
Exercise lack of (2)
Ex-tobacco user (2)
Infant (2)
Menarche (2)
Stress at work (2)
Tobacco user (2)
Aborted pregnancy (1)
Anal sex (1)
Bereavement (1)
Blood donor (1)
Caffeine consumption (1)
Chemical submission (1)
Childhood (1)
Contraindication to medical treatment (1)
Convalescent (1)
Death of relative (1)
Device dependence (1)
Excessive exercise (1)
Food contamination (1)

Foreign travel (1)
Hair dye user (1)
Hearing aid user (1)
High income (1)
Homeless (1)
Homosexual parent (1)
Imprisonment (1)
Inadequate diet (1)
Living in residential institution (1)
Low income (1)
Mental disability (1)
Multigravida (1)
Partner stress (1)
Planning to become pregnant (1)
Refusal of treatment by relative (1)
Sick relative (1)
Substance use (1)
Trans-sexualism (1)
Urinary assistance device user (1)
Vascular device user (1)
Verbal abuse (1)
Surgical and medical procedures (2702)
Intensive care (396)
Resuscitation (293)
Endotracheal intubation (249)
COVID-19 immunisation (225)
Immunisation (151)
Interchange of vaccine products (130)
Mechanical ventilation (127)
Immunoglobulin therapy (100)
Appendicectomy (80)
Cardioversion (65)
Bilevel positive airway pressure (57)
Injection (48)
Platelet transfusion (47)
Hospitalisation (46)
Transfusion (45)
Bed rest (40)
Limb immobilisation (39)
Surgery (38)
Prophylaxis of nausea and vomiting (37)
Oxygen therapy (34)
Stent placement (33)
Thrombectomy (31)
Dialysis (27)
Sinus operation (27)
Coronary arterial stent insertion (26)
Cholecystectomy (23)
Bladder catheterisation (22)

Life support (22)
Cardiac pacemaker insertion (20)
Laparoscopic surgery (19)
Menstrual cycle management (18)
Plasmapheresis (18)
Packed red blood cell transfusion (16)
Suture insertion (15)
Craniotomy (14)
Drainage (13)
Gastrointestinal tube insertion (13)
Anticoagulant therapy (12)
Coronary artery bypass (12)
Mass excision (12)
Axillary lymphadenectomy (11)
Central venous catheterisation (11)
Continuous positive airway pressure (11)
Angioplasty (9)
Caesarean section (9)
Haemodialysis (9)
Uterine dilation and curettage (9)
Hospice care (8)
Limb operation (8)
Sedative therapy (8)
Specialist consultation (8)
Thrombolysis (8)
Brain operation (7)
Gastrostomy (7)
Localised alternating hot and cold therapy (7)
Pericardial drainage (7)
Withdrawal of life support (7)
Abscess drainage (6)
Anaphylaxis treatment (6)
Catheter placement (6)
Chemotherapy (6)
Chest tube insertion (6)
Hip surgery (6)
Incisional drainage (6)
Infusion (6)
Percutaneous coronary intervention (6)
Quarantine (6)
Anaphylaxis prophylaxis (5)
Antiallergic therapy (5)
Antibiotic therapy (5)
Cast application (5)
Cooling therapy (5)
COVID-19 treatment (5)
Eye irrigation (5)
Fluid replacement (5)
Local anaesthesia (5)

Medical diet (5)
Medical induction of coma (5)
Spinal operation (5)
Therapeutic hypothermia (5)
Toe amputation (5)
Tracheostomy (5)
Vasopressive therapy (5)
Vena cava filter insertion (5)
Airway secretion clearance therapy (4)
Cardiac ablation (4)
Central nervous system stimulation (4)
Cerumen removal (4)
Decompressive craniectomy (4)
Emergency care (4)
Heat therapy (4)
Hip arthroplasty (4)
Implantable defibrillator insertion (4)
Joint stabilisation (4)
Leg amputation (4)
Lymphadenectomy (4)
Nerve block (4)
Office visit (4)
Patient isolation (4)
Product substitution (4)
Steroid therapy (4)
Therapy change (4)
Thromboembolectomy (4)
Ventricular drainage (4)
Abortion induced (3)
Acupuncture (3)
Analgesic therapy (3)
Breast conserving surgery (3)
Cardiac operation (3)
Convalescent plasma transfusion (3)
Craniectomy (3)
Debridement (3)
Dental care (3)
Dermal filler injection (3)
Extubation (3)
Haematoma evacuation (3)
Hernia repair (3)
Hormone replacement therapy (3)
Hysterectomy (3)
Ileostomy (3)
Knee arthroplasty (3)
Laparotomy (3)
Nasal cavity packing (3)
Product used for unknown indication (3)
Psychotherapy (3)

Radiotherapy (3)
Spinal fusion surgery (3)
Splenectomy (3)
Therapy cessation (3)
Tooth extraction (3)
Wound closure (3)
Antitussive therapy (2)
Arterial catheterisation (2)
Arteriovenous fistula operation (2)
Asthma prophylaxis (2)
Canalith repositioning procedure (2)
Carotid endarterectomy (2)
Cataract operation (2)
Catheterisation venous (2)
Cautery to nose (2)
Contraceptive diaphragm (2)
Drain placement (2)
Endometrial scratching (2)
Enteral nutrition (2)
Explorative laparotomy (2)
Face lift (2)
Fatigue management (2)
Fraction of inspired oxygen (2)
Gallbladder operation (2)
Implantable cardiac monitor insertion (2)
Inhalation therapy (2)
Intestinal resection (2)
Intra-aortic balloon placement (2)
Intraosseous access placement (2)
Joint fluid drainage (2)
Knee operation (2)
Lung assist device therapy (2)
Medication dilution (2)
Nephrostomy (2)
Nitrate compound therapy (2)
Nothing by mouth order (2)
Pacemaker generated rhythm (2)
Pericardial excision (2)
Phlebotomy (2)
Prophylaxis (2)
Self-medication (2)
Small intestinal resection (2)
Splint application (2)
Subdural haematoma evacuation (2)
Therapeutic embolisation (2)
Thoracic cavity drainage (2)
Thoracic operation (2)
Transcutaneous pacing (2)
Uterine dilation and evacuation (2)

Vascular cauterisation (2)
Vitrectomy (2)
Abdominal wall operation (1)
Airway patency device insertion (1)
Amputation (1)
Antiplatelet therapy (1)
Antiviral treatment (1)
Aortic valve replacement (1)
Assisted reproductive technology (1)
Atrial septal defect repair (1)
Biliary catheter insertion (1)
Bladder catheter replacement (1)
Blood pressure management (1)
Breast operation (1)
Cardiac device reprogramming (1)
Cardiac pacemaker adjustment (1)
Cardiac pacemaker replacement (1)
Carotid artery stent insertion (1)
Catheter management (1)
Cerebrovascular operation (1)
Chiropractic (1)
Colectomy (1)
Colorectostomy (1)
Colostomy (1)
Condom (1)
Contraception (1)
Corneal transplant (1)
Coronary angioplasty (1)
COVID-19 prophylaxis (1)
Cranial nerve decompression (1)
Cyst drainage (1)
Deep brain stimulation (1)
Ear and hearing disorder prophylaxis (1)
Elective procedure (1)
Electrocauterisation (1)
Electroconvulsive therapy (1)
Endarterectomy (1)
Endodontic procedure (1)
Endometrial ablation (1)
Enema administration (1)
Exploratory operation (1)
Eye muscle operation (1)
Eye operation (1)
Eyeglasses therapy (1)
Facial operation (1)
Fascia release (1)
Fasciotomy (1)
Gastric aspiration procedure (1)
Gastric lavage (1)

Gastrointestinal disorder prophylaxis (1)
Gastrostomy tube removal (1)
Genetic counselling (1)
Haemofiltration (1)
Haemorrhoid operation (1)
Haemostasis (1)
Hepatic embolisation (1)
Hepatitis B immunisation (1)
Hysterosalpingo-oophorectomy (1)
Ileectomy (1)
Ileocolostomy (1)
Immune tolerance induction (1)
Immunosuppressant drug therapy (1)
Influenza immunisation (1)
Inguinal hernia repair (1)
Internal fixation of fracture (1)
Interventional procedure (1)
Intervertebral disc operation (1)
Intracerebral haematoma evacuation (1)
Intrauterine contraception (1)
Intra-uterine contraceptive device removal (1)
Joint injection (1)
Joint surgery (1)
Laryngeal mask airway insertion (1)
Limb reattachment surgery (1)
Lip cosmetic procedure (1)
Low carbohydrate diet (1)
Manipulation (1)
Maxillofacial operation (1)
Medical device removal (1)
Migraine prophylaxis (1)
Mineral supplementation (1)
Mini-tracheostomy (1)
Mitral valve replacement (1)
Monoclonal antibody immunoconjugate therapy (1)
Multiple sclerosis relapse prophylaxis (1)
Muscle relaxant therapy (1)
Myomectomy (1)
Nail operation (1)
Nasal irrigation (1)
Neck lift (1)
Neurosurgery (1)
Occupational therapy (1)
Omentectomy (1)
Oocyte harvest (1)
Open reduction of fracture (1)
Ovulation induction (1)
Pain management (1)
Palliative care (1)

Peripheral artery bypass (1)
Peripheral artery stent insertion (1)
Peritoneal lavage (1)
Photopheresis (1)
Physiotherapy (1)
Pleurodesis (1)
Polypectomy (1)
Procedure aborted (1)
Promotion of wound healing (1)
Prone position (1)
Prophylaxis against gastrointestinal ulcer (1)
Prostatic operation (1)
Pulmonary resection (1)
Reduction of increased intracranial pressure (1)
Rehabilitation therapy (1)
Renal replacement therapy (1)
Renal stone removal (1)
Renal transplant (1)
Retinal operation (1)
Salpingo-oophorectomy (1)
Shoulder operation (1)
Skin operation (1)
Smoking cessation therapy (1)
Speech rehabilitation (1)
Spinal nerve stimulator implantation (1)
Splenic artery embolisation (1)
Stoma care (1)
Supportive care (1)
Testes exploration (1)
Therapeutic aspiration (1)
Therapeutic gargle (1)
Therapeutic procedure (1)
Tissue expansion procedure (1)
Traction (1)
Transgender operation (1)
Trendelenburg position (1)
Tuberculosis immunisation (1)
Tumour excision (1)
Ureteral stent insertion (1)
Ureterolithotomy (1)
UV light therapy (1)
Vagotomy (1)
Vascular catheterisation (1)
Vascular compression therapy (1)
Vascular graft (1)
Vascular operation (1)
Vasodilation procedure (1)
Wean from ventilator (1)
Weight loss diet (1)

Venipuncture (1)
Venous stent insertion (1)
Ventriculo-peritoneal shunt (1)
Vertebroplasty (1)
Wheat-free diet (1)
Wound drainage (1)
Wound treatment (1)
X-ray therapy to lung (1)
Vascular disorders (28756)
 Hypertension (6004)
 Hot flush (4045)
 Flushing (3990)
 Hypotension (2735)
 Peripheral coldness (1972)
 Deep vein thrombosis (1813)
 Thrombosis (1535)
 Pallor (1518)
 Haematoma (799)
 Haemorrhage (645)
 Hypertensive crisis (499)
 Cyanosis (406)
 Embolism (311)
 Circulatory collapse (303)
 Thrombophlebitis superficial (289)
 Thrombophlebitis (275)
 Lymphoedema (237)
 Raynaud's phenomenon (217)
 Peripheral vascular disorder (199)
 Vasculitis (182)
 Blood pressure fluctuation (176)
 Phlebitis (151)
 Vasodilatation (146)
 Orthostatic hypotension (145)
 Neurogenic shock (113)
 Venous thrombosis limb (113)
 Vascular pain (111)
 Venous thrombosis (109)
 Shock (107)
 Varicose vein (101)
 Giant cell arteritis (70)
 Poor peripheral circulation (66)
 Peripheral ischaemia (57)
 Peripheral circulatory failure (50)
 Hyperaemia (47)
 Phlebitis superficial (43)
 Arterial thrombosis (41)
 Hypertensive urgency (41)
 Peripheral artery thrombosis (41)
 Pelvic venous thrombosis (40)

Ischaemia (37)
Blue toe syndrome (35)
Jugular vein thrombosis (33)
Internal haemorrhage (31)
Arteriosclerosis (30)
Infarction (29)
Bloody discharge (26)
Hypertensive emergency (25)
Vein disorder (25)
Peripheral embolism (23)
Hypertension (6004)
Hot flush (4045)
Flushing (3990)
Hypotension (2735)
Peripheral coldness (1972)
Deep vein thrombosis (1813)
Thrombosis (1535)
Pallor (1518)
Haematoma (799)
Haemorrhage (645)
Hypertensive crisis (499)
Cyanosis (406)
Embolism (311)
Circulatory collapse (303)
Thrombophlebitis superficial (289)
Thrombophlebitis (275)
Lymphoedema (237)
Raynaud's phenomenon (217)
Peripheral vascular disorder (199)
Vasculitis (182)
Blood pressure fluctuation (176)
Phlebitis (151)
Vasodilatation (146)
Orthostatic hypotension (145)
Neurogenic shock (113)
Venous thrombosis limb (113)
Vascular pain (111)
Venous thrombosis (109)
Shock (107)
Varicose vein (101)
Giant cell arteritis (70)
Poor peripheral circulation (66)
Peripheral ischaemia (57)
Peripheral circulatory failure (50)
Hyperaemia (47)
Phlebitis superficial (43)
Arterial thrombosis (41)
Hypertensive urgency (41)
Peripheral artery thrombosis (41)

Pelvic venous thrombosis (40)
Ischaemia (37)
Blue toe syndrome (35)
Jugular vein thrombosis (33)
Internal haemorrhage (31)
Arteriosclerosis (30)
Infarction (29)
Bloody discharge (26)
Hypertensive emergency (25)
Vein disorder (25)
Peripheral embolism (23)
Peripheral arterial occlusive disease (6)
Venous occlusion (6)
Aortic occlusion (5)
May-Thurner syndrome (5)
Vascular occlusion (5)
Achenbach syndrome (4)
Aneurysm ruptured (4)
Aortitis (4)
Artery dissection (4)
Axillary vein thrombosis (4)
Erythromelalgia (4)
Femoral artery embolism (4)
Labile hypertension (4)
MAGIC syndrome (4)
Shock haemorrhagic (4)
Venous haemorrhage (4)
Withdrawal hypertension (4)
Arterial disorder (3)
Arterial rupture (3)
Behcet's syndrome (3)
Bleeding varicose vein (3)
Brachiocephalic vein thrombosis (3)
Distributive shock (3)
Extremity necrosis (3)
Peripheral vein occlusion (3)
Subclavian artery thrombosis (3)
Thrombosed varicose vein (3)
Vein collapse (3)
Venous hypertension (3)
Arterial stenosis (2)
Brachial artery entrapment syndrome (2)
CT hypotension complex (2)
Diastolic hypotension (2)
Diffuse vasculitis (2)
Granulomatosis with polyangiitis (2)
Haemorrhagic infarction (2)
Iliac artery embolism (2)
Inferior vena cava dilatation (2)

Jugular vein distension (2)
 Microscopic polyangiitis (2)
 Secondary hypertension (2)
 Varicose vein ruptured (2)
 Vasculitis necrotising (2)
 Air embolism (1)
 Aortic disorder (1)
 Aortic intramural haematoma (1)
 Arterial haemorrhage (1)
 Arterial spasm (1)
 Arteriovenous fistula (1)
 Claudication of jaw muscles (1)
 Dry gangrene (1)
 Endothelial dysfunction (1)
 Erythrocyanosis (1)
 Haemorrhagic vasculitis (1)
 Iliac vein occlusion (1)
 Jugular vein embolism (1)
 Lymphangiopathy (1)
 Lymphorrhoea (1)
 Necrosis ischaemic (1)
 Neovascularisation (1)
 Paradoxical embolism (1)
 Paradoxical pressor response (1)
 Peripheral artery aneurysm (1)
 Peripheral artery stenosis (1)
 Peripheral vein thrombus extension (1)
 Phlebitis deep (1)
 Plethoric face (1)
 Post thrombotic syndrome (1)
 Postpartum venous thrombosis (1)
 Pseudovasculitis (1)
 Subclavian vein stenosis (1)
 Thrombophlebitis migrans (1)
 Tyramine reaction (1)
 Vascular calcification (1)
 Vascular compression (1)
 Vascular dissection (1)
 Vena cava embolism (1)
 Venous recanalisation (1)
 Venous thrombosis in pregnancy (1)

➤ Geographical distribution

▼ Age group distribution

Age group

Count Percentage

0 - 27 days	255	0
28 days to 23 months	868	0
2 - 11 years	664	0
12 - 17 years	998	0
18 - 44 years	249349	40
45 - 64 years	229645	37
65 - 74 years	55023	9
≥ 75 years	46695	7
Unknown	40307	6

▼ Patient sex distribution

Sex	Count	Percentage
Female	455874	73
Male	155047	25
Unknown	12883	2

▼ ADR reports per year

Year	Count	Percentage
2021	621674	100
2020	2121	0
2019	6	0
2018	3	0